MEDICAL LIBRARY
(MINISTRY OF HEALTH.)

MEDICAL LIBRARY

of the Registrar-
ages 1867

Lent Reminder Rec'd

22500993351

No.....

MINISTRY OF HEALTH.

MEDICAL LIBRARY.

This book may be retained for 14 days. It should be returned to the Medical Library (Room 30/IV) on or before the latest date given below.

The volume may be reborrowed for a further period upon written request provided it is not required by another officer.

21214 6410/3646a 5m(2) 7/24 J.P.D207 Gp.132

24

NINTH

DETAILED ANNUAL REPORT

OF THE

REGISTRAR-GENERAL

ON

BIRTHS, DEATHS, AND MARRIAGES

IN SCOTLAND.

Presented to both Houses of Parliament by Command of Her Majesty.

EDINBURGH:
PRINTED BY MURRAY AND GIBB,
FOR HER MAJESTY'S STATIONERY OFFICE.

1866.

1694

NINTH DETAILED ANNUAL REPORT

OF THE

REGISTRAR-GENERAL

OF

BIRTHS, DEATHS, AND MARRIAGES IN SCOTLAND.

Presented to both Houses of Parliament by Command of Her Majesty.



EDINBURGH:
PRINTED BY MURRAY AND GIBB,
FOR HER MAJESTY'S STATIONERY OFFICE.

1866.

MEDICAL LIBRARY
MINISTRY OF HEALTH

WELLCOME INSTITUTE
LIBRARY
Coll. welMOmec
Call No. QW
WA

REPORT.

TO THE

RIGHT HON^BLE. SPENCER H. WALPOLE, M.P.,

Her Majesty's Principal Secretary of State for the Home Department.

GENERAL REGISTRY OFFICE OF BIRTHS, ETC.,
EDINBURGH, *December* 24, 1866.

SIR,

IN conformity with the seventh section of the Scottish Registration Act, 17° and 18° Vict. cap. 80, I submitted, on the close of the year 1863, a general abstract of the births, deaths, and marriages registered in Scotland during that year. I have now the honour to submit to you my Detailed Report, with relative Tables, for the same year.

During the year 1863 the country generally recovered from the depressing influence which the American war, and the stoppage of our usual cotton supplies, had occasioned. Trade became brisk, the demand for labour was great, provisions were abundant and cheap: marriages, therefore, which, during the previous year, had fallen below their average, rose as much above it, and every trade, excepting those more or less dependent on the cotton manufactures, prospered. The births also were above their average.

The deaths, however, which are under different influences, were considerably above their mean proportion; indeed, they were higher than during any of the eight previous years—that is, since the Registration Act came into operation. The weather during 1863 had unquestionably much to do with

this high mortality, for not only was the fall of rain greater, and the atmosphere more loaded with moisture than usual, but there was a lesser degree of heat during the summer months, a smaller amount of cold during those of winter, and less variation of temperature, both daily and monthly. Under this weather, epidemics and diseases of all kinds prevailed, and towards the close of the year Fever assumed the epidemic form.

I desire to call your attention to the inquiry which has been made into the influence of marriage on the mortality of males. Hitherto it has been supposed that marriage only slightly affected the mortality of females, and in my Seventh and Eighth Detailed Reports this subject was fully examined. It would appear, however, from the facts now adduced, that the effect of marriage in diminishing the mortality of the males is much greater than could have been anticipated, and far exceeds any influence for good or evil which it has on females.

A few additional facts are noticed relative to the effect of cold in retarding the prolific period of life in the female.

The state of elementary education, as exhibited in the proportions of men and of women able to sign their names at marriage, continues to be satisfactory, seeing that only 10·86 per cent. of the men, and 22·10 per cent. of the women, were obliged to sign by mark, from being unable to write.

I have the honour to be,

SIR,

Your obedient Servant,

W. PITT DUNDAS,

Registrar-General.

CONTENTS.

	Page
Report of Registrar-General to the Secretary of State,	iii
Report by Dr Stark to the Registrar-General,	ix
Table of Estimated Population, with the number of Births, Deaths, and Marriages registered in Scotland during each of the nine years 1855 to 1863 inclusive, and their Proportions to the Population; showing also the excess of Births over Deaths,	ix
Table showing the Proportion of Births, Deaths, and Marriages in the Insular, Mainland-Rural, and Town Districts of Scotland, during each of the nine years 1855 to 1863,	x
Table of the Population of Scotland and its Three Great Groups of Districts in 1851 and 1861, also the Population estimated to the middle of the year 1863, distinguishing the Sexes,	xi
Table showing the estimated Population, with the Number and Proportion of Births, Deaths, and Marriages in every Division and County of Scotland during the year 1863,	xii
Table of the Births, Deaths, and Marriages in Scotland and in its Three Great Groups of Districts in 1863, and their Proportions to the estimated Population; also the Number of Illegitimate Births, and their Proportion to the total Births,	xiii

Births in 1863.

Births in 1863, and their Proportion to the Population,	xi
Birth-rates in the Counties and Groups of Districts,	xii
Number and Proportion of Legitimate and Illegitimate Births, with relative Tables,	xiii
Proportion of Sexes at Birth,	xvi

Marriages in 1863.

Number of Marriages, and their Proportion to the Population,	xvii
Number and Proportion of Marriages celebrated according to the Rites of the several Religious Denominations,	xvii
Ages of the Men and Women who contracted Marriage in 1863,	xviii
Persons in Scotland marry slightly later in life than in England,	xviii
Marrying a little later in life does not diminish the fertility,	xix
Sweden an instance of cold retarding but not diminishing the fertility of the female,	xx
Number and Proportion of Marriages between Persons in different Conjugal Conditions, with relative Tables,	xxi
Number and Proportion of Men and Women in Scotland, its Divisions and Counties, also in Edinburgh and Glasgow, who signed the Marriage Schedules by Mark,	xxiii

Page

Deaths in 1863.

Number of Deaths, and their Proportion to the Population, ... xxv
Different Death-rates in the Rural and Town Districts, ... xxv
Death-rates in the Eight Principal Towns of Scotland, ... xxv
Male Death-rate exceeds that of Female at nearly all ages, ... xxvi
Influence of Marriage on the Male Death-rate, ... xxvii
Mean age at Death of Married Men and Bachelors, ... xxix
Striking anomaly caused by summarizing the Proportion of Deaths at all ages of the Married and Unmarried Males, ... xxxi
Tables of Deaths at different ages in Scotland, its Three Great Groups of Districts, and in its Eight Principal Towns, ... xxviii–xxxv

Causes of Death.

Table showing the per-centage of Deaths from different Diseases in the Eight Principal Towns of Scotland, ... xxxvi
Table showing the Deaths from different Diseases in every 100,000 Persons of the estimated Population and in each Sex in Scotland, and in its Insular, Mainland-Rural, and Town Districts, ... xxxviii
Table showing in Scotland, and in the Insular, Mainland-Rural, and Town Districts, the proportion of Deaths from different Diseases in every 10,000 Specified Causes of Death, xxxix
Deaths from the Zymotic Class of Diseases, and from the individual Diseases under that Class—Typhus, Small-pox, Scarlatina, Measles, etc., ... xxxvi
Deaths from Diseases of Uncertain Seat—Dropsy, Cancer, etc., ... xli
Deaths from the Tubercular Class of Diseases—Scrofula, Consumption, etc., . . xli
Deaths from Diseases of the Brain and Nervous System—Apoplexy, Paralysis, Convulsions, etc., ... xlii
Deaths from Diseases of the Heart and Organs of Circulation, ... xlii
Deaths from Diseases of the Respiratory Organs—Bronchitis, Pneumonia, etc., . . xliii
Deaths from Diseases of the Organs of Digestion, ... xliii
Deaths from Kidney and Urinary Diseases, ... xliii
Deaths from Childbirth, and Diseases of the Organs of Generation, . . . xliv
Deaths from other Classes of Disease, Infantile Debility, Old Age, etc., . . . xliv
Deaths from Violent Causes, and Suicides, ... xliv
The eighteen most fatal Diseases in England and Scotland, ... xliv

Influence of External Agencies.

Influence of Season on the Births, ... xlv
Favourite days for Marriage in England and Scotland, ... xlvi
Extraordinary number of Marriages on the last day of the year, ... xlvi
Influence of Weather on the Death-rate, ... xlvii
Variation of Temperature necessary for health, ... xlvii
Deaths from nearly all Diseases in Scotland increase with fall of Temperature, . . xlix
Table showing the Meteorology of Scotland during each month of the year 1863, with the number of the Monthly and Daily Births, Deaths, and Marriages, . . . xlviii
Table showing the connection between certain Atmospheric Phenomena, especially mean Temperature, and the monthly Deaths from certain Diseases in the Eight Principal Towns of Scotland, ... xlix
Table showing the value of the Imports, Exports, quantity of Grains, and other leading articles of Food or Commerce imported into Great Britain in 1861, 1862, and 1863; the average Price of Grain and of the 4lb. Loaf; the Amount of Deposits in Savings Banks; the number of Paupers, Emigrants, etc., ... l

Page

APPENDIX TO REPORT.

Reference Table of Population of Scotland estimated to the middle of each year, including the Army, Navy, and merchant seaman in Scotland, or in Scottish waters, from 1801 to 1861, ... lii

---

ABSTRACTS.

Summary Table of the Births, Deaths, and Marriages in the Divisions and Counties of Scotland in 1863, distinguishing the Sexes, the Number of Illegitimate Births, the Population in 1851 and 1861, the Excess of Births over Deaths, and the Number of Statute Acres in each County, ... 1
Tables of the Population in 1851 and 1861, and of the Births, Deaths, and Marriages during the year 1863, also of the Illegitimate Births, in every Registration District, 2–23
Summary Table of Population in 1851 and 1861; and of the Births, Deaths, and Marriages in 1863, in the Insular, the Mainland-Rural, and Town Districts of Scotland, 23

MARRIAGES.

Table of the Marriages in Scotland and its Counties in 1863; distinguishing the Number of Marriages solemnized according to the Rites of the several Religious Denominations, the Number of Irregular Marriages, and the Number of the respective Sexes who signed the Register by Marks, ... 24
Table of the Civil Condition of the Parties who married in 1863; distinguishing the Marriages of Bachelors with Spinsters; Bachelors with Widows; Widowers with Spinsters; and Widowers with Widows; giving the particulars as to the Age of each Sex, 25
Table of the Ages of all Males who married in Scotland and its Counties in 1863, . . 26
Table of the Ages of all Females who married in Scotland and its Counties in 1863, . 28

DEATHS.

Table of the Ages of all Persons of both Sexes who died in each of the Counties and Larger Towns of Scotland in 1863, together with the Population of these Counties and Towns in 1851 and 1861, ... 30
Table of the Ages of all Males who died in each of the Counties and Larger Towns of Scotland in 1863, together with the Male Population of these Counties and Towns in 1851 and 1861, ... 32
Table of the Ages of all Females who died in each of the Counties and Larger Towns of Scotland in 1863, together with the Female Population of these Counties and Towns in 1851 and 1861, ... 34
Summary Table of the Causes of Death in both Sexes in each of the Counties of Scotland in 1863, ... 36–39
Do. Males, ... 40–43
Do. Females, ... 44–47
Summary Table of the Causes of Death in both Sexes in each of the Larger Towns of Scotland in 1863, whose respective Populations amounted to 10,000 or upwards in 1861, including important Suburban Districts, ... 48–51
Do. Males, ... 52–55
Do. Females, ... 56–59
Table of the Causes of Death in both Sexes in all Scotland at different Periods of Life, . 60–63
Do. Males, ... 64–67
Do. Females, ... 68–71
Table of the Causes of Death in both Sexes in the Insular Districts of Scotland at different Periods of Life, ... 72–75
Do. Males, ... 76–79
Do. Females, ... 80–83

Page

Table of the Causes of Death in both Sexes in the Mainland Districts of Scotland at different Periods of Life, ... 84–87
Do. Males, ... 88–91
Do. Females, ... 92–95
Table of the Causes of Death in both Sexes in the Town Districts of Scotland at different Periods of Life, ... 96–99
Do. Males, ... 100–103
Do. Females, ... 107–140
Table of the Causes of Death in both Sexes in Glasgow at different Periods of Life, . 108–111
Do. Males, ... 112–115
Do. Females, ... 116–119
Table of the Causes of Death in both Sexes in the Suburban Districts of Barony and Govan at different Periods of Life, ... 120–123
Do. Males, ... 124–127
Do. Females, ... 128–131
Table of the Causes of Death in both Sexes in Edinburgh at different Periods of Life, . 132–135
Do. Males, ... 136–139
Do. Females, ... 140–143
Table of the Causes of Death in both Sexes in Dundee at different Periods of Life, . . 144–147
Do. Males, ... 148–151
Do. Females, ... 152–155
Table of the Causes of Death in both Sexes in Aberdeen at different Periods of Life, . 156–159
Do. Males, ... 160–163
Do. Females, ... 164–167
Table of the Causes of Death in both Sexes in Paisley at different Periods of Life, . . 168–171
Do. Males, ... 172–175
Do. Females, ... 176–179
Table of the Causes of Death in both Sexes in Greenock at different Periods of Life, . 180–183
Do. Males, ... 184–187
Do. Females, ... 188–191
Table of the Causes of Death in both Sexes in Leith at different Periods of Life, . . 192–195
Do. Males, ... 196–199
Do. Females, ... 200–203
Table of the Causes of Death in both Sexes in Perth at different Periods of Life, . . 204–207
Do. Males, ... 208–211
Do. Females, ... 212–215
Table showing the Influence of Season on the Mortality, or the Number of Deaths during the several Months of the Year 1863, in each of the Divisions and Counties of Scotland, together with the estimated Population of each Division and County to the middle of 1863, ... 216
Constitution of the Compound Districts, ... 217
Index to Districts, ... 218

REPORT TO THE REGISTRAR-GENERAL,

BY JAMES STARK, M.D., F.R.S.E.

SIR,

THE year 1863, to which this Report refers, exhibited the highest number of births, deaths, and marriages among the population of Scotland, since the Registration Act came into operation. Trade, which had been much depressed during the previous year in consequence of the war in the United States of America, had greatly recovered itself; money was plentiful; the labouring and artisan classes, with the single exception of those connected with the cotton manufactories, were in full employment, and the proportion of marriages to the population rose higher than ever previously noticed in Scotland. To counterbalance this favourable view of matters, the deaths were greatly more numerous than usual, and attained a higher proportion than they had done during any one of the eight previous years, the only years of which we have any certain records. It has always been noticed, that when the deaths are very numerous, the proportion of births increases also; and 1863 was no exception to this apparently general rule, for the births attained a higher proportion than during any of the eight previous years.

It was during the latter portion of this year that Fever, in its varied forms of Typhus (or Spotted Fever), Typhoid (or Enteric, Gastro-Enteric,

---

TABLE I.—POPULATION estimated to the middle of each year; with the Number of BIRTHS, DEATHS, and MARRIAGES registered in Scotland during each of the nine years 1855 to 1863, and their Proportion to the Population; showing also the excess of Births over Deaths.

Year.	Estimated Population.	Births.	Deaths.	Marriages.	Excess of Births over Deaths.	Proportion to every 100 Persons living.		
						Births.	Deaths.	Marriages.
1855	2,978,065	93,349	62,004	19,680	31,345	3·134	2·082	0·660
1856	2,995,771	101,821	58,529	20,740	42,291	3·395	1·953	0·692
1857	3,012,310	103,415	61,906	21,369	41,509	3·433	2·055	0·709
1858	3,027,665	104,018	63,539	19,655	40,479	3·435	2·098	0·649
1859	3,041,812	106,543	61,714	21,201	44,829	3·502	2·028	0·697
1860	3,054,738	105,629	68,170	21,225	37,459	3·457	2·231	0·695
1861	3,066,633	107,009	62,341	20,896	44,668	3·484	2·032	0·681
1862	3,083,989	107,069	67,195	20,597	39,874	3·471	2·178	0·667
1863	3,101,345	109,341	71,481	22,234	37,860	3·525	2·305	0·716

and Gastric Fever), Relapsing, and Continued Fever, assumed the epidemic form, and began to spread over the country. The atmospheric agencies seemed in fact to favour the spread of most epidemics, the continued wet weather and humid atmosphere seeming to relax the constitutions of the inhabitants, so as to render them more liable to the attacks of disease. Thus not only was the year characterized as one of excessive moisture of the atmosphere, and greater deposit of rain than usual, but there was less than the usual amount of variation of temperature. The days were colder, from the sun being more obscured by clouds; but the nights were warmer, for the same reason. There was not the same daily clearing of the atmosphere, by the free deposition of dew carrying down all noxious matters from the air during the night. Even the winter was milder than usual; thus participating in the general character of the year, so that the constitutions of the inhabitants were not invigorated to their usual extent by the colds of winter. These, and other causes, to be mentioned more particularly afterwards, no doubt led to the high mortality which prevailed.

To serve as a standard of reference for the population of Scotland, a table has been prepared, and is appended to this Report, which shows the number of males and of females at the middle of every year from 1801 to 1861. The numbers in that table, in so far as the males are concerned, will be found to differ materially from the numbers as published in the Official Census Tables. This arises from two causes. *First*, That the censuses were never taken at the middle period of the year. The first necessary correction, therefore, was to bring up the census numbers to the middle of each year, otherwise no exact comparison could be made as to the proportion of births, deaths, and marriages in the population. *Secondly*, That no census of the population before that of 1841 included the military actually residing in Scotland, nor the seamen on board ships of the Royal Navy or merchant service lying in the docks and harbours, or off the coast. As the complete census of a population, however, ought to include all persons on Scottish ground or in Scottish waters, as these contribute to the deaths and marriages, if not to the births also, the number of persons in

TABLE II.—Proportion of Births, Deaths, and Marriages in every 100 Persons living in the Insular, Mainland-Rural, and Town Districts of Scotland during each of the nine years 1855 to 1863, the Population being estimated to the middle of each year.

Year.	Insular Districts.			Mainland-Rural Districts.			Town Districts.		
	Births.	Deaths.	Marriages.	Births.	Deaths.	Marriages.	Births.	Deaths.	Marriages.
1855	2·275	1·641	0·441	3·078	1·782	0·580	3·403	2·668	0·834
1856	2·643	1·325	0·514	3·204	1·661	0·599	3·783	2·554	0·869
1857	2·738	1·415	0·585	3·301	1·743	0·628	3·794	2·667	0·866
1858	2·822	1·464	0·544	3·299	1·804	0·576	3·790	2·682	0·787
1859	2·860	1·627	0·562	3·384	1·707	0·617	3·812	2·519	0·848
1860	2·846	1·684	0·503	3·346	1·896	0·610	3·735	2·843	0·856
1861	2·801	1·595	0·572	3·297	1·746	0·582	3·883	2·537	0·848
1862	2·786	1·859	0·531	3·308	1·847	0·575	3·814	2·730	0·827
1863	2·711	1·840	0·491	3·338	1·956	0·609	3·921	2·897	0·910

these services from 1801 to 1841 had to be estimated for each year from such imperfect data as were available. As these numbers have received the sanction of the English statists, they have been embodied in the estimated number of males in Scotland from 1801 to 1840. (See table at the end of this Report, p. lii.).

At the census of 1841, and all subsequent censuses, the number of persons belonging to these classes was ascertained, and included in the general population. From 1841, therefore, the population of each year had only to be corrected to the middle of each year. As the rate of increase, however, was very different in the decade 1841 to 1851, from what it was during the decade 1851 to 1861, the numbers for each year of the two decades had to be calculated and interpolated by the method of differences from the observed rates of increase, allowance being made for the decrease in the rate.

Since 1861, however, the population of Scotland has been once more increasing at a more rapid rate, and this fact has been allowed for in the estimates of the population subsequent to 1861. Still, as all estimates for the current decade must be considered merely approximative, till the census of 1871 shall be taken, the same confidence cannot be put in them as for the years previous to 1861. The estimates for the present decade, therefore, are not included in the standard table.

It may be mentioned that the Registrars-General of England and of Ireland have caused similar tables to be prepared for England and for Ireland; so that, up to 1861, standard tables of reference are now prepared, showing the males, females, and total persons living at the middle of each year from 1801 to 1861, in each of the several kingdoms of England, Scotland, and Ireland.

The population of Scotland on the 30th of June 1863 may be safely estimated as amounting to 3,101,345 persons, of whom 1,466,581 were males, and 1,634,764 females. These, distributed among the three great groups into which we divide the districts of Scotland, would furnish 159,439 persons for the Insular Districts, 1,774,492 persons for the Mainland-Rural Districts, and 1,167,414 persons for the Town Districts. (Table III.)

BIRTHS.

109,341 births were registered in Scotland during the year 1863, being in the proportion of 352 births in every ten thousand persons of the

TABLE III.—Population of Scotland and its Three Great Groups of Districts in 1851 and 1861; also the Population estimated to the middle of the year 1863.

Districts.	Census 1851.			Census 1861.			Estimated to 30th June 1863.		
	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.
Insular . .	76,760	89,727	166,487	73,409	87,324	160,733	72,655	86,784	159,439
Mainland-Rural .	829,259	883,293	1,712,552	849,381	913,996	1,763,377	853,740	920,752	1,774,492
Town . .	469,460	540,243	1,009,703	527,058	611,126	1,138,184	540,186	627,228	1,167,414
SCOTLAND .	1,375,479	1,513,263	2,888,742	1,449,848	1,612,446	3,062,294	1,466,581	1,634,764	3,101,345

estimated population. The births were thus more numerous, and in a higher proportion, than they had been during the eight previous years, the only years of which we have any certain record, for during these years the average proportion was 341 births yearly in every ten thousand persons.

It is worthy of note that, during the same year in England, the births

TABLE IV.—Number of Births, Deaths, and Marriages in 1863 in Scotland, its Groups of Districts, its Divisions and Counties, and their proportion to the Population.

	Divisions and Counties.	Population estimated to the middle of the Year 1863.	Births.		Deaths.		Marriages.	
			Number.	Per-cent.	Number.	Per-cent.	Number.	Per-cent.
	SCOTLAND . . .	3,101,345	109341	3·525	71481	2·305	22234	0·716
	Insular Districts . .	159,439	4323	2·711	2934	1·840	784	0·491
	Mainland-Rural Dists.	1,774,492	59235	3·338	34722	1·956	10820	0·609
	Town Districts . . .	1,167,414	45783	3·921	33825	2·897	10630	0·910
	Divisions.							
I.	Northern	131,184	3388	2·582	1967	1·499	644	0·490
II.	North-Western . .	165,439	4476	2·705	3084	1·864	830	0·501
III.	North-Eastern . .	370,925	12562	3·386	6764	1·823	2438	0·657
IV.	East-Midland . . .	525,589	17501	3·329	11418	2·172	3634	0·689
V.	West-Midland . .	242,745	8046	3·314	5304	2·143	1502	0·618
VI.	South-Western . .	1,036,867	41628	4·014	28836	2·781	8548	0·824
VII.	South-Eastern . .	414,753	14999	3·616	9582	2·310	3373	0·813
VIII.	Southern	213,843	6741	3·152	4526	2·107	1265	0·591
	Counties.							
1	Shetland	31,803	841	2·644	446	1·402	167	0·525
2	Orkney	32,606	847	2·597	466	1·429	201	0·616
3	Caithness.	42,741	1170	2·737	669	1·518	189	0·442
4	Sutherland	24,034	530	2·205	386	1·606	87	0·362
5	Ross and Cromarty .	82,122	2189	2·665	1568	1·909	407	0·495
6	Inverness	83,317	2287	2·744	1516	1·819	423	0·507
7	Nairn	8,407	237	2·819	181	2·152	53	0·630
8	Elgin	45,046	1546	3·432	854	1·895	244	0·541
9	Banff	57,069	1959	3·432	977	1·712	349	0·611
10	Aberdeen.	225,567	7698	3·412	4111	1·822	1553	0·688
11	Kincardine	34,836	1122	3·220	641	1·840	239	0·686
12	Forfar	209,701	7569	3·609	5169	2·465	1619	0·772
13	Perth	132,260	3841	2·904	2571	1·943	854	0·645
14	Fife.	155,297	5128	3·302	3010	1·938	983	0·633
15	Kinross	8,531	249	2·918	131	1·535	51	0·598
16	Clackmannan . . .	19,800	714	3·606	537	2·712	127	0·641
17	Stirling	89,112	3379	3·791	2072	2·325	753	0·845
18	Dumbarton	55,797	2033	3·643	1273	2·281	330	0·591
19	Argyll	81,569	2211	2·716	1609	1·972	334	0·409
20	Bute	16,267	423	2·600	350	2·151	85	0·523
21	Renfrew	171,177	6777	3·959	4892	2·857	1537	0·897
22	Ayr.	201,107	7456	3·707	4410	2·192	1433	0·712
23	Lanark	664,583	27395	4·122	19534	2·939	5578	0·839
24	Linlithgow	40,948	1772	4·327	944	2·305	277	0·676
25	Edinburgh	277,378	9990	3·601	6892	2·481	2566	0·925
26	Haddington	37,910	1286	3·392	670	1·767	203	0·535
27	Berwick	36,559	1201	3·285	610	1·668	195	0·533
28	Peebles	11,410	407	3·567	262	2·296	66	0·578
29	Selkirk	10,548	343	3·251	204	1·934	66	0·625
30	Roxburgh	54,282	1777	3·089	1101	2·028	338	0·622
31	Dumfries	75,400	2426	3·217	1812	2·403	463	0·614
32	Kirkcudbright . . .	42,355	1290	3·045	827	1·952	236	0·557
33	Wigtown	41,806	1248	2·984	786	1·880	228	0·545

were also in excess of what they had been at any former period, being in the proportion of 353 births in every ten thousand persons. Some general cause, therefore, had probably acted on the birth-rate in both countries. Two causes were in operation in Scotland which could influence the birth-rate, viz. the unusually high death-rate, and the unusually high marriage-rate; for it has always been noticed in Scotland, that wherever and whenever a high death-rate prevails, there also a higher birth-rate exists, as if an effort of nature was made to compensate for the losses by death by inducing a greater fertility in the female.

In the three great groups of districts into which Scotland is divided, the proportion of births differed as usual; but it is worthy of note that the increase in the births was alone confined to the populations which are increasing in numbers, whereas, in the Insular Districts, where the population is annually diminishing, the births were below those of former years. Thus, of the 109,341 births in Scotland, 4323 were registered in the Insular, 59235 in the Mainland-Rural, and 45783 in the Town Districts; giving the proportion in every ten thousand persons in each of these districts, of 271 births in the Insular, 333 births in the Mainland-Rural, and 392 births in the Town Districts. (Tables IV., V., and VI.) This is considerably above the average birth-rate of the Mainland-Rural and Town Districts during the eight previous years, but below the average in the Insular Districts. (Table II.)

Of the 109,341 children whose births were registered during the year, 98393 were legitimate, and 10948 illegitimate; giving the high proportion of 10 per cent. of the births as illegitimate. As this is a higher proportion than in former years, and as the per-centage seems to be slowly increasing from year to year, it seems to indicate that illegitimacy is on the increase. It is to be noted that this increase is a real and not an apparent one only. It is not owing to registration being more perfect this year than it was in previous years; for the increase is not in towns, where an illegitimate birth might possibly escape detection, but in the rural districts, where such a contingency is by no means probable.

It is a singular fact, as connected with the illegitimate births, that Scotland stands almost alone among the nations as being a country where illegitimacy is more common among the rural populations than among those

TABLE V.—Number of Births, Deaths, and Marriages registered in Scotland, and in its Three Great Groups of Districts, in 1863, and their proportion to the Estimated Population; also the Number of Illegitimate Births, and their proportion to the Total Births.

1863. Districts.	Total Births.		Illegitimate Births.		Deaths.						Marriages.	
					No. of Deaths.			Per-cent. to Pop.				
	No.	Per-cent. to Pop.	No.	Per-cent. to Total Births	Males.	Fem.	Total.	Males.	Fem.	Total.	No.	Per-cent. to Pop.
Insular .	4323	2·711	212	4·9	1427	1507	2934	1·964	1·736	1·840	784	0·491
Mainland Rural	59235	3·338	6277	10·6	17222	17500	34722	2·107	1·900	1·956	10820	0·609
Town .	45783	3·921	4459	9·7	16982	16843	33825	3·143	2·685	2·897	10630	0·910
SCOTLAND	109341	3·525	10948	10·0	35631	35850	71481	2·429	2·192	2·305	22234	0·716

of the towns. In 1863, while only 9·7 per cent. of the births were illegitimate in the Town Districts, the proportion rose to 10·6 per cent. in the Mainland-Rural Districts, but was only 4·9 per cent. of the births in the Insular Districts. As a contrast with this, see the facts for Sweden, which in this respect correspond with the whole of the continental kingdoms. In 1862 (the last returns we have received), 23·1 per cent. of the births in the towns of Sweden were illegitimate, rising to 39·6 per cent. in Stockholm; while only 6·8 per cent. were illegitimate in the Rural Districts.

If we cast our eye down the last column of Table VIII., it will be apparent that the several counties yield very different proportions of illegitimate births. On comparing the figures in that column with those of former years, it is found that, year after year, the proportion of illegitimate births in the same county recurs with a regularity truly surprising. Thus, while the counties embraced in the Northern and North-Western Divisions yielded the smallest proportion of illegitimate births, the counties embraced in the Southern and North-Eastern Divisions have always yielded the very highest proportion—a proportion nearly three times as great as the former. Thus, by the tables for 1863, while only 5·7 and 5·9 per cent. of the births were illegitimate in the Northern and North-Western Divisions of Scotland,

---

TABLE VI.—BIRTHS, 1863. Total Births; also the Number of the Legitimate and Illegitimate Births in Scotland and in its Three Great Groups of Districts in 1863; together with the Number of Twin and Triplet Births.

1863. Districts.	Total Births.			Legitimate Births.			Illegitimate Births.			Twin Births.	Triplet Births.
	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.		
Insular	2,232	2,091	4,323	2,130	1,981	4,111	102	110	212	55	–
Mainland-Rural	30,371	28,864	59,235	27,044	25,914	52,958	3,327	2,950	6,277	713	4
Town	23,623	22,160	45,783	21,385	19,939	41,324	2,238	2,221	4,459	499	2
SCOTLAND . . .	56,226	53,115	109,341	50,559	47,834	98,393	5,667	5,281	10,948	1,267	6

TABLE VII.—BIRTHS, 1863. Per-centage of Births to the Population, and of Illegitimate to the Total Births; also the Proportion of the Sexes in the Total Births, and in the Legitimate and Illegitimate Births; together with the Per-centage of Mothers who bare Twins and Triplets in Scotland and in its Three Great Groups of Districts in 1863.

1863. Districts.	Per-centage of Births to Population.	Per-centage of Illegitim. to Total Births.	Proportion of Males to every 100 Females in the			Proportion of Mothers who bare Twins. — One in every	Proportion of Mothers who bare Triplets. — One in every
			Total Births.	Legitimate Births.	Illegitim. Births.		
Insular	2·711	4·9	106·7	107·5	92·7	77	–
Mainland-Rural	3·338	10 6	105·2	104·3	112·7	82	14630
Town	3·921	9·7	106·6	107·2	100·7	90	22643
SCOTLAND . . .	3·525	10·0	105·8	105·7	107·3	87	18012

14·5 per cent. were illegitimate in the Southern, and 15·8 per cent. in the North-Eastern Divisions.

This increased immorality in the counties included in the Southern and North-Eastern Divisions must be due to some cause acting equally on

TABLE VIII.—BIRTHS, 1863. Number of Males and Females in the Total Births, and in the Legitimate and Illegitimate Births; also the Proportion of Illegitimate to the Total Births in all Scotland, its Groups of Districts, Divisions, and Counties in 1863.

1863. Divisions and Counties.	Total Births.			Legitimate Births.			Illegitimate Births.			No. of Total and Illegitimate Births, and per-centage of Illegit. to the Total Births.		
	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Total Births.	Illegit. Births.	Per-cent. of Illegit.
SCOTLAND . . .	55226	53115	109341	50559	47834	98393	5667	5281	10948	109341	10948	10·0
Insular Districts . .	2232	2091	4323	2130	1981	4111	102	110	212	4323	212	4·9
Mainland-Rural Dist.	30371	28864	29235	27044	25914	52958	3327	2950	6277	59235	6277	10·6
Town Districts . .	23623	22160	45783	21385	19939	41324	2238	2221	4459	45783	4459	9·7
NORTHERN DIVISION	1780	1608	3388	1672	1521	3193	108	87	195	3388	195	5·7
NORTH-WESTERN DO.	2240	2236	4476	2101	2107	4208	139	129	268	4476	268	5·9
NORTH-EASTERN DO.	6458	6104	12562	5437	5138	10575	1021	966	1987	12562	1987	15·8
EAST-MIDLAND DO. .	8952	8549	17501	7971	7613	15584	981	936	1917	17501	1917	10·9
WEST-MIDLAND DO. .	4183	3863	8046	3812	3574	7386	371	289	660	8046	660	8·2
SOUTH-WESTERN DO.	21493	20135	41628	19702	18391	38093	1791	1744	3535	41628	3535	8·4
SOUTH-EASTERN DO.	7660	7339	14999	6923	6669	13592	737	670	1407	14999	1407	9·3
SOUTHERN DO. . .	3460	3281	6741	2941	2821	5762	519	460	979	6741	979	14·5
COUNTIES.												
Shetland	444	397	841	426	382	808	18	15	33	841	33	3·9
Orkney	434	413	847	415	397	812	19	16	35	847	35	4·1
Caithness	629	541	1170	572	499	1071	57	42	99	1170	99	8·4
Sutherland	273	257	530	259	243	502	14	14	28	530	28	5·2
Ross and Cromarty .	1101	1088	2189	1059	1053	2112	42	35	77	2189	77	3·5
Inverness	1139	1148	2287	1042	1054	2096	97	94	191	2287	191	8·3
Nairn	111	126	237	103	115	218	8	11	19	237	19	8·0
Elgin	789	757	1546	674	647	1321	115	110	225	1546	225	14·5
Banff	961	998	1959	805	825	1630	156	173	329	1959	329	16·7
Aberdeen	4004	3694	7698	3345	3099	6444	659	595	1254	7698	1254	16·2
Kincardine	593	529	1122	510	452	962	83	77	160	1122	160	14·2
Forfar	3898	3671	7569	3435	3203	6638	463	468	931	7569	931	12·3
Perth	1950	1891	3841	1738	1667	3405	212	224	436	3841	426	11·4
Fife	2605	2523	5128	2359	2327	4686	246	196	442	5128	442	8·6
Kinross	120	129	249	101	113	214	19	16	35	249	35	14·0
Clackmannan . . .	379	335	714	338	303	641	41	32	73	714	73	10·2
Stirling	1768	1611	3379	1578	1488	3066	190	123	313	3379	313	9·2
Dumbarton	1078	955	2033	987	885	1872	91	70	161	2033	161	7·9
Argyll	1129	1082	2211	1054	1005	2059	75	77	152	2211	152	6·8
Bute	208	215	423	193	196	389	15	19	34	423	34	8·0
Renfrew	3456	3321	6777	3171	3051	6222	285	270	555	6777	555	8·1
Ayr	3847	3609	7456	3533	3282	6815	314	327	641	7456	641	8·6
Lanark	14190	13205	27395	12998	12058	25056	1192	1147	2339	27395	2339	8·5
Linlithgow	884	888	1772	816	814	1630	68	74	142	1772	142	8·0
Edinburgh	5103	4887	9990	4605	4464	9069	498	423	921	9990	921	9·2
Haddington	655	631	1286	599	568	1167	56	63	119	1286	119	9·2
Berwick	614	587	1201	553	513	1066	61	74	135	1201	135	11·2
Peebles	222	185	407	193	169	362	29	16	45	407	45	11·0
Selkirk	182	161	343	157	141	298	25	20	45	343	45	13·1
Roxburgh	898	879	1777	798	767	1565	100	112	212	1777	212	11·9
Dumfries	1288	1138	2426	1086	990	2076	202	148	350	2426	350	14·4
Kirkcudbright . . .	633	657	1290	532	552	1084	101	105	206	1290	206	15·9
Wigtown	641	607	1248	525	512	1037	116	95	211	1248	211	16·9

the town and rural populations, as is apparent from the fact, that, if we take the county of Aberdeen as an illustration, the proportion of illegitimate births in the town of Aberdeen is nearly the same as that in the rural parishes of the county. Thus, in 1863, 16 per cent. of the births were illegitimate in the town of Aberdeen, and 16·4 per cent. in the whole of the rest of the county; and it has been much the same in former years.

Of the 109,341 children born during the year, 56226 were males, and 53115 females; giving the proportion of 105·8 males for every 100 females at birth. Among the illegitimate children, however, it is a remarkable fact, that almost every year the proportion of males is higher than among the legitimate children. Thus, in 1863, among the illegitimate children, there were 107·3 males for every 100 females; whereas, among the legitimate, there were only 105·7 males for every 100 females. To whatever cause it may be owing, all this is reversed on the Continent of Europe, for there the proportion of males among the legitimate exceeds those among the illegitimate. Thus, taking the whole kingdoms on the Continent of Europe, there are generally born 105 males to every 100 females among the legitimate, but only 103 males to every 100 females among the illegitimate. In Sweden this is the usual proportion. Thus, in 1862, among the legitimate births there were 105·3 males to every 100 females, but among the illegitimate only 102·7 males for every 100 females.

Taking these two striking differences between the illegitimate births in Scotland and on the Continent of Europe into consideration, it seems that we are justified in concluding, that illegitimacy in Scotland is a very different thing, and has different causes, from illegitimacy on the Continent of Europe. All the known facts render it probable that illegitimacy on the Continent is mainly dependent on prostitution, and on the large number of women who are kept as mistresses. But all the facts brought to light regarding it in Scotland seem to prove that it principally depends on the young of both sexes having premature intercourse before they are in a condition to get married. It must be remembered, however, that the law allows the children to be legitimized by the subsequent marriage of the parents, and there is reason to believe that, in numerous instances, the parents of the illegitimate children subsequently contract a regular marriage.

As the births during the year amounted to 109,341, and the deaths to 71481, the excess of births over deaths numbered 37860 persons; and were there no emigration, the population of Scotland would have been increased by that amount. The Emigration Commissioners, however, ascertained that 223,758 persons emigrated from the ports of Great Britain and Ireland in 1863, of whom 116,391 were Irish, 61243 English, 15230 Scotch, and 7833 foreigners, while 23061 had not the place of their nativity distinguished. If to the number of the Scottish emigrants 1750 be added as the proportion of persons whose nativity was not distinguished, the Scottish emigrants would amount to 16980 persons, which number deducted from the excess of births over deaths, would leave 20880 as the increase of the population during the year, or about 3500 more than the probable increase. The above figures, however, take no notice of the very large emigration of Scotch to England and to Ireland, nor of those who enter the army, navy, or merchant shipping.

MARRIAGES.

22234 marriages were registered in Scotland during the year 1863, being in the proportion of 716 marriages in every 100,000 persons of the estimated population,—the largest proportion noticed in Scotland since the Registration Act came into operation. The average of the eight previous years gives a proportion of only 681 marriages in every 100,000 persons, so that the proportion was greatly exceeded in 1863. High, however, as that proportion was for Scotland, it was greatly below the English marriage-rate for the same year, which was that of 844 marriages for every 100,000 persons in the population.

The greater difficulty of procuring a livelihood in Scotland, no doubt contributes to the above result, by repressing marriage; and that this is the vital cause of the difference in the marriage-rate between England and Scotland, is rendered extremely probable by comparing the marriage-rate of the several counties of Scotland with one another. The last column of Table IV. shows the facts connected with this subject. When the proportions of marriages to the population of each county are compared with one another, it is seen that, in exact proportion to the ability to procure a livelihood in each county, is the proportion of marriages. Thus, in Sutherland only 36 marriages occurred for every ten thousand inhabitants. But in Renfrew, where every man willing to work can procure ready employment, 89 marriages occurred in every ten thousand persons. In fact the proportion of marriages, as exhibited in that column, gives a very close approximation to the comparative facility of finding employment in each county, as every one acquainted with Scotland would at once allow.

Of the 22234 marriages registered in Scotland during the year, 9929 were celebrated according to the rites of the Established Church, 5242 according to those of the Free Church, 3249 according to those of the United Presbyterian Church, 2119 according to those of the Roman Catholic Church, 487 according to those of the Episcopal Church, 1113 according to the several rites of the smaller religious denominations, while in 76 the religious denomination was not stated, and in 19 the marriage was what is called irregular. These numbers yield proportions very closely approximating to those of former years, and they also indicate in a general way the proportion of the population which is attached to each religious denomination. Thus, 44·66 per cent. of the marriages were Established Church, 23·58 per cent. were Free Church, 14·62 per cent.

TABLE IX.—MARRIAGES, 1863. Number of Marriages contracted according to the Rites of the several Religious Denominations, and their Proportions to the Total Marriages.

	Religious Denominations.	Number of Marriages.				Proportion in every 100 Marriages.			
		Insular Districts.	Mainland Rural Districts.	Town Districts.	SCOTLAND	Insular Districts.	Mainland Rural Districts.	Town Districts.	SCOTLAND
Regular Marriages.	Established Church	350	5656	3923	9929	44·64	52·27	36·91	44·66
	Free Church.	271	2545	2426	5242	34·57	23·52	22·82	23·58
	United Presbyterian Church	79	1509	1661	3249	10·08	13·95	15·62	14·61
	Roman Catholic Church	38	594	1487	2119	4·85	5·49	13·99	9·53
	Episcopalian Church	4	128	355	487	0·51	1·18	3·34	2·19
	Other Denominations	41	366	706	1113	5·23	3·38	6·64	5·01
	Denomination not stated	1	18	57	76	0·12	0·17	0·54	0·34
	Irregular Marriages	0	4	15	19	0·00	0·04	0·14	0·08

were United Presbyterian, 9·53 per cent. were Roman Catholic, 2·19 per cent. were Episcopal, 5 per cent. belonged to the smaller religious denominations; in 0·34 per cent. the religious denomination was omitted to be stated; while in 0·08 per cent., that is eight marriages in every ten thousand, the marriage was irregular.

Although it is true that, under the law of Scotland, marriage may be constituted by a simple declaration of consent before witnesses, it would be a great mistake to suppose that there exists anything like a general disposition to make use of this mode of forming so important a relationship. The truth is, that in this country by far the greater proportion of marriages are solemnized *in facie ecclesiæ*, and irregular marriages are quite exceptional, and very limited in numbers.

Of the 22234 men who married during the year, the ages of 22219 were ascertained, and of that number 1756 were under 21 years, or were minors. Of the 22234 women who married, the ages of 22200 were ascertained, and of that number 4897 were under 21 years. It thus appears that 7·907 per cent. of the men, and 22·058 per cent. of the women who married during the year were minors, or were under 21 years of age. (Table XI.) From the English tables it would appear that a larger proportion of minors married in England, inasmuch as 8·829 per cent. of the men, and 24·506 per cent. of the women who married in England during 1863 were under 21 years of age.

In the Insular Districts of Scotland, 2·298 per cent. of the men, and 11·765 per cent. of the women who married were minors. In the Mainland-Rural Districts, 7·937 per cent. of the men, and 21·224 per cent. of the women who married were minors; while in the Town Districts, 8·281 per cent. of the men, and 22·665 per cent. of the women who married were under 21 years of age.

That the Scottish people marry at a slightly later period of life than

TABLE X.—MARRIAGES, 1863. Ages of Men and Women at Marriage in Scotland, and in its Three Great Groups of Districts, in 1863.

AGES.	SCOTLAND.		INSULAR DISTRICTS.		MAINLAND-RURAL DISTRICTS.		TOWN DISTRICTS.	
	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.
Under 15 years	–	–	–	–	–	–	–	–
15—16	–	6	–	–	–	4	–	2
16—17	–	57	–	2	–	29	–	26
17—18	14	282	–	1	8	149	6	132
18—19	152	894	2	24	76	419	74	451
19—20	510	1626	5	26	228	744	277	856
20—21	1080	2032	11	39	546	947	523	1046
21—25	7875	8407	180	278	3789	4099	3906	4030
25—30	6427	5267	284	263	3120	2628	3023	2376
30—35	2706	1760	167	93	1362	895	1177	772
35—40	1407	995	59	30	696	492	652	473
40—45	878	509	22	17	427	230	429	262
45—50	504	220	20	5	236	94	248	121
50—55	310	104	13	1	147	48	150	55
55—60	175	28	9	2	92	15	74	11
60—65	116	11	6	1	51	5	59	5
65—70	43	1	5	–	20	1	18	–
70—75	18	1	–	–	11	–	7	1
75—80	2	–	–	–	–	–	2	–
80—85	2	–	–	–	1	–	1	–
85—90	–	–	–	–	–	–	–	–
Age not stated	15	34	1	2	10	21	4	11
All Ages	22,234	22,234	784	784	10,820	10,820	10,630	10,630

the English (the natural consequence of the greater difficulty of finding a livelihood), is apparent if we compare the numbers of each sex above and under 25 years of age who married in 1863. (Table XII.) Thus, in Scotland, only 43·795 per cent. of the men, and 59·927 per cent. of the women who married were under 25 years of age. But in England, during the same year, 50·872 per cent. of the men, and 63·342 per cent. of the women who married were under that age. Consequently, while 56·205 per cent. of the men, and 40·073 per cent. of the women who married were above 25 years of age in Scotland, only 49·128 per cent. of the men, and 36·658 per cent. of the women were above 25 years of age in England.

If marrying earlier, therefore, necessarily inferred a larger family, or greater fertility in the female, as has been often affirmed, the women of England ought to have more births for every marriage than the women of Scotland. The very opposite, however, is the case, and has been so since the Registration Act first enabled us to ascertain the fact. Thus, in 1863, there were 680,276 legitimate children born in England for the 173,510 marriages, which gives the proportion of 3·9 children for every marriage. In Scotland, in 1863, there were 98393 legitimate children born for the 22234 marriages, which gives the proportion of 4·4 children for each marriage. In other words, every ten marriages in England yielded 39 children, but every ten marriages in Scotland yielded 44 children.

But the same fact is evidenced in a still more satisfactory manner by taking the actual number of wives living in the population, who are at the ages capable of bearing children, and comparing them with the number of legitimate children born annually. Thus, in England, in 1863, there were born 680,276 legitimate children, and at the census of 1861 there were 2,419,649 wives between 15 and 45 years of age. This shows that it required 3·55 wives at the child-bearing ages to give birth to one child in the course of the year. In other words, it required 355 wives to produce 100 legitimate children in England.

In Scotland, in 1863, there were born 98393 legitimate children, and at the census of 1861 there were 305,524 wives between the ages of 15 and 45 years. This shows that it required 3·09 wives at the child-bearing ages in Scotland to give birth to one child during the year. In other words, it required 309 wives to produce 100 legitimate children. From this it is apparent that, to produce every 100 children in England, it required 44

TABLE XI.—MARRIAGES, 1863. Number and Proportion of Men and Women under 21 years of Age who contracted Marriage in England and in Scotland, and in the Insular, Mainland-Rural, and Town Districts of Scotland, in 1863.

1863.	Number married in 1863 whose Ages were ascertained.		Number under 21 years.		Per-centage under 21 years.	
	Men.	Women.	Men.	Women.	Men.	Women.
ENGLAND . .	112177	112177	9905	27491	8·829	24·506
SCOTLAND . .	22219	22200	1756	4897	7·907	22·058
Insular Districts .	783	782	18	92	2·298	11·765
Mainland-Rural Districts . .	10810	10799	858	2292	7·937	21·224
Town Districts .	10626	10619	880	2513	8·281	23·665

more wives annually than in Scotland, so that the Scottish female is more prolific to that extent. It affords no comparison at all to compare the number of births with the total number of women in each country, because a much higher proportion is married in England—in fact, nearly five women are married in England for every four in Scotland in equal populations.

Sweden affords a striking example corroborative of the results arrived at for Scotland, viz. that marrying a year or two later in life does not affect the fertility of the female, nor diminish the number of children born to each marriage. It may be remembered that in last Report it was shown that cold retards the child-bearing period, so that in Sweden women do not begin so early in life to bear children; while, on the other hand, they continue to bear children to a much later period of life than in Scotland. If a nation, therefore, from the effect of climate on the human organism, marries its females at an earlier age, and these females at an earlier age begin to be prolific, their child-bearing age sooner comes to a close than in colder regions, where the female takes longer to attain maturity, but continues prolific to a much more advanced age. In Scotland, for instance, the female does not attain maturity, nor does she become capable of bearing children, at nearly so early an age as the females of India. But, as compared with Sweden again, the Scottish female attains a more early maturity, but ceases to bear children sooner than the women of Sweden. Thus, of the mothers bearing children in Scotland, 25½ per cent. are under 25 years; but in Sweden only 13⅓ per cent. are under that age, thus clearly showing that the prolific period is retarded in Sweden. But in Scotland only 5⅔ per cent. of all the mothers are above 40 years of age, whereas very nearly 13 per cent. of the mothers are above 40 years of age in Sweden. A very much larger proportion of women, therefore, in Sweden, continues to bear children at a late period of life than in Scotland.

This retardation in the prolific period, however, does not seem to lessen the fertility of the women; for year after year the fertility of the

TABLE XII.—MARRIAGES, 1863. Number and Proportion of Men and of Women under and above 25 years of Age who contracted Marriage in Scotland, and in its Insular, Mainland-Rural, and Town Districts, and in its Eight Divisions in 1863; also the Numbers and Proportions for England during the same year.

1863.	Number married in 1863 whose Ages were ascertained.		Number married whose Ages were ascertained.				Per-centage who married.			
			Under 25 years.		Above 25 years.		Under 25 years		Above 25 years.	
	Men.	Women.	Men.	Women	Men.	Women	Men.	Women	Men.	Women
SCOTLAND . . .	22219	22200	9731	13304	12488	8896	43·795	59·927	56·205	40·073
Insular Districts . .	783	782	198	370	585	412	25·287	47·314	74·713	52·686
Mainland-Rural Dists.	10810	10799	4647	6391	6163	4408	42·988	59·181	57·012	40·819
Town Districts . . .	10626	10619	4786	6543	5840	4076	45·040	61·616	54·960	38·384
1. Northern Division	643	643	202	283	441	360	31·415	44·012	68·585	55·988
2. North-Western Do.	829	828	182	412	647	416	21·954	49·758	78·046	50·242
3. North-Eastern Do.	2438	2438	915	1370	1523	1068	37·530	56·193	62·470	43·807
4. East-Midland Do.	3633	3628	1605	2048	2028	1580	44·178	56·449	55·822	43·551
5. West-Midland Do.	1500	1501	625	915	875	586	41·666	60·959	58·334	39·041
6. South-Western Do.	8543	8535	4128	5613	4415	2922	48·332	66·936	51·668	33·063
7. South-Eastern Do.	3369	3364	1487	1973	1882	1391	44·137	58·650	55·863	41·350
8. Southern Do. .	1264	1263	487	690	787	573	38·520	54·631	61·480	45·369
ENGLAND . . .	112,177	112,177	57067	71055	55110	41122	50·872	63·342	49·128	36·658

Swedish female seems to be nearly the same as that of the Scottish female. Thus, in Sweden, in 1862 (the last returns we have received), there were 119,984 living legitimate births, and 27825 marriages, which gives the proportion of 4·3 children to each marriage, or 43 children for every ten marriages; also a higher proportion than in England, and nearly the same as in Scotland.

But the subject may be looked at from a different point of view. As heat sooner brings the physical frame and the passions to maturity, so cold retards both. The mean age at marriage is therefore later in Sweden than it is in Scotland; for, whereas the mean age at marriage of the females in Scotland who are at the age capable of bearing children, viz. from 15 to 50, is 25½ years, the mean age of the females at the same ages in Sweden is 27½ years. But even this difference of two years does not express the full force of the retardation of the prolific period in the women of Sweden: for while in Scotland the mean age at which women bear children is 28½ years, the mean age at which they bear children in Sweden is 32 years.

It appears, therefore, tolerably certain, from the above facts, that cold has a retarding effect on the child-bearing period, though it does not affect either the fecundity or the fertility.

Of the 22234 marriages in Scotland, the civil or conjugal condition of the parties previous to their entrance into the new engagement was ascertained in 21930 cases. Of these 21930 marriages, 19142 were those of bachelors with spinsters, 348 were those of bachelors with widows, 1856 were those of widowers with spinsters, and 584 were those of widowers with widows. These numbers indicate that, in every 100 marriages, 87·29 were between bachelors and spinsters, 1·59 were between bachelors and widows, 8·46 were between widowers and spinsters, and 2·66 were between widowers and widows. (Table XIII.)

The marriages of widowers and of widows were more common in the Town than in the Rural Districts. Thus, in the Mainland-Rural Districts, 10·18 per cent. of the men who married were widowers, but 12·08 per cent. were widowers in the Town Districts. In the Mainland-Rural Districts, 3·07 per cent. of the women who married were widows, but 5·47 per cent.

TABLE XIII.—MARRIAGES, 1863. Number of Marriages between Persons in different Conjugal Conditions, and their Proportion in every 100 Marriages.

1863.	Number of Marriages.					Proportion in every 100 Marriages.			
	Total Marriages conditions specified.	Bachelors with Spinsters.	Bachelors with Widows.	Widowers with Spinsters.	Widowers with Widows.	Bachelors with Spinsters.	Bachelors with Widows.	Widowers with Spinsters.	Widowers with Widows.
SCOTLAND . . .	21930	19142	348	1856	584	87·29	1·59	8·46	2·66
Insular Districts . .	746	653	11	65	17	87·54	1·47	8·71	2·28
Mainland-Rural Districts .	10579	9365	137	889	188	88·53	1·29	8·40	1·78
Town Districts . .	10605	9124	200	902	379	86·04	1·89	8·50	3·57
EDINBURGH . . .	1709	1477	53	138	41	86·43	3·10	8·07	2·40
GLASGOW	3768	3222	54	334	158	85·51	1·43	8·87	4·19

were widows in the Town Districts. (Table XIV.) Bute, in 1863, showed the highest proportion of re-marriages, seeing that no fewer than 24·09 per cent. of the men, and 14·45 per cent. of the women who married, belonged

TABLE XIV.—MARRIAGES, 1863. Number of Marriages in which the Conjugal Condition of the parties were specified; also the Number and Proportion of Men and Women who re-married.

	Divisions and Counties.	Total Marriages, condition specified.	Bachelors with Spinsters.	Bachelors with Widows.	Widowers with Spinsters.	Widowers with Widows.	Re-marriages.			
							Widowers.	Widows.	Proportion of WIDOWERS in every 100 Men who married.	Proportion of WIDOWS in every 100 Women who married.
	SCOTLAND . . .	21930	19142	348	1856	584	2440	932	11·12	4·25
	Insular Districts . .	746	653	11	65	17	82	28	10·99	3·75
	Mainland-Rural Dists.	10579	9365	137	889	188	1077	325	10·18	3·07
	Town Districts . . .	10605	9124	200	902	379	1281	579	12·08	5·47
	Divisions.									
I.	Northern	625	568	7	42	8	50	15	8·00	2·40
II.	North-Western .	791	704	8	67	12	79	20	9·98	2·52
III.	North-Eastern . .	2427	2151	25	217	34	251	59	10·34	2·43
IV.	East-Midland . . .	3601	3153	48	310	90	400	138	11·10	3·83
V.	West-Midland . .	1465	1281	29	111	44	155	73	10·58	4·98
VI.	South-Western . .	8452	7294	128	724	306	1030	434	12·18	5·13
VII.	South-Eastern . .	3331	2910	89	259	73	332	162	9·96	4·86
VIII.	Southern	1238	1081	14	126	17	143	31	11·55	2·50
	Counties.									
1	Shetland	160	147	3	7	3	10	6	6·25	3·75
2	Orkney	201	181	2	17	1	18	3	8·95	1·49
3	Caithness	184	170	1	11	2	13	3	7·06	1·63
4	Sutherland	80	70	1	7	2	9	3	11·25	3·75
5	Ross and Cromarty .	395	358	5	26	6	32	11	8·10	2·78
6	Inverness	396	346	3	41	6	47	9	11·87	2·27
7	Nairn	53	44	2	6	1	7	3	13·20	5·66
8	Elgin	239	214	1	18	6	24	7	10·04	2·92
9	Banff	347	312	2	32	1	33	3	9·51	0·86
10	Aberdeen	1549	1372	16	136	25	161	41	10·39	2·64
11	Kincardine	239	209	4	25	1	26	5	10·87	2·09
12	Forfar	1616	1386	16	156	58	214	74	13·24	4·57
13	Perth	839	742	16	70	11	81	27	9·65	3·21
14	Fife	968	867	12	72	17	89	29	9·19	2·99
15	Kinross	51	42	2	6	1	7	3	13·72	5·88
16	Clackmannan . . .	127	116	2	6	3	9	5	7·08	3·93
17	Stirling	741	653	20	54	14	68	34	9·17	4·58
18	Dumbarton	321	283	3	22	13	35	16	10·90	4·98
19	Argyll	320	285	3	24	8	32	11	10·00	3·43
20	Bute	83	60	3	11	9	20	12	24·09	14·45
21	Renfrew	1526	1308	22	136	60	196	82	12·84	5·37
22	Ayr	1370	1184	30	116	40	156	70	11·38	5·10
23	Lanark	5556	4802	76	472	206	678	282	12·20	5·07
24	Linlithgow	269	239	8	17	5	22	13	8·17	4·83
25	Edinburgh	2540	2210	75	192	63	255	138	10·03	5·43
26	Haddington	202	174	3	24	1	25	4	12·37	1·98
27	Berwick	188	166	2	16	4	20	6	10·61	3·19
28	Peebles	66	61	1	4	–	4	1	6·06	1·51
29	Selkirk	66	60	–	6	–	6	–	9·09	0·00
30	Roxburgh	337	296	4	34	3	37	7	10·97	2·07
31	Dumfries	453	389	6	49	9	58	15	12·80	3·31
32	Kirkcudbright . . .	228	197	2	26	3	29	5	12·71	2·19
33	Wigtown	220	199	2	17	2	19	4	8·63	1·81
	EDINBURGH . . .	1709	1477	53	138	41	179	94	10·47	5·50
	GLASGOW . . .	3768	3222	54	334	158	492	212	13·05	5·62

to the widowed class. The proportion of re-marriages in Bute is generally high, and this is perhaps owing to the circumstance, that the proportion of

TABLE XV.—MARRIAGES, 1863. Number of Men and of Women who signed the Marriage Register by Mark, with the proportion of Men and of Women who signed by Mark and who signed in writing, in Scotland, its Divisions and Counties, in 1863.

	DIVISIONS AND COUNTIES.	MEN.				WOMEN.			
		Number of Men who Married.	Number who signed by Mark.	Per-centage who signed by Mark.	Per-centage who signed their names in writing.	Number of Women who Married.	Number who signed by Mark.	Per-centage who signed by Mark.	Per-centage who signed their names in writing.
	SCOTLAND . . .	22234	2415	10·86	89·14	22234	4915	22·10	77·90
	Insular Districts . . .	784	189	24·10	75·90	784	288	36·73	63·27
	Mainland-Rural Districts	10820	903	8·34	91·66	10820	1818	16·80	83·20
	Town Districts . . .	10630	1323	12·44	87·56	10630	2809	26·42	73·58
	DIVISIONS.								
I.	NORTHERN	644	33	5·12	94·88	644	113	17·54	82·46
II.	NORTH-WESTERN . . .	830	278	33·44	66·56	830	407	43·12	56·88
III.	NORTH-EASTERN . . .	2438	61	2·50	97·50	2438	234	9·59	90·41
IV.	EAST-MIDLAND . . .	3634	238	6·54	93·46	3634	630	17·33	82·67
V.	WEST-MIDLAND . . .	1502	227	15·11	84·89	1502	356	23·70	76·30
VI.	SOUTH-WESTERN . . .	8548	1319	15·43	84·57	8548	2685	31·41	68·59
VII.	SOUTH-EASTERN . . .	3373	195	5·78	94·22	3373	399	11·83	88·17
VIII.	SOUTHERN	1265	64	5·06	94·94	1265	91	7·19	92·81
	COUNTIES.								
1	Shetland	167	14	8·38	91·62	167	49	29·34	70·66
2	Orkney	201	2	0·99	99·01	201	7	3·48	96·52
3	Caithness	189	9	4·76	95·24	189	35	18·52	81·48
4	Sutherland	87	8	9·19	90·81	87	22	25·28	74·72
5	Ross and Cromarty . .	407	128	31·45	68·55	407	196	48·15	51·85
6	Inverness	423	150	35·46	64·54	423	211	49·89	50·11
7	Nairn	53	5	9·43	90·57	53	11	20·75	79·25
8	Elgin	244	8	3·27	96·73	244	28	11·48	88·52
9	Banff	349	11	3·15	96·85	349	58	16·61	83·39
10	Aberdeen	1553	30	1·93	98·07	1553	123	7·92	92·08
11	Kincardine	239	7	2·92	97·08	239	14	5·85	94·15
12	Forfar	1619	174	10·74	89·26	1619	451	27·85	72·15
13	Perth	854	32	3·74	96·26	854	65	7·61	92·39
14	Fife	983	27	2·74	97·26	983	98	9·97	90·03
15	Kinross	51	–	0·00	100·00	51	2	3·92	96·08
16	Clackmannan	127	5	3·93	96·07	127	14	11·02	88·98
17	Stirling	753	96	12·74	87·26	753	150	19·92	80·08
18	Dumbarton	330	80	24·24	75·76	330	107	32·42	67·58
19	Argyll	334	33	9·99	90·01	334	79	23·65	76·35
20	Bute	85	18	21·17	78·83	85	20	23·53	76·47
21	Renfrew	1537	280	18·21	81·79	1537	518	33·70	66·30
22	Ayr	1433	208	14·51	85·49	1433	409	28·54	71·46
23	Lanark	5578	831	14·89	85·11	5578	1758	31·51	68·49
24	Linlithgow	277	41	14·80	85·20	277	87	31·40	68·60
25	Edinburgh	2566	137	5·34	94·66	2566	275	10·71	89·29
26	Haddington	203	14	6·89	93·11	203	28	13·79	86·21
27	Berwick	195	3	1·53	98·47	195	7	3·59	96·41
28	Peebles	66	–	0·00	100·00	66	1	1·51	98·49
29	Selkirk	66	–	0·00	100·00	66	1	1·51	98·49
30	Roxburgh	338	8	2·36	97·64	338	17	5·03	94·97
31	Dumfries	463	12	2·59	97·41	463	25	5·40	94·60
32	Kirkcudbright	236	13	5·50	94·59	236	17	7·20	92·80
33	Wigtown	228	31	13·59	86·41	228	32	14·03	85·97
	EDINBURGH . . .	1716	66	3·84	96·16	1716	151	8·79	91·21
	GLASGOW	3770	586	15·54	84·46	3770	1282	34·00	66·00

widowers and widows who reside there, considerably exceeds that of the rest of Scotland. Bute is a favourite summer resort; and a large proportion of the houses, which are let out as summer lodgings, are kept by widowers or widows, who have in other places saved a little money, and have settled there This at once accounts for the higher proportion of re-marriages in Bute than in other counties of Scotland.

The state of elementary education among the people, as shown by the proportion of persons able to sign their names in writing in the marriage schedules, was very slightly lower in 1863 than during the three previous years. It is true this lower proportion was only to the extent of a fraction of a per-centage; but it appeared to indicate, which indeed was the fact, that the increase in the marriages was confined to the lower classes.

Thus, during 1863, of the 22234 men who married, 19819 signed their names in full in the marriage schedules, while 2415 signed by mark. Of the 22234 women who married, 17319 signed their names in full, while 4915 signed by mark. These numbers indicate that 89·14 per cent. of the men, and 77·90 per cent. of the women, were able to sign their names in writing; while only 10·86 per cent. of the men, and 22·10 per cent. of the women, not being able to write, were obliged to append their mark. These proportions, though not all that could be wished, contrast favourably with those of England; for only 76·22 per cent. of the men, and 66·91 per cent. of the women who married in England in 1863, were able to sign their names; while 23·78 per cent. of the men, and 33·09 per cent. of the women, not being able to write, were obliged to sign by mark.

Now that so much attention is being paid to education, the proportion of men and of women in the different counties of Scotland who were able to sign their names (as shown in Table XV.) merits attention, seeing that it shows to what counties our educational efforts should primarily be directed. By that table it would appear that no counties are in such a backward state, in so far as the ability to write is concerned, as those of Ross, Cromarty, and Inverness, seeing that from 31·45 to 35·46 per cent. of the men, and from 48·15 to 49·89 per cent. of the women, could not sign their names at marriage. Dumbarton follows next, having very nearly the English proportions, viz. 24·24 per cent. of the men, and 32·42 per cent. of the women, unable to write. As a full third of the population of that county is either Irish, or the descendants of Irish, this large proportion is not wonderful. Bute is the only other county which has above 20 per cent. of the men unable to write. In Renfrew, where the Irish element assumes high proportions, 18·21 per cent. of the men, and 33·70 per cent. of the women, could not write their names; and it is greatly due to the high proportion of the Irish element in the counties of Ayr, Lanark, and Wigtown, and in the city of Glasgow also, that from 13 to 15 per cent. of the men, and from 14 to 31 per cent. of the women in these places, were unable to sign their names. It is, however, a notable proof of the generally successful working of the parochial school system in Scotland, that in the Mainland-Rural Districts, 91·66 per cent. of men, and 83·20 per cent. of the women, were able to sign their names; while all the additional private efforts lavished on the towns only brought up the proportion of those who could sign their names in writing to 87·56 per cent. of the men, and 73·58 per cent. of the women.

DEATHS.

71481 deaths were registered in Scotland during the year 1863, being in the very high proportion of 230 deaths in every ten thousand persons of the estimated population. This is a higher death-rate than has occurred in Scotland during any of the eight previous years—the only years of which we have any certain records. The mean annual mortality of the eight previous years was only 208 deaths in every ten thousand of the estimated population; and the highest death-rate was in the year 1860, when 223 deaths occurred in every ten thousand persons. Taking the actual deaths registered, however, and allowing for increase of population, it would appear that the year 1863 produced an excess of 6656 deaths above the number which ought to have occurred, had the average of former years been maintained.

It is interesting to notice that, during the same year, the mortality in England was also above that of the eight previous years, with the single exception of the year 1858, and that during that year (1863) the same proportion of deaths occurred in England as in Scotland. This striking fact seems to indicate that some influence baneful to health had existed in England and in Scotland during that year. It is necessary, however, to remark that, in ordinary years, neither in the proportion of deaths nor in the nature of the epidemics which prevail among the respective populations do Scotland and England agree.

The Insular and Mainland-Rural Districts, as usual, had a much lower mortality in Scotland than the Town Districts; but it is noteworthy, as showing the universality of the causes which led to the increased mortality, that in 1863 the mortality in each of these districts exceeded that of previous years, and that the comparative increase was nearly uniform in all. Thus, of the 71481 deaths in Scotland, 2934 deaths occurred in the Insular, 34722 in the Mainland-Rural, and 33825 in the Town Districts; indicating that in every ten thousand persons in each of these districts, 184 deaths occurred in the Insular, 195 deaths in the Mainland-Rural, and 289 deaths in the Town Districts. In the eight previous years, the proportion was 157 deaths annually in the Insular, 177 deaths annually in the Mainland-Rural, and

TABLE XVI.—TOWN DEATHS, 1855–1863. Per-centage of Deaths to the Estimated Population in each of the Eight Principal Towns of Scotland, and the Mean Annual Mortality in each during the Nine Years 1855 to 1863.

TOWNS.	Per-centage of Deaths to Population.									
	1855.	1856.	1857.	1858.	1859.	1860.	1861.	1862.	1863.	Mean Annual Mortality.
Glasgow . .	2·99	2·84	3·08	3·05	2·83	3·19	2·75	2·86	3·24	2·98
Edinburgh .	2·57	2·49	2·26	2·49	2·19	2·50	2·44	2·77	2·60	2·47
Dundee . .	2·53	2·84	2·57	2·64	2·53	3·20	2·60	2·79	2·87	2·73
Aberdeen . .	2·28	2·26	2·34	2·20	2·28	2·97	2·40	2·59	2·35	2·31
Paisley . .	2·76	2·30	3·02	2·67	2·49	2·90	2·54	2·64	2·56	2·65
Greenock . .	3·38	3·03	3·06	2·59	3·34	2·90	2·52	3·06	4·13	3·11
Leith . . .	1·97	2·39	2·17	2·26	1·98	2·76	2·12	2·38	2·47	2·26
Perth . . .	2·19	2·19	3·10	2·67	2·24	2·64	2·62	2·35	2·46	2·49

265 deaths in the Town Districts, in every ten thousand persons in each district.

Of the eight principal towns of Scotland, the mortality in 1863 was lowest in Aberdeen and highest in Greenock. Thus, in every ten thousand persons in each of the towns (Table XVI.), 235 died during the year in Aberdeen, 246 in Perth, 247 in Leith, 256 in Paisley, 260 in Edinburgh, 287 in Dundee, 324 in Glasgow, and 413 in Greenock. Taking a nine years' average, viz. 1855 to 1863 inclusive, it would appear that the mortality was lowest in Leith and highest in Greenock, the annual mortality in every ten thousand persons in the respective towns averaging 226 deaths in Leith, 231 in Aberdeen, 247 in Edinburgh, 249 in Perth, 265 in Paisley, 273 in Dundee, 298 in Glasgow, but 311 in Greenock.

As in former years, males died in a higher proportion than females. Thus, of every 100 males living, 2·429 died during the year; but of every 100 females, only 2·192. In other words, in every ten thousand males, 243 died during the year; but in a like number of females, only 219 died. (Table V.) A nine years' average of the mean mortality of the sexes shows, that in every ten thousand of each sex, 221 males, but only 202 females, died annually, thus showing the greater value of female life. (Table XVII.)

In Scotland this greater mortality of the male is seen at almost all ages, and at no age is more striking than during the first years of life, when the infants of both sexes are treated in all respects alike. Thus, the nine years' average shows, that during the first year of life, in every ten thousand persons of each sex, 1504 males, but only 1252 females, died annually. This ascertained fact fully bears out the common belief, that it is more difficult to rear boys than girls, and also proves that the greater tendency to death which the male exhibits at all ages is not so much owing to his different habits and occupations, as to an impressed law of nature from which there is no escape.

By Table XVII., which gives a nine years' average of the deaths in the sexes at different ages, it will be seen that it is only from the third to the fifth year of life, and again from the tenth to the fifteenth year, that the mortality of the female in Scotland very slightly exceeds that of the male. At all other ages, and strikingly so at the child-bearing ages, the mortality of the female falls below that of the male. Thus, in every 100,000 of the respective sexes between the ages of 15 and 20 years, 731 males die for every 662 females; between the ages of 20 and 30

TABLE XVII.—DEATHS. Mean Annual Per-centage of Deaths to the Population at different Ages in Scotland during the Nine Years 1855 to 1863.

AGES.	Per-centage of Deaths to the Population.		AGES.	Per-centage of Deaths to the Population.	
	Males.	Females.		Males.	Females.
Under 1 Year	15·039	12·524	30—40	1·077	1·021
2	7·320	7·151	40—50	1·388	1·186
3	3·587	3·663	50—60	2·099	1·771
4	2·423	2·441	60—70	3·933	3·308
5	1·725	1·786	70—80	9·410	8·266
			80—90	20·011	18·075
Total under 5 Yrs.	6·238	5·686	90—100	37·700	36·325
5—10	0·924	0·892	100 and above	39·652	41·979
10—15	0·501	0·513			
15—20	0·731	0·662			
20—30	1·006	0·817	Total all Ages	2·216	2·023

years, 1006 males die for every 817 females; between 30 and 40 years, 1077 males die for every 1021 females; between 40 and 50 years, 1388 males die for every 1186 females; between 50 and 60 years, 2099 males die for every 1771 females; and so it goes on to the end of life.

In 1863 the mortality of the sexes at different ages, though slightly higher at each age, corresponded closely with the average of former years, in so far as the comparative mortality of the sexes at different ages was concerned. Thus, it was only from 3 to 5 years, and again from 10 to 15 years of age, that the mortality of the females very slightly exceeded that of the males. At all other ages the proportion of male deaths exceeded that of the females. (Table XIX.)

In the Seventh and Eighth Detailed Reports attention was directed to the influence of marriage on the death-rate of the female, and tables were published showing the death-rates which prevailed at each quinquennial period of life among the women who were married, and those who were unmarried. These tables proved that the influence of marriage on female life was quite appreciable. They showed that the married women died at a slightly higher ratio than the unmarried during the three quinquennial periods of life extending from 15 to 30 years of age; but that during the latter half of the child-bearing periods of life, viz. from 30 to 40 years, the married women died at a lower rate than the unmarried. At the time when the usual change of life occurs in the female, viz. from 40 to 45 years of age, the mortality of the married female was found slightly to exceed that of the unmarried; but from 45 to 75 years of age, the married women died in a lower proportion than the unmarried.

Desiring to complete the inquiry, the influence of marriage on the death-rate of the male sex has been examined into for 1863, and the results are so startling that they merit the greatest attention.

Table XVIII. shows the number of married and unmarried men in

TABLE XVIII.—MARRIED and UNMARRIED MEN at each Quinquennial Age in Scotland in 1863, the Deaths at the same Ages, and the proportion of Deaths to the Living at each Age.

AGES.	Husbands and Widowers.			Unmarried Men.		
	Number living.	Deaths.	Per-cent. of Deaths.	Number living.	Deaths.	Per-cent. of Deaths.
20—25	22946	137	0·597	106587	1251	1·174
25—30	54221	469	0·865	48618	666	1·369
30—35	66153	600	0·907	25962	383	1·475
35—40	63858	690	1·080	15857	253	1·595
40—45	62645	782	1·248	12311	208	1·689
45—50	54505	869	1·594	8824	179	2·028
50—55	49591	880	1·774	7636	205	2·684
55—60	38006	929	2·444	5550	142	2·558
60—65	35920	1216	3·385	5242	227	4·330
65—70	22021	1134	5·149	2848	156	5·477
70—75	16029	1291	8·055	2021	205	10·143
75—80	9716	1135	11·681	1081	157	14·542
80—85	5477	953	17·400	513	101	19·688
85—90	1708	488	28·571	151	32	21·192
90—95	449	137	30·512	50	21	42·000
95—100	103	40	38·835	6	3	50·000
100 and above	28	15	53·571	3	–	–
Not stated	–	4	–	–	5	–
All Ages	503376	11769	2·338	243259	4194	1·723

Scotland at each quinquennial age, the deaths at the same ages, and the proportion of deaths to the living at each age. By that table it appears that, at every age from 20 to 85 years, the death-rate of the married men is very much smaller than that of the unmarried; in fact, it proves that the influence of marriage on the male sex is much more potent than it is on the female—potent to an extent never previously imagined.

Thus, reading the table without the decimals, so as to make it more easily intelligible, and reckoning that 100,000 persons of each class were living at each quinquennial age, it is seen that, while between 20 and 25 years of age, 1174 unmarried men died during the year in that number, only 597 married men, or half the number, died at the same age. In other words, between the ages of 20 and 25 years, the death-rate of the bachelors was exactly double that of the married men!

As the persons became older this excessive difference in the death-rates of the married and unmarried decreased; but it decreased slowly and regularly, showing the difference in favour of the married men at every period of life. Thus, at the ages of 25 to 30, when the number of married and unmarried men in Scotland is pretty nearly equal, out of the above number, 1369 bachelors died during the year, but only 865 married men. At that period of life, therefore, the death-rate of the bachelors very greatly exceeded that of the married men.

Between the ages of 30 and 35, while in every 100,000 bachelors, 1475 died, only 907 died in an equal number of married men. Between

---

TABLE XIX.—DEATHS, 1863. Population of Scotland at different Ages in 1863, the Number of Deaths at the same Ages, and the Proportion of Deaths to the Population at each Age.

AGES.	SCOTLAND, 1863.					
	POPULATION.*		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	46,616	45,031	7275	5850	15·606	12·991
— 2	42,595	41,338	3835	3550	9·003	8·587
— 3	42,937	41,675	2017	1958	4·697	4·698
— 4	41,502	40,640	1374	1377	3·310	3·388
— 5	40,831	39,390	880	935	2·101	2·373
Total under 5 Years	214,481	208,074	15381	13670	7·171	6·569
5—10	186,375	181,251	2159	2026	1·158	1·117
10—15	166,938	159,692	932	958	0·558	0·669
15—20	152,152	159,203	1138	1120	0·748	0·703
20—30	232,372	288,706	2523	2563	1·085	0·887
30—40	171,828	210,135	1926	2213	1·119	1·053
40—50	138,285	163,954	2038	2040	1·473	1·244
50—60	100,783	120,853	2156	2097	2·139	1·735
60—70	66,031	87,389	2733	3004	4·138	3·437
70—80	28,847	41,500	2788	3379	9·664	8·142
80—90	7,849	12,754	1574	2327	20·053	18·245
90—100	608	1,196	201	390	33·059	32·608
100 and above	32	57	15	21	46·875	36·838
Not stated	–	–	67	42	–	–
ALL AGES	1,466,581	1,634,764	35631	35850	2·429	2·192
BOTH SEXES	3,101,345		71481		2·305	

* The Populations of this and of the three consecutive Tables are estimated to the middle of the year, so as to give the true proportion of deaths.

the ages of 40 and 45 years, while 1689 died out of every 100,000 bachelors during the year, only 1248 died out of an equal number of married men. At the ages 60 to 65 years, while 4330 died out of every 100,000 bachelors, only 3385 died out of an equal number of married men. At the ages 70 to 75 years, while 10143 died out of every 100,000 bachelors, only 8055 died out of a like number of married men. Even at the extreme ages of 80 to 85 years, while 19688 died out of every 100,000 bachelors, only 17400 died out of a like number of married men.

It thus appears that the influence of marriage on the mortality of the male sex, instead of being inappreciable, as generally assumed, is of the most potent kind. In fact, it is thus proved that bachelorhood is more destructive to life than the most unwholesome trades, or than residence in an unhealthy house or district, where there has never been the most distant attempt at sanitary improvements of any kind.

The above facts are brought out by a comparison of the deaths with the living, where the correctness of the conclusion rests on the truthfulness of the numbers of the married and unmarried as ascertained at the census. But the correctness of the conclusion may be tested by estimating the mean age at death of the married and the unmarried; and if the two results correspond, or corroborate each other, the greatest confidence may be placed in the conclusion deduced from the facts.

If we reckon the mean age at death of the whole married and unmarried in the above table, viz. from 20 years to the close of life, we find that the mean age at death of the married men was $59\frac{7}{10}$ years, whereas the mean age at death of the bachelors was only 40 years. Reckoning from the twentieth

TABLE XX.—DEATHS, 1863. Population of Insular Districts at different Ages in 1863, the Number of Deaths at the same Ages, and the Proportion of Deaths to the Population at each Age.

AGES.	INSULAR DISTRICTS, 1863.					
	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	1,974	1,870	201	180	10·182	9·625
— 2	1,903	1,858	109	96	5·727	5·166
— 3	2,010	1,992	69	57	3·432	2·861
— 4	1,965	1,884	24	40	1·221	2·123
— 5	2,048	1,929	19	27	0·927	1·399
Total under 5 Years	9,900	9,533	422	400	4·262	4·195
5—10	9,386	9,146	52	52	0·554	0·568
10—15	8,608	8,362	26	30	0·302	0·359
15—20	7,451	8,233	57	56	0·765	0·680
20—30	10,132	14,340	152	102	1·500	0·711
30—40	7,554	10,888	70	76	0·926	0·698
40—50	6,339	8,691	56	74	0·883	0·851
50—60	5,520	6,981	89	86	1·612	1·231
60—70	4,592	6,024	142	147	3·092	2·440
70—80	2,288	3,118	167	219	7·298	7·023
80—90	797	1,296	146	208	18·318	16·049
90—100	84	153	31	45	36·904	29·411
100 and above	4	19	2	4	50·000	21·052
Not stated	–	–	15	8	–	–
ALL AGES	72,655	86,784	1427	1507	1·964	1·736
BOTH SEXES	159,439		2934		1·840	

year of life, therefore, it would appear that married men have a chance of living $19\frac{1}{2}$ years longer than those who remain bachelors.

In the general population, however, nearly the same number of men are married and unmarried at the twenty-fourth year of life. It will afford, therefore, a more unexceptionable average if we strike from the table all persons under 25 years of age, and only calculate the mean age at death from the twenty-fifth year to the close of life. When this is done, it is found that the mean age at death of the married man is $60\frac{2}{10}$ years, while that of the bachelors is only $47\frac{7}{10}$ years, giving $11\frac{5}{10}$ years of life in favour of the married men.

In ignorance of the above remarkable facts, it has been the custom to compare the mortality in our army—which is almost entirely composed of bachelors—with the mortality of the males at the same ages in the civil population, more than the half of whom are married. This made the mortality of our soldiers to appear comparatively much higher than it really is. These tables prove that in civil life bachelors die in much larger proportions than the married; and to ascertain whether the mortality among our soldiers was excessive, the comparison ought to have been made with the mortality of bachelors living in towns, and not with that of the whole male population at the particular ages. Even comparing the mortality of the soldiers with the whole bachelors of the country at the particular ages would yield a false conclusion; because it has been proved that the mortality in towns, where human beings are congregated in masses, is much higher than it is in the rural districts; and soldiers, from being congregated in masses, and usually occupying barracks in towns, must be considered as a town and not as a rural population.

TABLE XXI.—DEATHS, 1863. Population of the Mainland-Rural Districts at Different Ages in 1863, the Number of Deaths at the same Ages, and the Proportion of Deaths to the Population at each Age.

AGES.	MAINLAND-RURAL DISTRICTS, 1863.					
	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	26,166	25,330	3285	2617	12·554	10·331
— 2	24,759	23,963	1535	1410	6·199	5·884
— 3	25,031	24,285	762	813	3·044	3·347
— 4	24,553	23,771	569	574	2·317	2·414
— 5	24,250	23,345	380	393	1·567	1·255
Total under 5 Years	124,759	120,694	6531	5807	5·234	4·811
5—10	111,861	107,770	1054	970	0·942	0·900
10—15	101,072	95,479	518	530	0·512	0·555
15—20	89,326	88,063	582	565	0·651	0·641
20—30	125,620	149,360	1233	1182	0·982	0·791
30—40	94,287	111,865	849	974	0·900	0·876
40—50	78,681	90,224	894	923	1·136	1·023
50—60	60,530	69,026	1070	999	1·767	1·447
60—70	41,912	52,184	1453	1620	3·464	3·104
70—80	19,640	26,613	1767	2033	8·996	7·639
80—90	5,600	8,644	1081	1592	19·303	18·394
90—100	429	798	139	267	32·634	33·459
100 and above	23	32	8	12	34·769	37·500
Not stated	–	–	43	26	–	–
ALL AGES	853,740	920,752	17222	17500	2·107	1·900
BOTH SEXES	1,774,492		34722		1·956	

On looking over the above table (XVIII.), it is seen that, at each quinquennial age, the death-rate of the married was greatly below that of bachelors. One would therefore naturally imagine that a comparison of the total death-rate at all ages would lead to the same conclusion—that, in fact, the death-rate of each class at all ages would be a trustworthy and correct summary of the death-rate at each age. The very reverse is the case. The summary of the table contradicts and is opposed to the conclusions which are afforded by each quinquennial comparison, and makes it appear that the bachelors, at all ages from 20 years to the close of life, only died at the rate of 1723 annually in every 100,000 bachelors, while the married men died at the rate of 23·38 in a like number of married men.

Everyone can see that this must be a false conclusion; for if at each year of life the bachelors died in much higher proportions than the married men, it must be the same during the whole period of life. How, then, is this false result produced?

The anomaly is at once explained by looking at the numbers dying at each age. Very nearly the half of all the deaths of the bachelors occurs before the thirtieth year of life. As the mortality under 30 years, as compared with the persons living at that age, is very much lower than it is at more advanced periods of life, when the whole deaths at all ages are thrown together and compared with the total bachelors living, the general mortality seems to be little higher than that due to the earlier periods of life. But all this is reversed with regard to the married men. With them the greatest number of deaths occurs between the sixtieth and seventy-fifth years of life, at which period the mortality is high as compared with the number living.

TABLE XXII.—DEATHS, 1863. Population of the Town Districts at Different Ages in 1863, the Number of Deaths at the same Ages, and the Proportion of Deaths to the Population at each Age.

AGES.	TOWN DISTRICTS, 1863.					
	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	18,476	17,831	3789	3053	20·507	17·121
— 2	15,933	15,517	2191	2044	13·688	13·172
— 3	15,896	15,398	1186	1088	7·461	7·065
— 4	14,984	14,985	781	763	5·212	5·091
— 5	14,533	14,116	481	515	3·309	3·648
Total under 5 Years	79,822	77,847	8428	7463	10·558	9·586
5—10	65,128	64,335	1053	1004	1·616	1·560
10—15	57,258	55,851	388	398	0·677	0·712
15—20	55,375	62,907	499	499	0·901	0·793
20—30	96,620	125,006	1138	1279	1·177	1·023
30—40	69,987	87,382	1007	1163	1·438	1·830
40—50	53,265	65,039	1088	1043	2·042	1·603
50—60	34,733	44,846	997	1012	2·870	2·256
60—70	19,527	29,181	1138	1237	5·827	4·238
70—80	6,919	11,769	854	1127	12·342	9·576
80—90	1,452	2,814	347	527	23·898	18·727
90—100	95	245	31	78	32·631	31·836
100 and above	5	6	5	5	100·000	83·333
Not stated	–	–	9	8	–	–
ALL AGES	540,186	627,228	16982	16843	3·143	2·685
BOTH SEXES	1,167,414		33825		2·897	

Consequently, when the total deaths of the married at all ages are compared with the total living, a high mortality seems to have prevailed; because the persons were all so much older when they died than were the bachelors.

TABLE XXIII.—GLASGOW, 1863. Population and Deaths at Different Ages in 1863, and the Proportion of Deaths to the Population at each Age.

AGES.	POPULATION.*		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	7,113	6,724	1532	1242	21·538	18·469
— 2	5,803	5,697	1016	909	17·508	15·780
— 3	5,602	5,547	572	481	10·210	8·689
— 4	5,242	5,302	379	367	7·230	6·922
— 5	5,060	4,893	226	239	4·466	4·884
Total under 5 Years	28,820	28,163	3725	3238	12·890	11·497
5—10	22,014	21,800	512	445	2·325	2·041
10—15	19,272	18,912	151	165	0·783	0·872
15—20	20,310	22,622	199	204	0·979	0·901
20—30	37,608	46,700	417	509	1·108	1·089
30—40	26,323	31,430	381	457	1·444	1·454
40—50	19,204	22,266	415	432	2·161	1·940
50—60	11,295	14,146	351	329	3·107	2·325
60—70	5,718	8,447	334	378	5·841	4·474
70—80	1,568	2,876	217	252	13·836	8·758
80—90	293	579	77	117	26·279	20·207
90—100	20	55	7	12	35·000	21·818
100 and above	1	1	1	1	100·000	100·000
Not stated	–	–	1	2	–	–
ALL AGES	192,446	217,997	6788	6541	3·527	3·000
BOTH SEXES	410,443		13329		3·247	

TABLE XXIV.—EDINBURGH, 1863. Population and Deaths at Different Ages in 1863, and the Proportion of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	2,252	2,361	519	356	23·046	15·078
— 2	2,023	2,028	227	245	11·220	12·080
— 3	1,995	1,936	120	111	6·015	5·785
— 4	1,869	1,924	73	79	3·905	4·105
— 5	1,954	1,782	47	51	2·400	2·862
Total under 5 Years	10,093	10,031	986	842	9·769	8·393
5—10	8,780	8,635	89	98	1·013	1·137
10—15	8,046	7,850	39	41	0·484	0·522
15—20	8,093	9,864	65	54	0·803	0·546
20—30	14,649	19,672	179	158	1·221	0·803
30—40	9,935	13,527	178	166	1·791	1·227
40—50	7,541	10,486	190	126	2·519	1·201
50—60	5,185	7,665	179	188	3·452	2·452
60—70	3,125	5,166	190	230	6·078	4·452
70—80	1,215	2,114	174	248	14·321	11·731
80—90	228	471	63	93	27·631	19·745
90—100	9	40	5	7	55·555	17·500
100 and above	1	1	1	–	100·000	–
Not stated	–	–	3	1	–	–
ALL AGES	76,900	95,522	2341	2252	3·044	2·357
BOTH SEXES	172,422		4593		2·605	

* The Populations of this and of the seven consecutive Tables are all calculated to the middle of the year, so as to give the true proportion of deaths.

The summary of the columns, therefore, and comparing the total deaths of the married at all ages with the total deaths of the bachelors, necessarily leads to a false conclusion. The comparison, to be correct, must be limited to comparing the mortality of each class at each several age, or to the mean age at death, both of which lead to the same conclusion, and that a true one.

TABLE XXV.—DUNDEE, 1863. Population and Deaths at Different Ages in 1863, and the Proportion of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	1,525	1,415	353	270	23·134	19·081
— 2	1,188	1,208	179	149	15·067	12·334
— 3	1,337	1,194	78	89	5·833	7·453
— 4	1,160	1,151	74	73	6·379	6·342
— 5	1,122	1,153	39	48	3·466	4·163
Total under 5 Years	6,332	6,121	723	629	11·416	10·276
5—10	5,261	5,258	104	104	1·976	1·977
10—15	4,557	4,536	20	24	0·438	0·529
15—20	4,146	5,565	31	36	0·747	0·646
20—30	6,918	11,540	81	110	1·170	0·953
30—40	5,170	7,553	67	96	1·296	1·271
40—50	3,955	5,443	68	79	1·719	1·451
50—60	2,942	3,767	80	95	2·719	2·521
60—70	1,448	2,217	90	92	6·208	4·149
70—80	478	778	53	73	11·087	9·383
80—90	80	183	23	31	28·750	16·939
90—100	12	17	–	4	–	23·529
100 and above	1	1	–	1	–	100·000
Not stated	–	–	–	–	–	–
ALL AGES	41,302	52,979	1340	1374	3·244	2·593
BOTH SEXES	94,281		2714		2·878	

TABLE XXVI.—ABERDEEN, 1863. Population and Deaths at Different Ages in 1863, and the Proportion of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	1,041	993	178	160	17·098	16·112
— 2	935	877	57	56	6·069	6·385
— 3	955	930	37	33	3·874	3·548
— 4	909	893	30	24	3·300	2·687
— 5	888	836	19	16	2·139	1·913
Total under 5 Years	4,728	4,529	321	289	6·704	6·381
5—10	4,267	4,080	29	21	0·679	0·514
10—15	3,861	3,937	27	20	0·699	0·508
15—20	3,340	3,819	25	25	0·748	0·654
20—30	4,965	7,444	66	88	1·329	1·182
30—40	3,697	5,653	52	73	1·406	1·291
40—50	3,189	4,515	60	64	1·881	1·417
50—60	2,453	3,532	63	76	2·568	2·151
60—70	1,450	2,502	81	85	5·586	3·397
70—80	618	1,208	74	95	11·974	7·864
80—90	155	347	23	74	14·838	21·325
90—100	11	31	4	13	36·363	41·935
100 and above	–	1	–	1	–	100·000
Not stated	–	–	–	1	–	–
ALL AGES	32,734	41,598	825	925	2·520	2·223
BOTH SEXES	74,332		1750		2·354	

Tables XXIII. to XXX. inclusive continue the series for each of the eight principal towns of Scotland, showing the population and the number and proportion of deaths in each of the sexes at different periods of life.

TABLE XXVII.—PAISLEY, 1863. Population and Deaths at Different Ages in 1863, and the Proportion of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	785	780	135	104	17·197	13·333
— 2	680	659	72	64	10·588	9·711
— 3	724	642	36	40	4·972	6·230
— 4	652	643	21	20	3·220	3·110
— 5	621	581	8	11	1·272	1·893
Total under 5 Years	3,462	3,305	272	239	7·856	7·231
5—10	2,759	2,872	28	28	1·014	0·974
10—15	2,438	2,409	15	15	0·615	0·622
15—20	2,130	2,595	28	21	1·314	0·809
20—30	3,497	4,690	42	48	1·201	1·023
30—40	2,630	3,293	39	46	1·482	1·397
40—50	2,134	2,520	43	39	2·010	1·507
50—60	1,472	1,857	42	39	2·853	2·100
60—70	925	1,272	35	71	3·783	5·581
70—80	373	559	30	52	8·042	9·302
80—90	81	129	19	21	23·456	16·279
90—100	12	10	2	2	16·666	20·000
100 and above	–	–	–	–	–	–
Not stated	–	–	1	1	–	–
ALL AGES	21,913	25,514	596	622	2·719	2·438
BOTH SEXES	47,427		1218		2·568	

TABLE XXVIII.—GREENOCK, 1863. Population and Deaths at Different Ages in 1863, and the Proportion of Deaths to the Population at each Age.

AGES.	POPULATION.		DEATHS.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	809	727	225	200	27·812	27·510
— 2	626	623	151	153	24·440	24·558
— 3	680	631	70	69	10·294	10·930
— 4	646	642	38	51	5·882	7·943
— 5	591	602	34	20	5·753	3·322
Total under 5 Years	3,352	3,225	518	493	15·483	15·286
5—10	2,663	2,580	58	55	2·193	2·131
10—15	2,176	2,064	30	20	1·378	0·969
15—20	2,179	2,070	17	27	0·780	1·304
20—30	4,272	4,373	87	61	2·036	1·392
30—40	3,135	3,383	46	63	1·467	1·862
40—50	2,247	2,402	63	55	2·803	2·288
50—60	1,296	1,493	41	45	3·163	3·014
60—70	690	1,000	51	49	7·391	4·900
70—80	237	358	29	31	12·236	8·659
80—90	39	95	19	12	48·718	12·631
90—100	5	10	–	6	–	60·000
100 and above	–	1	–	–	–	–
Not stated	–	–	–	–	–	–
ALL AGES	22,291	23,054	959	917	4·302	3·977
BOTH SEXES	45,345		1876		4·137	

Causes of Death.

Of the 71481 deaths in Scotland during 1863, the cause of death was recorded in 68201 cases, leaving only 3280 cases in which no cause of death was assigned, or in which the entry was made in such indefinite

Table XXIX.—LEITH, 1863. Population and Deaths at Different Ages in 1863, and the Proportion of Deaths to the Population at each Age.

Ages.	Population.		Deaths.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	592	542	105	94	17·854	17·343
— 2	570	484	54	62	9·473	12·809
— 3	502	498	25	23	4·980	4·618
— 4	503	490	12	16	2·385	3·265
— 5	491	450	9	16	1·833	3·555
Total under 5 Years	2,658	2,464	205	211	7·712	8·563
5—10	2,105	2,069	28	23	1·330	1·111
10—15	1,894	1,705	4	9	0·211	0·527
15—20	1,669	1,728	10	11	0·599	0·635
20—30	3,811	3,356	34	26	0·892	0·774
30—40	2,611	2,636	22	34	0·842	1·286
40—50	1,744	1,986	31	34	1·777	1·712
50—60	1,023	1,304	32	36	3·128	2·760
60—70	564	874	39	33	6·914	3·764
70—80	205	357	31	33	15·121	9·243
80—90	36	83	7	16	19·444	19·277
90—100	1	3	–	3	–	100·000
100 and above	–	–	–	–	–	–
Not stated	–	–	1	–	–	–
All Ages	18,321	18,565	444	469	2·423	2·526
Both Sexes	36,886		913		2·475	

Table XXX.—PERTH, 1863. Population and Deaths at Different Ages in 1863, and the Proportion of Deaths to the Population at each Age.

Ages.	Population.		Deaths.		Per-cent. of Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 1 Year	365	348	55	42	15·068	12·069
— 2	341	332	30	28	8·797	8·433
— 3	327	317	19	18	5·810	5·678
— 4	355	319	17	12	4·788	3·761
— 5	296	300	7	16	2·364	5·333
Total under 5 Years	1,684	1,616	128	116	7·600	7·178
5—10	1,370	1,423	10	12	0·729	0·843
10—15	1,294	1,283	16	8	1·236	0·623
15—20	1,277	1,357	16	11	1·253	0·810
20—30	2,013	2,542	20	23	0·993	0·904
30—40	1,566	1,975	19	15	1·211	0·754
40—50	1,188	1,516	29	20	2·441	1·319
50—60	845	1,164	22	22	2·603	1·890
60—70	563	934	33	39	5·861	4·175
70—80	238	393	26	36	10·924	9·160
80—90	66	99	10	18	15·151	18·181
90—100	2	5	2	1	100·000	20·000
100 and above	–	–	–	–	–	–
Not stated	–	–	–	–	–	–
All Ages	12,106	14,307	331	321	2·734	2·243
Both Sexes	26,413		652		2·468	

terms that the death could not be referred to any particular class of diseases. 1410 of these cases were infants under one year of age.

Class I. *Zymotic Diseases.*

The zymotic or epidemic and contagious class of diseases cut off 18888 persons in Scotland during the year 1863, of whom 9258 were males, and 9630 females. The deaths from the zymotic class of diseases thus constituted 27·69 per cent. of the total mortality; and, allowing for the non-specified causes, cut off at the rate of 638 persons during the year in every 100,000 of the population.

This is the highest proportion of deaths from the epidemic class of diseases which has been attained in any year since the Registration Act came into operation. It was only in 1856, and again in 1859, the two healthiest of the nine years 1855 to 1863 inclusive, that the comparative mortality of the zymotic diseases rose so high as 2414 and 2415 deaths in every ten thousand deaths from specified causes. But in these years, this high proportion did not arise from an increase in the deaths from the zymotic diseases, but from a smaller mortality having occurred from all other classes of disease.

The excessive mortality from the zymotic class of diseases in 1863 may be shown in another manner. During the eight previous years (1855 to 1862 inclusive), there died annually the mean number of 13880 persons in Scotland from the zymotic class of diseases. But if this number be corrected for increase of population, so as to show what its numbers would

Table XXXI.—TOWN DEATHS, 1863. Per-centage of Deaths from different Diseases to the Population in each of the Eight Principal Towns of Scotland in 1863.

DISEASES.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
Total Deaths	3·247	2·605	2·878	2·354	2·568	4·137	2·475	2·468
I. Zymotic Class	1·029	0·623	1·003	0·559	0·552	1·671	0·810	0·594
III. Tubercular Class	0·579	0·434	0·450	0·375	0·541	0·657	0·317	0·435
IV. Brain, etc., Diseases	0·211	0·256	0·193	0·248	0·244	0·275	0·222	0·249
V. Heart, etc., Diseases	0·105	0·153	0·114	0·118	0·080	0·125	0·092	0·124
VI. Respiratory Organs, Dis.	0·567	0·386	0·401	0·317	0·343	0·394	0·360	0·253
VII. Organs of Digestion, Dis.	0·208	0·178	0·183	0·188	0·231	0·282	0·219	0·219
XIII. Premature Debility	0·156	0·115	0·154	0·118	0·109	0·200	0·130	0·087
XV. Old Age	0·101	0·143	0·115	0·160	0·175	0·121	0·073	0·177
XVII. Violent Deaths	0·086	0·117	0·077	0·056	0·069	0·116	0·054	0·087
Small-pox	0·086	0·032	0·127	0·072	0·006	0·474	0·056	0·007
Measles	0·103	0·123	0·097	0·037	0·105	0·187	0·184	0·060
Scarlatina	0·297	0·075	0·339	0·004	0·048	0·147	0·043	0·026
Diphtheria	0·060	0·066	0·031	0·060	0·021	0·046	0·073	0·056
Hooping-cough	0·141	0·031	0·086	0·047	0·050	0·315	0·013	0·071
Croup	0·061	0·069	0·075	0·036	0·097	0·105	0·075	0·075
Diarrhœa, Dysentery, Cholera	0·067	0·065	0·082	0·056	0·067	0·079	0·073	0·090
Typhus and Infantile Fever	0·167	0·110	0·116	0·174	0·115	0·235	0·246	0·159
Dropsy	0·029	0·015	0·046	0·013	0·035	0·019	0·021	0·018
Cancer	0·025	0·078	0·024	0·052	0·029	0·041	0·035	0·079
Phthisis	0·392	0·271	0·315	0·248	0·343	0·452	0·200	0·219
Apoplexy	0·045	0·047	0·031	0·053	0·067	0·057	0·056	0·071
Paralysis	0·042	0·086	0·046	0·071	0·069	0·079	0·081	0·060
Convulsions	0·051	0·037	0·079	0·052	0·027	0·048	0·029	0·022
Bronchitis	0·371	0·252	0·226	0·199	0·234	0·258	0·216	0·132
Pneumonia	0·150	0·070	0·098	0·069	0·071	0·097	0·108	0·075
Teething	0·072	0·029	0·073	0·061	0·073	0·110	0·051	0·071

be in 1863, then the number of deaths from the zymotic class of diseases in 1863 ought to have amounted to 14240. During the year 1863, however, 18888 deaths were caused by this class of diseases; so that the deaths from the zymotics in 1863 were 4648 above the corrected mean of the eight previous years.

As the number of deaths from the zymotic class of diseases was therefore much higher, both in reference to the population and to other diseases, the year 1863 must be characterized as an epidemic year—a year when epidemics prevailed, and proved fatal to an unusual extent.

It is worthy of notice, however, that the deaths from all the other classes of disease were, equally with the zymotic class, far above their average, seeing that, even allowing for increase of population, they were 2007 deaths above the average of the eight previous years. This is an important fact to be aware of, because it shows that the same adverse atmospheric agencies which cause the diseases which we term zymotic to assume the epidemic form, and spread among the people, have the very same action on all other classes of disease, and equally increase their prevalence and fatality.

Even in epidemic seasons, however, all epidemics do not increase alike, or are alike affected by these unknown agencies. Thus, as compared with the mean annual number of deaths from each epidemic during the eight previous years, though Small-pox, Measles, Scarlatina, Diphtheria, Croup, and Typhus in all its forms, showed a very decided increase in 1863, yet Hooping-cough and Diarrhœa showed a decided decrease. Thus, allowing for increase of population, Small-pox in 1863 showed an increase above the mean of the eight previous years of 528 deaths, Measles an increase of 976 deaths, Scarlatina an increase of 1145 deaths, Croup an increase of 796 deaths, and Typhus an increase of 743 deaths; while Diphtheria, which has progressively increased since its first appearance in 1857, manifested an increase of 316 deaths in 1863 above those of 1862.

The zymotic diseases follow the same law as the ordinary diseases, in that they prove more fatal among the crowded population of the towns, than among the more scattered population of the country. Thus, in every 100,000 persons living in each of the several districts, these diseases cut off 370 in the Insular, 508 in the Mainland-Rural, but 866 in the Town Districts of Scotland during 1863. (Table XXXII.)

The eight principal towns of Scotland suffered very differently from these zymotic diseases. Thus, in every thousand persons in each of these towns, only 5·52 died from the zymotic class of diseases in Paisley, 5·59 in Aberdeen, 5·94 in Perth, 6·23 in Edinburgh, 8·10 in Leith, 10·03 in Dundee, 10·29 in Glasgow, but 16·71 in Greenock. (Table XXXI.)

Typhus in its varied forms was the most fatal of the epidemic diseases in 1863, cutting off 3441 persons, of whom 1670 were males, and 1771 females. This gives the proportion of 116 deaths from Typhus during the year in every 100,000 persons of the estimated population, or 5·04 per cent. of the specified causes of death. As in most diseases, males died in greater proportion than females, seeing that in every 100,000 of either sex, 119 males died for every 113 females.

Though Typhus is usually termed an epidemic disease, it is merely one of the ordinary diseases which cut off our race, and in non-epidemic years is no more entitled to be called an epidemic than Bronchitis, Pneumonia, Enteritis, or other diseases. It is never absent from the population, and prevails equally in the detached cottages on the moor, as in the

crowded dwellings of the city. But in certain years it assumes what we call the epidemic type, that is, it spreads among the people.

Typhus first manifested the tendency to assume the epidemic type in

TABLE XXXII. — DEATHS, 1863. Proportion of Deaths from different Causes in every hundred thousand persons of the Population, and of either Sex, in Scotland and in its Three Great Groups of Districts, the Insular, the Mainland-Rural, and Town Districts, during 1863; allowance being made for the Causes of Death which were not specified.

1863.	Proportion of DEATHS in every 100,000 Living.											
DISEASES.	SCOTLAND.			INSULAR DISTRICTS.			MAINLAND-RURAL DISTRICTS.			TOWN DISTRICTS.		
	BOTH SEXES.	MALES.	FEMALE.	BOTH SEXES.	MALES.	FEMALE.	BOTH SEXES.	MALES.	FEMALE.	BOTH SEXES.	MALES.	FEMALE.
ALL CAUSES .	2304	2429	2193	1840	1964	1736	1956	2016	1900	2897	3143	2685
1. Zymotic Class . . .	638	663	615	370	415	344	508	512	505	866	928	814
2. Uncertain Class . .	77	63	91	53	53	54	73	58	87	87	71	101
3. Tubercular Class .	371	349	357	261	275	248	300	308	292	491	521	466
4. Nervous System . .	176	205	150	101	118	88	153	177	137	220	270	176
5. Organs of Circulation	91	96	86	33	24	40	82	87	77	113	117	106
6. Respiratory Organs	302	334	273	191	184	197	216	240	193	443	497	396
7. Organs of Digestion	167	182	161	112	140	89	154	164	137	202	217	188
8. Urinary Organs . .	29	44	16	18	30	8	29	44	14	32	44	20
9. Generative Organs .	18	–	36	10	–	18	16	–	30	24	–	45
10. Locomotive Organs .	15	17	13	13	12	13	13	14	12	18	22	14
11. Skin, etc.	3	4	2	2	4	–	4	5	3	3	4	2
12. Malformation . . .	5	7	4	1	–	2	5	6	4	7	8	3
13. Premature Debility .	99	116	84	41	49	34	79	89	69	137	165	112
14. Atrophy	20	18	22	12	9	13	15	13	16	29	28	31
15. Age	205	163	242	503	443	549	234	183	281	130	102	154
16. Sudden Deaths . .	4	4	3	4	2	4	6	4	3	4	5	3
17. Violent Deaths . .	76	120	37	98	183	27	68	108	31	86	132	46
Small-pox	55	62	49	10	13	8	37	38	35	87	102	74
Measles	74	78	71	42	42	41	56	59	54	105	112	99
Scarlatina	115	126	105	19	27	11	73	77	69	189	212	168
Diphtheria	58	58	59	28	35	23	65	64	66	53	53	54
Hooping-cough . .	55	51	59	37	28	42	32	29	35	91	85	95
Croup	63	71	55	94	117	76	56	61	50	70	82	60
DIARRHŒA . .	40	42	38	16	16	16	32	32	31	55	65	50
Dysentery	9	9	10	4	5	2	8	7	9	11	10	11
Cholera	3	4	3	1	1	–	3	3	3	5	6	4
Influenza	10	9	11	37	24	35	12	11	12	5	4	4
Infantile Fever . .	2	3	2	2	4	–	3	2	3	2	3	1
TYPHUS	116	119	113	67	81	55	98	99	97	149	156	143
Metria	6	–	12	1	–	2	6	–	13	7	–	12
Erysipelas	11	11	11	3	2	3	9	10	9	14	16	14
Dropsy	23	21	25	26	27	25	21	18	23	26	24	29
Cancer	39	26	50	16	5	25	40	27	51	40	27	52
Scrofula	22	27	18	14	16	12	20	26	16	25	28	22
Tabes Mesenterica .	29	30	28	7	4	9	23	22	24	41	44	37
PHTHISIS . . .	257	256	257	219	232	207	210	208	213	332	336	328
Hydrocephalus . .	61	72	54	18	20	17	44	50	38	92	111	76
Apoplexy	39	43	35	14	13	13	35	37	32	48	55	42
Paralysis	55	58	51	47	55	40	53	54	52	58	66	52
Epilepsy	7	11	6	7	9	4	7	7	7	6	7	5
Convulsions . . .	27	35	20	8	9	5	18	22	14	44	59	32
BRONCHITIS . .	185	197	174	76	70	80	130	139	122	279	300	261
Pneumonia . . .	74	89	61	37	42	32	52	63	42	112	136	92
Teething	38	41	35	11	16	8	25	28	21	60	64	57
Enteritis	30	35	25	18	17	18	26	32	21	37	42	33
All Liver Diseases .	31	33	29	26	34	19	30	32	29	32	34	31
CHILDBIRTH . .	12	–	24	7	–	12	9	–	18	17	–	32
Burns and Scalds .	11	11	10	12	12	11	10	10	10	11	13	10
Drowning	17	31	4	68	140	9	16	29	4	12	21	4
Fracture & Contusion	28	51	8	9	17	2	26	47	7	34	61	11

October,—the period of the year when most of the epidemic diseases of this country begin to extend their ravages. It has often been pointed out in these Reports, that in Scotland, almost all our epidemics and diseases increase with the fall of temperature; thus following the opposite law which

TABLE XXXIII.—DEATHS, 1863. Proportion of Deaths from different Diseases in every ten thousand Deaths from Specified Causes, in Scotland and in its Three Great Groups of Districts, the Insular, the Mainland-Rural, and Town Districts, in 1863; distinguishing the proportional mortality in both Sexes, and in the Males and Females.

1863.	Proportion of DEATHS in every 10,000 Specified Causes of Death.											
DISEASES.	SCOTLAND.			INSULAR DISTRICTS.			MAINLAND-RURAL DISTRICTS.			TOWN DISTRICTS.		
	BOTH SEXES.	MALES.	FEMALE.	BOTH SEXES.	MALES.	FEMALE.	BOTH SEXES.	MALES.	FEMALE.	BOTH SEXES.	MALES.	FEMALE.
1. Zymotic Class . . .	2769	2730	2808	2017	2116	1924	2598	2543	2652	2992	2953	3031
2. Uncertain Class . .	338	259	416	297	279	314	377	291	461	303	227	378
3. Tubercular Class . .	1610	1590	1629	1426	1414	1437	1533	1530	1537	1698	1600	1737
4. Nervous System . .	764	845	685	558	609	510	785	847	724	760	859	659
5. Organs of Circulation	396	397	396	183	127	235	421	435	407	388	380	397
6. Respiratory Organs .	1312	1378	1247	1047	948	1139	1109	1195	1024	1530	1524	1477
7. Organs of Digestion	728	751	706	615	719	518	768	813	725	697	693	702
8. Urinary Organs . .	129	183	76	101	160	47	149	223	77	111	145	76
9. Generative Organs .	82	–	164	57	–	109	83	–	164	83	–	168
10. Locomotive Organs .	66	72	61	77	67	86	69	73	63	63	71	55
11. Skin, etc.	15	19	12	12	25	–	21	26	16	10	12	8
12. Malformation . . .	24	28	19	8	–	15	28	32	24	20	27	13
13. Premature Debility .	432	480	385	228	254	204	405	446	365	474	528	419
14. Atrophy	89	77	101	69	50	86	77	66	87	103	90	115
15. Age	889	671	1106	2738	2269	3173	1199	910	1481	450	322	573
16. Sudden Deaths . .	17	19	15	24	16	31	20	22	19	13	16	10
17. Violent Deaths . .	331	494	169	37	939	165	350	539	166	297	421	172
Small-pox	241	253	226	61	76	47	192	196	188	302	327	277
Measles	324	322	326	232	220	243	290	293	287	364	357	371
Scarlatina	500	520	480	106	144	70	374	384	357	653	677	628
Diphtheria	255	241	270	158	186	133	334	319	349	185	170	201
Hooping-cough . .	241	211	271	203	152	251	168	146	189	316	278	355
Croup	274	294	254	517	601	439	286	305	268	244	261	225
DIARRHŒA . . .	174	174	175	89	83	94	165	162	168	190	192	187
Dysentery	41	37	46	24	33	15	45	39	52	39	35	42
Cholera	16	18	15	4	8	–	16	18	15	17	19	15
Influenza	44	38	50	171	127	212	64	56	72	16	15	16
Infantile Fever . .	12	13	11	12	25	–	16	13	19	8	11	5
TYPHUS	504	492	516	366	414	322	502	491	513	513	498	534
Metria	28	–	57	8	–	15	35	–	69	234	–	47
Erysipelas	49	49	50	20	16	23	50	51	49	50	46	54
Dropsy	102	87	115	146	143	149	107	92	122	92	77	108
Cancer	170	109	230	93	33	149	206	137	273	140	86	195
Scrofula	97	111	83	81	94	78	107	134	80	88	91	85
Tabes Mesenterica .	128	124	131	40	25	55	120	112	128	111	142	140
PHTHISIS . . .	1116	1056	1175	1198	1193	1201	1078	1031	1123	1147	1070	1225
Hydrocephalus . .	268	298	239	106	110	102	227	251	204	320	355	284
Apoplexy	169	177	161	81	76	86	179	187	172	166	175	156
Paralysis	239	242	235	260	287	235	273	271	275	204	212	196
Epilepsy	31	32	29	40	50	31	39	39	33	22	24	19
Convulsions	120	146	95	44	50	39	92	110	74	154	188	120
BRONCHITIS . .	804	811	797	415	364	463	668	692	645	965	956	974
Pneumonia	324	368	280	204	220	188	267	313	222	389	432	345
Teething	165	170	161	65	94	47	128	141	115	210	204	215
Enteritis	132	146	118	101	93	109	136	161	111	130	130	125
All Liver Diseases .	135	135	134	146	177	117	156	159	153	113	109	117
CHILDBIRTH . .	55	–	109	40	–	78	51	–	100	60	–	120
Burns and Scalds .	48	49	47	69	67	70	54	54	54	40	43	38
Drowning	74	126	22	374	719	55	83	144	24	42	67	17
Fracture & Contusion	125	210	41	53	93	15	136	234	41	120	196	42

they are observed to obey in warm countries. It is very important that this fact should be attended to, because the common notion is that winter arrests all epidemics—an opinion which is certainly quite fallacious, in so far as Scotland is concerned. Typhus consequently increased in prevalence and fatality with the lowering of the temperature, but had not attained any great dimensions when the year closed.

Scarlatina was the next most fatal of the epidemic diseases, having cut off 3413 persons, of whom 1764 were males, and 1649 females. It thus constituted 5 per cent. of the specified causes of death, and cut off at the rate of 115 persons during the year out of every 100,000 living. Scarlatina differs in one essential point from Measles, Small-pox and Hooping-cough, the common epidemics of children, in that it proves equally fatal at the second, third, and fourth years of the child's life; whereas these other diseases are most fatal at the earliest years, and fall in mortality by nearly a half for every additional year of life. This was notably observed in 1863. Thus, during the second year of life, 513 died from Scarlatina; during the third year, 535; during the fourth year, 493; and during the fifth year, 423. Diphtheria is the only disease which strictly follows the same law,—a circumstance which shows, that if it is not but a marked variety of Scarlatina Anginosa, it is a disease most closely allied to it.

Small-pox in 1863 cut off 1646 persons, of whom 870 were males, and 776 males. This was the highest number of deaths by that disease since the Registration Act came into operation in 1855. Of the 1646 deaths, 1936 were under 5 years of age, and of these 436 were under one year. It is a disease, therefore, especially fatal to the very young; but its fatality is by no means confined to children, seeing that 321 of the deaths were of persons from 20 to 80 years of age. Most of these, however, had never been vaccinated. Like most others of the epidemic diseases, excepting Hooping-cough, Small-pox appears to be more fatal to males than females, seeing that 62 males, but only 49 females, died from it in every 100,000 of either sex.

Measles cut off 2212 persons, of whom 1093 were males, and 1119 females; thus causing 74 deaths in every 100,000 persons of the population, or 3·24 per cent. of the specified causes of death. Though the reverse is commonly believed to be the case, it is worthy of note that the liability of the child to be attacked and die under Measles, or indeed under most of the diseases to which children are liable, is proportioned to its youth. Thus, in the second year of life, 852 died from Measles; in the third year, 404; in the fourth year, 250; and in the fifth year, 113 only. Every additional year of life lessened the mortality by nearly one half what it had been the previous year. Small-pox and Hooping-cough follow the exact same rule, and it has been pointed out wherein Scarlatina and Diphtheria differ, in so far as children under 5 years of age are concerned. It is hence the interest of every parent to protect his child from the epidemics of childhood as long as he can, for no fact is better established than this—that the older the child, the less risk is there of its dying under diseases when attacked by them.

Croup was unusually fatal during the year, having cut off 1870 persons, of whom 998 were males, and 872 females. This is by far the largest number of deaths for Croup registered in Scotland since the Registration Act came into operation, being 796 deaths above the corrected average of former years, allowing for increase of population.

Diphtheria, which was first noticed and registered as a distinct disease in Scotland in 1857, steadily increased in mortality up to 1863. The

deaths from that disease numbered 76 in 1857; 294 in 1858; 415 in 1859; 480 in 1860; 681 in 1861; 997 in 1862; but had increased to 1745 deaths in 1863.

The year 1863 was thus characterized as one during which there was a peculiar tendency to affections involving the mucous membranes of the throat, larynx, and windpipe, inasmuch as Scarlatina, Diphtheria, and Croup, all of which affect and prove fatal through the throat affection, prevailed to an unusual extent, and were unusually fatal.

Hooping-cough, which in ordinary years is one of the most fatal of the diseases of childhood, had an unusually low mortality in 1863, only 1649 deaths having been caused by it, the annual average of former years, corrected for increase of population, being 2206 deaths. As usual, it proved more fatal to females than males, cutting off 932 females, but only 717 males, or in the proportion of 59 females, but only 51 males, in every 100,000 of either sex.

The mortality from Diarrhœa, Dysentery, and Cholera, was also below the average, seeing that Diarrhœa caused only 1192, Dysentery 285, and Cholera 114 deaths.

Of the other zymotic diseases, Erysipelas caused 335 deaths, Influenza 304, Metria 195, Syphilis 139 (104 of which were congenital), Rheumatic Fever 113, Infantile Fever 85, Purpura 47, Thrush 35, Worms 35, Noma 20, Ague 12, and Hydrophobia 1.

Class II. *Diseases of Uncertain Seat.*

The diseases tabulated under this class cut off 2308 persons, and thus caused 3·38 per cent. of the specified causes of death, or 77 deaths in every 100,000 persons of the population. The proportion of deaths from these diseases is therefore very steady from year to year.

Cancer is the most fatal of the diseases tabulated under this class, and it cut off 1162 persons, of whom only 370 were males, but 792 females. Year after year, therefore, it is seen that the tendency of the female to cancer is just double that of the male. Its mortality also seems to be unaffected by healthy or unhealthy seasons, seeing that almost every year its proportional mortality is the same, viz. about 26 male, but 50 female deaths in every 100,000 persons of either sex.

Of the other diseases tabulated under this class, Dropsy caused 696 deaths, Abscess 161, Mortification 127, Hæmorrhage (the seat of which was not stated) 75, Ulcer 58, Fistula (all kinds) 15, and Gout 14.

Class III. *Tubercular Diseases.*

The tubercular class of diseases, which is composed of Scrofula, Tabes Mesenterica, Phthisis or Consumption, and Hydrocephalus, cut off 10981 persons in Scotland in 1863, and thus constituted 16·10 per cent. of the specified causes of death, or 371 deaths in every 100,000 persons of the estimated population.

The mortality of this class of disease, like that of all others, was highest in the Town Districts. Thus, in every 100,000 persons in each district, 261 died from tubercular diseases in the Insular, 300 in the Mainland-Rural, and 491 in the Town Districts. The large towns themselves showed a very different mortality in each. Thus, in every ten thousand persons in each town, Leith only lost 31·7 from tubercular diseases;

Aberdeen, 37·5; Edinburgh, 43·4; Perth, 43·5; Dundee, 45·0; Paisley, 54·1; Glasgow, 57·9; but Greenock, 65·7. (Table XXXI.)

Phthisis or Consumption, the most fatal disease of this class, cut off 7614 persons in Scotland, being in the proportion of 257 deaths annually in every 100,000 persons, or 11·16 per cent. of the specified causes of death. Of that number, 3583 were males, and 4031 females, giving the proportion of 256 male and 257 female deaths in every 100,000 of either sex. The proportion of the sexes dying from that disease was therefore nearer than usual, female deaths in general considerably preponderating.

Consumption proved much less fatal in the Rural than in the Town Districts. Thus, in every 100,000 persons in each district, 219 died from Consumption in the Insular, 210 in the Mainland-Rural, but 332 in the Town Districts. In the eight principal towns of Scotland, the mortality from Consumption seemed to be least in Leith and highest in Greenock. Thus, in every ten thousand persons in each town, 20 died from Consumption in Leith, 22 in Perth, 24 in Aberdeen, 27 in Edinburgh, 31 in Dundee, 34 in Paisley, 39 in Glasgow, and 45 in Greenock.

Of the other tubercular diseases, Scrofula cut off 663 persons, Tabes Mesenterica 873, and Hydrocephalus 1831. Of the deaths from Hydrocephalus, 1010 were males, and 821 females; so that 72 males, but only 54 females, died from that disease in every 100,000 of the respective sexes.

Class IV. *Diseases of the Brain and Nervous System.*

This class of diseases proved fatal to 5216 persons during the year, and thus constituted 7·64 per cent. of the specified causes of death, or cut off 176 in every 100,000 persons of the estimated population. Like all other diseases, the mortality from that class proved highest in the Town Districts. Thus, in every 100,000 persons in each district, 101 died from brain and nervous diseases in the Insular, 153 in the Mainland-Rural, and 220 in the Town Districts. They were also much more fatal to males than to females, seeing that 205 males, but only 150 females, died from them in every 100,000 of the respective sexes. The mortality from that class of diseases in the eight principal towns of Scotland was lowest in Dundee and highest in Greenock.

Of the individual diseases under this class, Apoplexy caused 1155 deaths; Paralysis, 1632; Convulsions, 824; Cephalitis, 323; Epilepsy, 212; Delirium Tremens, 63; Insanity, 60; Tetanus, 49; Chorea, 9; while 889 were registered under the indefinite heading of Disease of the Brain.

Class V. *Diseases of the Heart and Organs of the Circulation.*

The deaths from this class of diseases amounted to 2706, of which 1348 were males, and 1358 females. These diseases thus cut off in the proportion of 91 persons in every 100,000 of the population, and thus constituted 3·96 per cent. of the specified causes of death. Like all other diseases, the mortality was highest in the Town Districts, seeing that in every 100,000 persons in each district, 33 died from Heart, &c., diseases in the Insular, 82 in the Mainland-Rural, and 113 in the Town Districts. Of the eight towns, the lowest proportion of deaths occurred in Paisley and in Leith, and the highest in Edinburgh.

Of the individual diseases under this class, Heart Disease caused 2560, Aneurism 75, and Pericarditis 71 deaths.

Class VI. *Diseases of the Respiratory Organs.*

8951 persons were cut off by inflammatory affections of the respiratory organs in 1863, being at the rate of 302 deaths in every 100,000 persons, and 13·12 per cent. of the total specified causes of death. It must be remembered, however, that this class of diseases forms the smallest half of those which prove fatal through the respiratory organs; for if we add the deaths caused by Croup, Hooping-cough, Influenza, and Phthisis, we have a total of 20388 deaths through affections of the respiratory organs, showing that nearly 30 per cent. (29·8) of the total specified causes of death were caused by such diseases, or 660 deaths in every 100,000 persons of the estimated population.

These inflammatory affections of the respiratory organs cut off males in much higher proportion than females, seeing that males died from them at the rate of 334, but females at that of 273 deaths in every 100,000 persons of the respective sexes. This is a much higher proportion than that at which males die from all causes in the general population.

Of the individual diseases under this class, Bronchitis was by far the most fatal, causing 5484 deaths, 2750 of which were males, and 2734 females. Pneumonia caused 2212 deaths; Asthma, 547; Pleurisy, 252; Laryngitis, 173; while 283 deaths were registered under the indefinite title of Disease of the Lungs.

Class VII. *Diseases of the Organs of Digestion.*

4970 deaths were caused by this class of diseases, of which 2547 were in males, and 2423 in females. The deaths from this class of diseases thus constituted 6·28 per cent. of the specified causes of death, or caused 167 deaths during the year in every 100,000 persons. This is a much higher proportion than is caused by the same class of diseases in England; for, correcting the English tables so as to embrace the same diseases as in Scotland, it would appear that disease of the digestive organs only caused 123 deaths in every 100,000 persons of the population, or 5·31 per cent. of the specified causes of death. The coarser food of the labouring classes, but especially of the agricultural labourers, and the imperfect cooking of that food, no doubt tend to produce this result.

Of the several diseases under this class, Teething caused 1132 deaths; Enteritis, 902; Disease of Stomach, 774; Peritonitis, 311; Gastritis, 164; Ascites, 73; Ulceration of the Intestines, 177; Quinsey, 78; Hernia, 86; Ileus, 268; Intussusception, 37; Stricture of Intestines, 22; Hepatitis, 132; Jaundice, 200; Disease of Liver, 589; Disease of Spleen, 25.

Class VIII. *Kidney and Urinary Diseases.*

882 deaths were ascribed to this class of diseases in 1863, thus constituting 1·29 per cent. of the specified causes of death, or at the rate of 29 deaths in every 100,000 persons. As might be expected, these diseases are much more fatal in males than in females. Thus, of the 882 persons who died from this class of diseases, 621 were males, and only 261 females,

showing that in every 100,000 of each sex, 44 males died for every 16 females from kidney and urinary diseases.

Of the several diseases under this class, Nephria caused 210 deaths; Nephritis, 68; Ischuria, 61; Diabetes, 74; Stone, 61; Cystitis, 45; Stricture of Urethra 17; while undefined Kidney Disease caused 346 deaths.

Class IX. *Childbirth, and Diseases of the Organs of Generation.*

563 deaths were caused by this class of diseases, all of which were females. Of these deaths, 376 were attributed to Childbirth; but as 195 deaths were registered under Metria (or Childbed Fever), the total deaths in Childbirth during 1863 amounted to 571. As 108,062 mothers gave birth to 109,341 children during the year, it follows that five in every thousand mothers died in Childbirth, or one death in every 189 mothers.

Of the other diseases belonging to this class, Ovarian Dropsy caused 92 deaths, Paramenia, 22; and undefined Disease of the Organs of Generation, 73.

The other classes of disease scarcely merit separate mention. It may be stated, however, that diseases of the organs of locomotion (including Arthritis, Bone and Joint Diseases, and Rheumatism) caused 455 deaths; while diseases of the skin caused 108; Atrophy, 611; Malformations, 164; sudden deaths, for which no cause was assigned, 120; and debility, arising from premature births, and from weekly constitutions at birth, 2949 deaths.

The large number of 6069 deaths were ascribed to old age without marked disease, and the proportion of these cases was much greater in the Insular and in the Mainland-Rural Districts than in the Towns. Thus, in every 100,000 persons in each of these districts, 503 died from old age in the Insular, 234 in the Mainland-Rural, and 130 in the Town Districts.

Class XVII. *Violent Deaths.*

2260 persons died from violent and accidental deaths, which thus constituted 3·31 per cent. of the specified causes of death, or 76 deaths in every

Table XXXIV.—The Eighteen most Fatal Diseases in Scotland and England in 1863.

SCOTLAND.		ENGLAND.	
Diseases.	Proportion of Deaths to 100,000 living.	Diseases.	Proportion of Deaths to 100,000 living.
Phthisis	257	Phthisis	251
Old Age	205	Debility, Premature Birth, Atrophy	177
Bronchitis	185	Bronchitis	157
Debility, Premature Birth, Atrophy	119	Scarlatina	149
Typhus and Infantile Fever	118	Old Age	134
Scarlatina	115	Convulsions	127
Heart Disease	86	Pneumonia	118
Measles	74	Heart Disease	90
Pneumonia	74	Typhus & Infantile Fever	88
Croup	63	Diarrhœa	73
Hydrocephalus	61	Measles	55
Diphtheria	58	Hooping-cough	55
Small-pox	55	Paralysis	48
Paralysis	55	Apoplexy	47
Hooping-cough	55	Hydrocephalus	37
Diarrhœa	40	Dropsy	36
Cancer	39	Cancer	36
Apoplexy	39	Croup	34

100,000 persons of the estimated population. The proportions are therefore wonderfully constant from year to year; but what seems most surprising is, that during 1863, when the general mortality was so much above that of former years, so also was the mortality from the deaths from violence—as if the deaths from violence were regulated by the same laws which increased the deaths by the ordinary diseases.

Males are much more liable to violent deaths than females. Thus, in 1863, of the 2260 persons who died from violent deaths, 1680 were males, and 580 females. 856 died from Fractures and Contusions; but of these, 715 were males, and only 141 females. 506 were drowned; but of these, 430 were males, and only 76 females. Even deaths by burning and scalding were more numerous in the male sex, seeing that of the 329 Deaths from Burns and Scalds, 167 were males, and 162 females. As females greatly preponderate in the population of Scotland, the above numbers give a proportion of 11 male, but only 10 female, deaths in every 100,000 of the population. Whatever baneful agency, therefore, crinoline exerts in increasing the female deaths above their due proportion relative to the male, it cannot be affirmed that it acts in Scotland to any appreciable extent, for the women, who alone wear crinoline, die from Burns in a lower proportion than the men who wear none. Far the largest number of deaths from Burns and Scalds occurred at an age when crinoline could have no appreciable influence, viz. under 10 years; for, of the 329 deaths from these causes, 221 were under 10 years of age, 118 being boys, and 103 girls.

Of the other violent and accidental deaths, 80 were from wounds, 43 from poison, 49 from hanging, 59 from intemperance (alcoholic poisoning), 83 from want of breast milk, 17 from exposure to cold, 4 from privation, 116 from other violent causes of which the particular form was not specified, and 116 from suffocation, of which number almost all under 5 years (76 in number) were overlaid in bed.

Of these 2260 violent deaths, 113 were from Suicide. Of these, 49 committed suicide by hanging, 20 by cutting their throat, 18 by drowning, 7 by poisons, 3 by gunshot wounds, 3 by wounds of which the particulars were not given, 3 by precipitation from windows, and in 10 cases it was merely mentioned that the death was by Suicide.

Table XXXIV. shows the eighteen diseases which proved most fatal in Scotland and in England in 1863, arranged in the order of their respective fatality; and it proves that in countries so closely adjoining, the diseases to which the inhabitants are liable are under considerably different conditions, and cut off the populations in far from similar proportions during the same year.

INFLUENCE OF EXTERNAL AGENCIES.

The influence of season on the births was as marked in 1863 as in former years, the greatest number of births occurring during the spring and early summer months. As the same result has been noticed in France and on the Continent of Europe, it may be regarded as an established fact that, even in the human race, there is a tendency to produce their young at that season of the year when the atmospheric conditions are most favourable for rearing them. Reflectively, also, it shows that the tendency to conception is greatest during the summer and early autumnal months, when the temperature is highest.

It has been formerly shown that the number of marriages is chiefly regulated by the state of trade and manufactures. When these are in a prosperous condition, and the demand for labour is great, marriages increase; but when trade is dull, and manufactures are depressed, marriages decrease. The periods, however, at which marriages chiefly take place in Scotland are under quite different influences from those regulating the births or deaths—influences entirely connected with the domestic habits and prejudices of the people. Thus, though marriages in Scotland are contracted with pretty tolerable regularity during every month of the year, they always double, or even treble, their numbers shortly after the civil terms of Whitsunday and Martinmas, for the double reason that the half-yearly engagements of domestic servants and agricultural labourers terminate then, and that houses are more easily procured than at any other period of the year.

Religious festivals or fasts, however, have no apparent influence on marriages in Scotland, though such are most potent in Roman Catholic countries, and are believed to have no small influence in England.

In last Report (Eighth Detailed Annual) it was pointed out that the favourite day for marriage in Scotland was the last day of the year, provided it did not fall on a Saturday or a Sunday. Since attention was directed to that peculiarity of the Scottish people, the Registrar-General of England has published a few facts relative to the days of the week on which the English people marry; and no two nations could differ more widely than do the English and the Scotch with regard to the favourite days of the week for marriage.

In Scotland no marriages occur on Sunday, but in England it is the favourite day of the week for marriage, 37 per cent. of all the marriages being contracted on that day. Monday is the next favourite in England, 21 per cent. of the marriages occurring on that day. It is also a favourite day for marriage in Scotland, but we have not ascertained what proportion of the marriages occurs on it. Saturday is the third favourite day for marriage in England, no fewer than 17 per cent. of the marriages occurring on that day; but in Scotland no true Scot will marry on a Saturday, nor indeed begin any work of importance. With the Scot, Saturday is an unlucky day for marriage, and he is impressed with the superstitious belief that, if he marries on a Saturday, one of the parties will die before the expiry of a year; or that, if both survive, the marriage will prove unfruitful. Hence it happens that Sunday and Saturday, the two favourite days for marriage in England, are blank days for marriage in Scotland.

Friday is the day on which the English do not marry, but in Scotland it is one of the favourite days for marriage.

The striking fondness of the Scottish people for marrying on the last day of the year, if it did not fall on a Saturday or a Sunday, was manifested in 1863. The last day of the year fell on a Thursday, and on that day 1291 marriages were celebrated in Scotland; thus showing that 5·8 per cent. of the whole marriages during the year were contracted on that one day, being nearly a seventeenth of all the marriages! Of these, only 186 were registered on the day on which the marriage was contracted, while the remaining 1105 were registered during the first few days of January—thus transferring to another year's registers marriages contracted in 1863. To correct the proportion of daily marriages during each month, therefore, the 870 marriages which were contracted on the 31st December 1862 must be deducted from the 2520 marriages registered in January 1863; and when that number is divided by the 22 marrying days of January, it shows that

only 75 marriages were daily contracted during January, instead of 115, —the number given in Table XXXIV., which deals with the numbers registered during each month. In like manner, if the whole of the marriages contracted in December 1863 be restored to it, viz. 1105 registered in the books of January 1864, the total marriages during December 1863 would amount to 3915, of which 1291 occurred on the last day of the month. The average number of marriages, therefore, on twenty-two of the marrying days of December was 119 daily; but on the last day of December, 1291 marriages were celebrated. This is an exceedingly curious social fact, and it would be very interesting to know whether any other nation has the same habit. In last year's Report it was deemed probable that the same practice prevailed in Sweden, but as yet we have not been able to ascertain the fact on unquestionable evidence.

The influence of the weather or season on the death-rate in Scotland is of the most potent kind, as has been fully pointed out in former Reports. The characteristics of the weather during 1863, with special reference to its influence on the health of the population, may be summarized in a few words. The mean temperature was slightly higher than usual, chiefly caused by the night temperature being higher, seeing the day temperature was rather below its average; the sky was more covered with clouds than usual; there was a greater fall of rain, and a more humid atmosphere than in previous years; a lesser amount of heat during summer, and a lesser degree of cold during the winter months, consequently a lesser variation of temperature, both monthly and daily, and a greater prevalence of westerly winds.

Whatever be the connection of such kind of weather with the health of human beings subjected to its influence, certain it is that a more unhealthy year had not occurred since the Registration Act came into operation in 1855; and whether the amount of sickness which prevailed among the population, or the number of deaths which occurred, be taken into account, the same conclusion will be arrived at.

For certain classes of disease, such as pulmonary affections, it is generally agreed that the smaller the amount of variation between the day and night temperatures, the better chance the person has of recovering. Within certain limits, however, it seems to be quite otherwise with the general population. A certain amount of daily variation of temperature seems to be beneficial to, nay, necessary for, health. Such variation undoubtedly strengthens the human frame, and enables it better to resist the inroads of disease; while the lowering of the temperature during the night, by causing the excess of moisture in the air to be deposited as dew, not only clears the atmosphere of many noxious exhalations which are condensed with the dew, and carried down with it, but also prevents the air from becoming too humid for healthy respiration.

In former Reports has been pointed out the danger of arriving at false conclusions as to the effect of weather on health, from not attending to the fact, that a low temperature on the setting in of winter, when the constitution is able to resist its influence, has far less baneful effects, and does not produce nearly such a number of deaths as even a slightly higher temperature at a later period of the winter or spring. As a general rule, the lowest temperature is found to produce the greatest mortality. But the effect of cold in producing debility of the human frame is increased by its continuance, so that smaller depressions of temperature at the end of winter prove far more fatal than when they occur at the beginning. Severe frosty weather,

therefore, about Christmas time, though followed by a large increase of deaths, seems to act so far favourably on the survivors, that it rather strengthens them to resist the occasional very low temperatures which occur during the months of January and February; but a more open winter, and a milder temperature during December, though not attended by so many deaths, is often followed by a much higher mortality during the later months of the winter, should any sudden or severe frosts occur during them.

These observed facts receive strong corroboration of their general truth from the mortality of the several months of the winter 1862–63. November 1862 was the coldest of the winter months, yet the daily deaths only num-

TABLE XXXV.—Meteorology of Scotland for 1863, from Observations made at 53 Stations of the Meteorological Society of Scotland, the particulars for each of the Stations having been published in the Quarterly Reports of the Registrar-General for 1863; also the Births, Deaths, and Marriages registered in Scotland during each month of the year 1863.

1863.	JAN.	FEB.	MAR.	APR.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	YEAR.
Highest Temperature in shade	59·0	60·5	67·2	65·4	72·0	74·0	83·0	85·2	80·7	66·0	64·0	59·0	85·2
Lowest Temperature do.	12·0	17·9	19·0	25·5	30·0	34·3	31·0	32·0	30·0	24·8	18·0	17·0	12·0
Day Temperatures (Mean)	42·8	46·6	48·5	51·2	55·7	60·6	64·5	62·7	56·2	52·1	48·1	45·7	52·9
Night Temperatures (Mean)	34·3	35·7	37·3	37·7	41·6	47·5	47·7	48·7	44·0	41·5	38·2	35·9	40·8
Daily Range (Mean)	8·5	10·9	11·2	13·5	14·1	13·1	16·8	14·0	12·2	10·6	9·9	9·8	12·1
Mean Temperature	38·5	41·2	42·9	44·4	48·6	54·0	56·1	55·7	50·1	46·8	43·1	40·8	46·8
Highest Temperature in Sun	86·0	102·0	114·0	106·0	112·0	128·0	149·0	127·0	115·0	106·0	91·0	73·0	149·0
Lowest on grass at Night	8·0	9·0	11·0	15·0	19·4	22·0	16·4	24·0	20·0	13·4	12·0	8·0	8·0
Wet-bulb Temperature	37·2	38·8	40·4	42·1	46·1	51·7	52·9	53·0	48·1	45·1	41·8	39·6	44·7
Dew-point Temperature	35·5	36·8	38·1	39·5	43·4	49·3	49·9	50·9	46·0	43·4	40·2	37·6	42·5
Humidity of Air	90	88	85	84	83	84	80	85	86	89	89	88	86
Elastic Force of Vapour (inch)	·209	·219	·230	·243	·283	·352	·358	·373	·312	·282	·250	·226	·295
Number of Days Rain fell	21	14	15	17	15	18	8	19	21	19	15	18	200
Amount of Rain (inch)	6·20	2·40	20·8	3·27	2·34	3·24	0·72	4·50	47·2	4·11	3·52	5·01	42·11
Amount of Cloud	6·8	5·8	6·5	6·5	6·8	6·8	5·8	7·0	6·7	6·8	6·5	6·6	6·8
Hours of Sunshine	69	111	138	163	196	198	261	183	134	112	84	62	1711
Mean Barometer (inches)	29·492	30·013	29·758	29·819	29·945	29·778	30·076	29·779	29·613	29·657	29·825	29·840	29·799
Easterly Winds—Days	6	2	10	4	8	10	6	7	3	9	5	4	74
Westerly Winds—Days	20	20	14	20	17	13	17	17	23	16	17	23	217
Births	8864	8537	9334	9603	10095	9957	9099	8785	8481	9116	8393	9067	109341
Deaths	6362	6164	6703	6063	5952	5948	5630	5521	5122	5580	6010	6426	71481
Marriages	2520	1345	1259	1272	1108	3214	2173	1526	1196	1435	2376	2810	22234
Daily Births	286	304	301	320	326	332	293	283	282	294	280	292	300
Daily Deaths	205	220	216	202	192	198	182	178	171	180	200	207	196
Daily Marriages (261 days)	115	67	57	58	53	146	94	72	54	65	113	122	85

bered 173, because the cold occurred at a time when the constitution could more easily resist the evil influences of the fall of temperature. Though December 1862, therefore, had a mean temperature more than 4½ degrees higher than November, the continuance of the low temperature, and the dying of those injured by the November frosts, raised the daily deaths to 198. January 1863 had three days of hard frost, but its mean temperature falling lower than that of December 1862, the deaths rose to 205 daily. February, however, proved a milder month than January, with a mean temperature of 41°·2; but the continued low temperature began to tell severely on the population, and with a week of slight frost, which lasted from the 8th to the 15th, the deaths rose to 220 daily.

The setting in of the noxious east winds in March prevented the mortality from falling materially during that month, so that, though its mean temperature was 42°·9, an average of 216 persons died daily.

After this, as the weather improved and became warmer, the deaths fell till they attained their minimum in September, when they numbered 171 daily. From that period they regularly increased with the fall of temperature till the close of the year; 180 dying daily during October, 200 daily during November, and 207 daily during December. (Table XXXV.)

It is thus proved, by the most indisputable evidence, that, in Scotland, it is the cold season which is most fatal to the population, and that the deaths increase with the fall of temperature. Notwithstanding this proved fact, which, from being demonstrated year after year, ought now to be recognised, when Fever or other epidemics breaks out among the people of any town in autumn, we see it constantly stated in their sanitary reports, that the cold weather is anxiously looked forward to, as the reporter confidently expects it will arrest the disease. The study of Table XXXVI. shows how vain are all such expectations, as it shows the effect of descent of temperature on the leading epidemic diseases in the eight principal towns of Scotland. It would occupy too much time to prepare a similar table for all Scotland, but that table is extracted from the annual Supplement to the Monthly Return of the Births, Deaths, and Marriages registered in the eight principal towns of Scotland in 1863, published early in 1864.

By that table it is seen that the deaths from the zymotic (epidemic and contagious) diseases numbered 552 in June, but increased to 928 in

TABLE XXXVI.—Showing the connection between certain Atmospheric Phenomena and the Deaths from certain Diseases, in the Eight Principal Towns of Scotland, during 1863.

1863.	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
Mean Temperature,	39°·0	41°·6	43°·7	45°·0	49°·8	55°·2	57°·4	56°·5	50°·4	47°·4	44°·3	41°·7
Rain—in inches,	7·30	3·28	2·03	3·62	2·45	3·31	0·74	4·50	4·58	4·06	3·03	5·14
Westerly Winds,	19	20	14	21	18	12	16	17	20	16	15	24
Easterly Winds,	6	3	9	4	7	9	5	7	3	8	4	1
Total Deaths,	2366	2186	2445	2173	2141	2205	2091	2157	1965	2172	2450	2679
Daily Deaths,	76	78	79	72	69	73	67	70	65	70	82	86
Zymotic Diseases,	620	515	527	509	538	552	593	716	727	850	980	928
Small-pox,	60	35	31	20	41	55	67	98	95	98	101	115
Measles,	104	87	79	112	110	123	124	93	55	25	40	46
Scarlatina and Diphtheria,	78	77	73	66	80	89	115	157	239	407	457	367
Hooping-cough,	107	100	110	88	95	83	56	53	68	61	66	89
Croup,	94	61	81	64	49	33	34	30	35	44	59	56
Typhus,	114	96	83	95	104	95	104	105	124	129	173	176
Diarrhœa, Dysen., & Chol.,	34	27	32	33	33	44	65	149	76	54	38	27
Consumption,	247	274	333	262	279	276	263	241	182	191	218	238
Diseases Respiratory Organs,	466	386	478	395	353	342	242	216	195	228	356	353
Heart, etc., Diseases,	101	89	92	77	63	70	69	75	67	92	76	115
Brain, etc., Diseases,	154	170	202	162	174	203	164	168	148	152	141	201
Age,	123	110	108	98	99	93	98	93	79	82	91	115

December; the deaths from Small-pox, which were 55 in June, had increased to 115 in December; the deaths from Scarlatina, which were 89 in June, had increased to 367 in December; the deaths from Croup, which were 33 in June, were 56 in December; and the deaths from Typhus Fever, which were 95 in June, had increased to 176 in December.

The bowel complaints are the only marked exception, because they are under a different law; they increase with the heat, and every year their mortality is strictly regulated by the heat of the weather: consequently, if no great summer heats occur, if the mean monthly temperature does not rise above 57°, the mortality from these complaints is quite trifling; but if the mean monthly temperature rises to 60°, or above it, the mortality from bowel complaints becomes very great. No great heat having occurred in 1863, the mortality from these diseases was quite low.

Table XXXV. shows the meteorological phenomena in Scotland during the year 1863, deduced from observations made at 53 stations of the Meteorological Society of Scotland, the particulars of which were published in the Quarterly Reports of the Registrar-General for the year 1863, at the

TABLE XXXVII.—Showing the Revenue, Imports, Exports, the Quantities of Grain, Tea, Sugar, etc., imported into the United Kingdom; the average Price of the Chief Articles of Food in England, etc., during the years 1861, 1862, and 1863.

		1861.	1862.	1863.
Gross Revenue of United Kingdom, .	£	70,283,674	69,674,479	70,603,561
Gross Expenditure, ...	£	72,842,059	72,086,485	69,302,008
Real Value of Total Imports, . . .	£	217,485,024	225,716,976	248,919,020
Real Value of Total Exports, . . .	£	159,632,498	166,168,734	196,902,409
Wheat imported, ...	Qrs.	6,912,815	9,469,270	5,622,501
All other Grains imported, ...	Qrs.	7,366,239	6,905,922	8,234,898
Wheat Flour imported, ...	Cwts.	6,152,938	7,207,113	5,218,977
All other kinds of Flour imported, . .	Cwts.	97,421	17,935	14,811
Eggs imported, ...	No.	203,313,360	235,230,360	266,929,680
Butter imported, ...	Cwts.	992,772	1,037,371	986,708
Cheese imported, ...	Cwts.	706,395	703,909	756,285
Potatoes imported, ...	Cwts.	385,446	1,354,636	1,249,360
Rice imported, ...	Cwts.	3,305,632	3,919,189	3,070,292
Tea imported, ...	lbs.	96,577,382	114,787,361	136,806,319
Coffee imported, ...	lbs.	83,532,525	94,210,359	117,354,329
Cocoa imported, ...	lbs.	9,080,288	9,912,508	9,592,965
Raw Sugar imported, ...	Cwts.	10,400,805	9,884,191	10,724,532
Tobacco imported (total), ...	lbs.	52,854,392	42,306,035	55,122,048
Wine imported, ...	Galls.	11,052,436	11,960,664	14,186,189
Wool imported, ...	lbs.	147,172,841	171,943,472	177,377,664
Cotton (Raw) imported, ...	lbs.	1,256,984,736	523,973,296	669,583,264
Flax imported, ...	Cwts.	1,333,679	1,798,351	1,458,962
Hemp, etc., imported, ...	Cwts.	820,600	915,807	1,067,913
Jute imported, ...	Cwts.	904,092	963,774	1,223,033
Quantity of Coal raised in Scotland, .	Tons	11,076,000	12,200,000	12,300,000
——— Iron Ore raised in do., . .	Tons	1,975,000	1,500,000	?
——— Pig Iron made in do., . .	Tons	950,000	1,080,000	?
Cod and Ling taken on Coasts of do., .	Cwts.	131,764	157,597	?
Cod, Ling, &c., taken on Coasts of do,	Cwts.	82,203	100,468	129,725
do. do.	Barrels.	4,145	7,735	7,337
Herrings taken on do., ...	Barrels	723,486	867,769	614,816
Average Price of Wheat in England, .	per Qr.	55s. 4d.	55s. 5d.	44s. 9d.
——— Barley, ...	per Qr.	36s. 1d.	35s. 1d.	33s. 11d.
——— Oats, ...	per Qr.	23s. 9¼d.	22s. 7d.	21s. 2d.
Contract price of 4lb. Loaf to Troops in Scotland, . .	1st half year,	7d.	6¼d.	5⅓d.
	2d half year,	6¼d.	5½d.	5⅓d.
Contract price of Fresh Meat per lb. to Troops in Scotland,	1st half year,	5¼d.	5d.	4 7/10d.
	2d half year,	5d.	4½d.	4 9/10d.
Savings Banks, Scotland—Number of Accounts,		143,906	147,865	155,298
Savings Banks, do.—Amount of Deposits, £		2,537,963	2,677,209	2,877,508
Number of registered Paupers in Scotland, .		97,340	98,922	99,695
Number of ascertained Scottish Emigrants, .		6,730	12,596	15,230

conclusion of each quarter. From that table it appears that the mean temperature of the year was 46°·8. The highest temperature attained in the shade was 85°·2; and the lowest in the shade, 12°. The mean of the day temperatures was 52°·9; and the mean of the night temperatures, 40°·8; giving a mean daily range of temperature of 12°·1. The highest temperature registered by the black bulb thermometer exposed to the rays of the sun was 149°, and the lowest from exposure on the grass at night was 8°. The mean dew-point temperature was 42°·5; the humidity of the air was 86; and the mean elastic force of vapour, 0·295 inch. Rain, snow, or hail fell on 200 days, and with a mean depth of water of 42·11 inches. The mean amount of cloud was 6·8, and sun shone during the year for 1711 hours. Winds with an easterly point blew 74 days; winds with a westerly point, 217 days.

Table XXXVII. is appended to show some of the other external agencies which influence the deaths and the marriages, as from it may be deduced the comparative commercial prosperity of the country, seeing it shows the general condition of its trade, the value of its imports and exports, the quantity of cotton, flax, jute, and hemp, and of the grains, tea, coffee, sugar, potatoes, butter, eggs, cheese, wine, tobacco, etc., imported; the price of bread and of meat; the ability of the people to save from their earnings, and deposit their savings in banks; the amount of pauperism and emigration. From that table it will be seen that, though the quantity of cotton imported was slightly in excess of that of 1862, it only amounted to half of the importations in 1861. The imports of jute and hemp had considerably increased, but flax fell short of the quantity imported in 1862. All kinds of grain were cheaper than in 1862, and the prices of bread and butcher meat were lower than for several previous years. The depression of the trades connected with the cotton manufacture, however, continued; and though labour was abundant, and provisions cheap, pauperism and emigration continued.

I have the honour to be,

Sir,

Your most obedient Servant,

JAMES STARK.

General Registry Office of Births, etc.,
Edinburgh, 19*th October* 1866.

APPENDIX TO REPORT.

REFERENCE TABLE OF POPULATION OF SCOTLAND, 1801 to 1861,

Estimated to the Middle of each Year, and including the Army, Navy, and Merchant Seamen in Scotland, or in Scottish Waters.

YEAR.	PERSONS.	MALES.	FEMALES.
1801	1,625,002	751,998	873,002
1802	1,643,877	760,616	883,261
1803	1,662,981	769,341	893,640
1804	1,682,318	778,178	904,140
1805	1,701,890	787,126	914,764
1806	1,721,701	796,188	925,513
1807	1,741,750	805,361	936,389
1808	1,762,045	814,653	947,392
1809	1,782,587	824,063	958,524
1810	1,803,384	833,596	969,788
1811	1,824,434	843,250	981,184
1812	1,851,003	857,627	993,376
1813	1,877,966	872,255	1,005,711
1814	1,905,352	887,136	1,018,216
1815	1,933,141	902,275	1,030,866
1816	1,959,229	915,552	1,043,677
1817	1,986,045	929,399	1,056,646
1818	2,013,552	943,776	1,069,776
1819	2,041,720	958,652	1,083,068
1820	2,070,523	973,996	1,096,527
1821	2,099,945	989,793	1,110,152
1822	2,125,822	1,002,327	1,123,495
1823	2,152,017	1,015,019	1,136,998
1824	2,178,536	1,027,872	1,150,664
1825	2,205,383	1,040,889	1,164,494
1826	2,232,639	1,054,068	1,178,571
1827	2,259,072	1,066,418	1,192,654
1828	2,287,924	1,080,935	1,206,989
1829	2,316,020	1,094,524	1,221,496
1830	2,344,662	1,108,485	1,236,177
1831	2,373,561	1,122,526	1,251,035
1832	2,397,777	1,134,485	1,263,292
1833	2,422,239	1,146,585	1,275,654
1834	2,446,968	1,158,798	1,288,170
1835	2,471,889	1,171,097	1,300,792
1836	2,497,167	1,183,629	1,313,538
1837	2,522,653	1,196,245	1,326,408
1838	2,548,402	1,208,997	1,339,405
1839	2,574,413	1,221,884	1,352,529
1840	2,600,692	1,234,910	1,365,782
1841	2,621,854	1,242,689	1,379,165
1842	2,653,165	1,258,690	1,394,475
1843	2,683,639	1,274,223	1,409,416
1844	2,713,318	1,289,265	1,424,053
1845	2,742,167	1,303,795	1,438,372
1846	2,770,154	1,317,792	1,452,362
1847	2,797,245	1,331,236	1,466,009
1848	2,823,406	1,344,105	1,479,301
1849	2,848,609	1,356,381	1,492,228
1850	2,872,821	1,368,045	1,504,776
1851	2,896,015	1,379,080	1,516,935
1852	2,918,162	1,389,469	1,528,693
1853	2,939,236	1,399,196	1,540,040
1854	2,959,211	1,408,246	1,550,965
1855	2,978,065	1,416,606	1,561,459
1856	2,995,771	1,424,261	1,571,510
1857	3,012,310	1,431,200	1,581,110
1858	3,027,665	1,437,414	1,590,251
1859	3,041,812	1,442,890	1,598,922
1860	3,054,738	1,447,622	1,607,116
1861	3,066,633	1,451,707	1,614,926

Births, Deaths, and Marriages registered in Scotland during the Year 1863.

	1863.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.	Excess of Births over Deaths.	Number of Statute Acres. *
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Males.	Fem.	Total.			
	SCOTLAND - -	2,888,742	3,062,294	56226	53115	109341	5667	5281	10948	35631	35850	71481	22234	37860	19,639,377
	DIVISIONS.														
1	NORTHERN, . . .	127,035	130,422	1780	1608	3388	108	87	195	932	1035	1967	644	1421	2,261,662
2	NORTH-WESTERN, .	175,735	167,329	2240	2236	4476	139	129	268	1507	1577	3084	830	1392	4,739,876
3	NORTH-EASTERN, .	348,366	366,783	6458	6104	12562	1021	966	1987	3306	3458	6764	2438	5798	2,429,594
4	EAST-MIDLAND, .	515,966	523,822	8952	8549	17501	981	936	1917	5549	5869	11418	3634	6083	2,790,492
5	WEST-MIDLAND, .	241,447	242,507	4183	3863	8046	371	289	660	2689	2615	5304	1502	2742	2,693,176
6	SOUTH-WESTERN, .	881,092	1,008,253	21493	20135	41628	1791	1744	3535	14610	14226	28836	8548	12792	1,462,397
7	SOUTH-EASTERN, .	383,217	408,962	7660	7339	14999	737	670	1407	4829	4753	9582	3373	5417	1,192,524
8	SOUTHERN, . . .	215,884	214,216	3460	3281	6741	519	460	979	2209	2317	4526	1265	2215	2,069,696
	COUNTIES.														
	I. NORTHERN.														
1	Shetland, . . .	31,078	31,670	444	397	841	18	15	33	201	245	446	167	395	} 598,726
2	Orkney, . . .	31,455	32,395	434	413	847	19	16	35	216	250	466	201	381	
3	Caithness, . . .	39,782	42,200	629	541	1170	57	42	99	331	338	669	189	501	455,708
4	Sutherland, . . .	24,720	24,157	273	257	530	14	14	28	184	202	386	87	144	1,207,188
	II. NORTH-WESTERN.														
5	Ross and Cromarty, .	83,781	82,427	1101	1088	2189	42	35	77	791	777	1568	407	621	2,016,375
6	Inverness, . . .	91,954	84,902	1139	1148	2287	97	94	191	716	800	1516	423	771	2,723,501
	III. NORTH-EASTERN.														
7	Nairn, ...	8,076	8,347	111	126	237	8	11	19	85	96	181	53	56	137,500
8	Elgin (or Moray), . .	40,532	44,218	789	757	1546	115	110	225	408	446	854	244	692	340,000
9	Banff, ...	51,353	56,020	961	998	1959	156	173	329	471	506	977	349	982	439,219
10	Aberdeen, . .	213,461	223,344	4004	3694	7698	659	595	1254	2013	2098	4111	1553	3587	1,260,625
11	Kincardine, . . .	34,944	34,854	593	529	1122	83	77	160	329	312	641	239	481	252,250
	IV. EAST-MIDLAND.														
12	Forfar, . . .	193,627	206,750	3898	3671	7569	463	468	931	2531	2638	5169	1619	2400	568,750
13	Perth, . . .	137,369	133,198	1950	1891	3841	212	224	436	1255	1316	2571	854	1270	1,814,063
14	Fife,*	153,789	155,021	2605	2523	5128	246	196	442	1422	1588	3010	983	2118	328,427
15	Kinross,* . . .	9,626	8,731	120	129	249	19	16	35	57	74	131	51	118	49,812
16	Clackmannan, . .	21,555	20,122	379	335	714	41	32	73	284	253	537	127	177	29,440
	V. WEST-MIDLAND.														
17	Stirling, . . .	83,802	88,138	1768	1611	3379	190	123	313	1035	1037	2072	753	1307	295,875
18	Dumbarton, . . .	46,995	54,179	1078	955	2033	91	70	161	667	606	1273	330	760	204,800
19	Argyll, ...	94,042	83,859	1129	1082	2211	75	77	152	816	793	1609	334	602	2,083,126
20	Bute, ...	16,608	16,331	208	215	423	15	19	34	171	179	350	85	73	109,375
	VI. SOUTH-WESTERN.														
21	Renfrew,* . . .	157,950	168,746	3456	3321	6777	285	270	555	2409	2483	4892	1537	1885	158,268
22	Ayr,*	189,973	199,063	3847	3609	7456	314	327	641	2257	2153	4410	1433	3046	735,262
23	Lanark,*	533,169	640,444	14190	13205	27395	1192	1147	2339	9944	9590	19534	5578	7861	568,867
	VII. SOUTH-EASTERN.														
24	Linlithgow,* . . .	30,590	39,045	884	888	1772	68	74	142	496	448	944	277	828	81,113
25	Edinburgh,* . . .	259,493	274,093	5103	4887	9990	498	423	921	3499	3393	6892	2566	3098	234,925
26	Haddington,* . . .	36,363	37,626	655	631	1286	56	63	119	327	343	670	203	616	179,142
27	Berwick,* . . .	36,165	36,488	614	587	1201	61	74	135	301	309	610	195	591	302,951
28	Peebles,* . . .	10,804	11,300	222	185	407	29	16	45	121	141	262	66	145	227,869
29	Selkirk,* . . .	9,802	10,410	182	161	343	25	20	45	85	119	204	66	139	166,524
	VIII. SOUTHERN.														
30	Roxburgh,* . . .	51,225	53,722	898	879	1777	100	112	212	534	567	1101	338	676	428,494
31	Dumfries,* . . .	78,149	75,904	1288	1138	2426	202	148	350	896	916	1812	463	614	702,953
32	Kirkcudbright,* . .	43,121	42,495	633	657	1290	101	105	206	390	437	827	236	463	610,343
33	Wigtown,* . . .	43,389	42,095	641	607	1248	116	95	211	389	397	786	228	462	327,906

* In all the Counties marked thus *, the number of Acres is given from actual survey by the Ordnance Staff; and these measurements were procured from the Ordnance Survey Office, through the kindness of Col. Sir Henry James. The measurements of the other Counties, with the exception of Shetland and Orkney, were taken from Major Dawson's estimate for the Census of 1851. In that estimate he included as land all the channels between the islands in Shetland and Orkney. These channels are excluded in the estimate given in the above Table.

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
	I. NORTHERN.												
	1. Shetland.												
1	Bressay, etc.—(1) Bressay	906	915	12	14	26	–	–	–	12	7	19	3
	(2) Burra and Quarff,	906	890	10	7	17	–	–	–	2	5	7	3
2	Delting, . . .	2124	1975	22	29	51	–	1	1	16	20	36	11
3	Dunrossness, etc.—												
	(1) Dunrossness, .	c. 2005	2113	36	25	61	–	–	–	11	14	25	14
	(2) Sandwick and Cunningsburgh, . .	c. 2220	2337	32	27	59	1	–	1	11	21	32	18
	(3) Fair Isle, . .	280	380	9	4	13	–	–	–	4	1	5	1
4	Fetlar, etc.—												
	(1) Fetlar, . . .	658	548	8	8	16	2	1	3	–	4	4	–
	(2) North Yell, . .	998	932	12	15	27	1	–	1	4	10	14	5
5	Lerwick (incl. Town), .	3390	3631	52	42	94	4	1	5	27	34	61	37
6	Mid and South Yell, .	1741	1784	17	20	37	–	3	3	15	11	26	7
7	Nesting, etc.—												
	(1) Nesting, . .	c. 806	855	14	8	22	–	–	–	2	6	8	7
	(2) Lunnasting, . .	c. 830	880	13	12	25	1	1	2	2	6	8	1
	(3) Whalsay and Skerries	784	848	16	19	35	1	–	1	3	9	12	1
8	Northmavine, . .	2534	2585	36	23	59	–	1	1	18	19	37	10
9	Sandsting and Aithsting,	2603	2670	40	31	71	–	1	1	13	21	34	13
10	Tingwall, etc.—												
	(1) Tingwall, . .	c. 1654	1554	26	12	38	4	2	6	14	9	23	9
	(2) Whiteness & Weesdale	c. 1220	1143	13	20	33	1	–	1	6	11	17	5
11	Unst, ...	2977	3060	41	45	86	1	1	2	18	22	40	16
12	Walls, etc.—(1) Walls, .	c. 1280	1365	13	20	33	1	1	2	11	2	13	5
	(2) Sandness, .	c. 563	606	12	8	20	1	2	3	9	9	18	1
	(3) Papa-Stour, .	359	366	8	5	13	–	–	–	2	2	4	–
	(4) Foula, . .	240	233	2	3	5	–	–	–	1	2	3	–
	Total,	31078	31670	444	397	841	18	15	33	201	245	446	167
	2. Orkney.												
13	Birsay, ...	1749	1774	15	18	33	–	–	–	11	13	24	14
14	Deerness, . . .	786	813	10	12	22	–	–	–	7	7	14	6
15	Eday and Pharay, . .	1016	979	22	12	34	–	–	–	4	3	7	4
16	Evie and Rendall, . .	1446	1408	18	17	35	1	3	4	6	13	19	6
17	Firth and Stennes, . .	1327	1493	20	20	40	–	–	–	11	7	18	7
18	Harray, . . .	750	819	8	8	16	1	1	2	7	9	16	3
19	Holm and Paplay, . .	749	834	10	8	18	–	–	–	10	5	15	7
20	Hoy and Græmsay, .	615	556	5	9	14	–	–	–	8	6	14	7
21	KIRKWALL & ST OLA (incl. Burgh), . .	3990	4422	73	58	131	6	3	9	36	58	94	29
22	North Ronaldshay, .	526	532	5	6	11	1	–	1	1	3	4	6
23	Orphir, . . .	1157	1133	14	11	25	1	–	1	6	2	8	4
24	Rousay and Egilsay, .	1215	1152	19	19	38	–	–	–	7	17	24	11
25	St Andrews, . . .	926	868	7	8	15	–	–	–	6	6	12	8
26	Sanday, . . .	2004	2145	32	32	64	–	1	1	10	7	17	16
27	Sandwick, . . .	1107	1225	12	18	30	1	1	2	7	9	16	5
28	Shapinshay, . . .	899	973	15	16	31	–	–	–	5	9	14	2
29	South Ronaldshay and Burray, . . .	3086	3282	40	35	75	3	1	4	15	13	28	25
30	Stromness, . . .	2770	2540	32	23	55	2	1	3	27	32	59	15
31	Stronsay, . . .	1211	1228	20	20	40	–	3	3	8	5	13	8
32	Walls, etc.—(1) Walls, .	1278	1254	17	11	28	–	1	1	3	5	8	6
	(2) Flotta, .	389	420	4	7	11	1	1	2	3	2	5	–
33	Westray, etc.—(1) Westray	2088	2153	33	41	74	2	–	2	16	16	32	12
	(2) Papa-Westray,	371	392	3	4	7	–	–	–	2	3	5	–
	Total,	31455	32395	434	413	847	19	16	35	216	250	466	201

N.B.—Royal and Parliamentary Burghs are printed in capitals; thus: EDINBURGH. Towns with Populations of 2000 and upwards, in small capitals; thus: Thurso.

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
	3. Caithness.												
34	Bower, ...	1658	1746	21	17	38	2	3	5	15	11	26	7
35	Canisbay, . . .	2437	2730	38	35	73	4	–	4	16	17	33	8
36	Dunnet, ...	1868	1861	30	24	54	3	1	4	14	11	25	9
37	Halkirk, ...	2918	2864	35	48	83	1	1	2	27	19	46	15
38	Latheron, . . .	8224	8571	109	100	209	10	7	17	58	62	120	32
39	Olrig, ...	1873	2059	26	26	52	4	2	6	16	22	38	10
40	Reay, ...	2506	2476	36	27	63	2	1	3	17	18	35	8
41	Thurso (incl. Town), .	5096	5561	72	62	134	6	6	12	42	51	93	22
42	Watten, . . .	1351	1491	24	15	39	3	1	4	9	11	20	1
43	WICK—(1) Burgh, .	6796	7505	160	116	276	11	10	21	80	80	160	53
	(2) Landward, .	5055	5336	78	71	149	11	10	21	37	36	73	24
	Total,	39782	42200	629	541	1170	57	42	99	331	338	669	189
	4. Sutherland.												
44	Assynt—(1) Kirkton, .	c. 510	553	7	4	11	–	–	–	6	3	9	–
	(2) Stoer, .	c. 2479	2625	38	27	65	1	–	1	15	24	39	8
45	Clyne, ...	1933	1886	20	26	46	1	1	2	16	16	32	5
46	Criech—(1) Bonar, .	c. 2134	1982	25	28	53	4	2	6	17	17	34	9
	(2) Rosehall, .	c. 580	539	4	7	11	–	–	–	7	5	12	4
47	DORNOCH (incl. Burgh),	2981	2885	35	29	64	1	4	5	26	24	50	12
48	Durness, . . .	1152	1109	13	12	25	3	1	4	7	12	19	4
49	Eddrachillis—(1) Scourie,	c. 700	727	8	6	14	1	–	1	5	5	10	6
	(2) Kinlochbervie,	c. 876	914	13	14	27	–	2	2	4	18	22	2
50	Farr—(1) Kirkton, .	c. 1313	1251	13	13	26	–	–	–	15	9	24	1
	(2) Strathy, .	c. 890	852	6	5	11	–	–	–	6	4	10	–
51	Golspie, . . .	1529	1615	24	26	50	1	–	1	13	11	24	10
52	Kildonan, . . .	2288	2132	16	23	39	–	–	–	12	14	26	7
53	Lairg, ...	1162	961	8	5	13	–	1	1	7	5	12	6
54	Loth, ...	640	610	3	8	11	–	1	1	2	3	5	1
55	Rogart, ...	1535	1439	10	7	17	2	1	3	12	13	25	7
56	Tongue, ...	2018	2077	30	17	47	–	1	1	14	19	33	5
	Total,	24720	24157	273	257	530	14	14	28	184	202	386	87
	II. NORTH-WESTERN.												
	5. Ross and Cromarty.												
	Mainland.												
57	Alness, . . .	1240	1178	10	15	25	–	1	1	10	12	22	8
58	Applecross—												
	(1) Applecross, . .	c. 1130	1064	11	20	31	1	–	1	9	7	16	2
	(2) Shieldaig, . .	c. 1579	1480	16	23	39	1	2	3	24	16	40	3
59	Avoch, ...	2029	1788	30	26	56	1	1	2	15	15	30	12
60	Contin, ...	1562	1509	13	18	31	1	–	1	11	13	24	9
61	CROMARTY (incl. Burgh)	2727	2300	32	35	67	1	1	2	26	30	56	6
62	DINGWALL (incl. Burgh)	2364	2412	30	31	61	1	1	2	17	19	36	18
63	Edderton, . . .	890	836	8	8	16	–	1	1	8	6	14	12
64	Fearn, ...	2122	2083	35	37	72	2	1	3	21	17	38	11
65	Fodderty, . . .	2342	2247	34	27	61	–	3	3	14	15	29	12
66	Gairloch—												
	(1) Northern District,	c. 1822	1927	21	12	33	–	–	–	16	6	22	3
	(2) Southern District,	c. 3340	3522	33	40	73	2	–	2	25	32	57	20
67	Glenshiel, . . .	573	485	7	6	13	1	–	1	6	5	11	4
68	Killearnan, . . .	1794	1494	17	15	32	1	–	1	17	15	32	8
69	Kilmuir-Easter, . .	1437	1295	16	20	36	–	2	2	6	21	27	7
70	Kiltearn, . . .	1538	1634	17	23	40	2	–	2	13	13	26	8
71	Kincardine, . . .	1896	1746	13	12	25	1	–	1	14	15	29	8

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
72	Kintail, ...	1009	890	9	9	18	1	2	3	9	11	20	4
73	Knockbain, . . .	3005	2485	26	24	50	3	–	3	21	28	49	6
74	Lochalsh, . . .	2299	2413	23	27	50	1	1	2	11	30	41	17
75	Lochbroom—												
	(1) Lochbroom, . .	*c.* 3540	3577	39	29	68	1	1	2	24	19	43	11
	(2) Coigach, . .	*c.* 1273	1285	20	17	37	1	–	1	11	8	19	–
76	Lochcarron, . . .	1612	1592	14	13	27	–	–	–	22	18	40	10
77	Logie-Easter, . . .	965	932	15	16	31	–	–	–	7	3	10	7
78	Nigg, ...	1457	1253	14	13	27	1	–	1	12	17	29	8
79	Resolis, ...	1551	1568	16	14	30	–	2	2	5	10	15	4
80	Rosemarkie (incl. Burgh of FORTROSE), .	1776	1545	15	19	34	1	–	1	16	15	31	12
81	Rosskeen, . . .	3699	3766	62	57	119	1	2	3	32	36	68	14
82	TAIN (incl. Burgh), .	3574	3294	39	42	81	4	2	6	30	37	67	13
83	Tarbat, ...	2151	2269	31	33	64	–	–	–	18	15	33	9
84	Urquhart & Logie-Wester,	3153	3147	33	44	77	4	3	7	25	29	54	10
85	Urray, ...	2621	2355	27	34	61	3	4	7	19	13	32	16
	Insular.												
*a*86	Barvas, ...	4189	4609	82	73	155	–	1	1	82	69	151	23
*b*86	Carloway, . . .	*c.* 2120	2204	55	42	97	–	–	–	31	20	51	11
87	Lochs, ...	*c.* 3109	3568	64	55	119	2	1	3	33	41	74	21
88	Stornoway (incl. Town),	8057	8668	140	136	276	4	2	6	105	88	193	55
89	Uig, ...	*c.* 2236	2007	34	23	57	–	1	1	26	13	39	5
	Total,	83781	82427	1101	1088	2189	42	35	77	791	777	1568	407
	6. Inverness.												
	Mainland.												
90	Alvie, ...	914	833	16	11	27	3	2	5	8	12	20	4
91	Ardersier, . . .	1337	1239	16	5	21	–	–	–	10	14	24	10
92	Boleskine & Abertarff—												
	(1) Boleskine, . .	*c.* 936	813	3	10	13	1	1	2	2	3	5	1
	(2) Fort-Augustus or Abertarff, . . .	*c.* 1070	930	10	12	22	3	1	4	9	9	18	–
93	Cromdale—(1) Cromdale,	3990	*c.* 1647	17	19	36	3	6	9	13	7	20	13
	(2) Inverallan,		*c.* 2295	45	54	99	5	13	18	26	27	53	31
94	Croy and Dalcross, .	1777	1873	24	30	54	3	1	4	19	9	28	7
95	Daviot and Dunlichty, .	1857	1741	13	32	45	1	–	1	12	13	25	5
96	Dores, ...	1650	1506	14	15	29	1	–	1	8	14	22	7
97	Glenelg—(1) Glenelg, .	*c.* 1070	800	6	4	10	1	–	1	5	4	9	2
	(2) Knoydart,	*c.* 770	574	8	12	20	1	2	3	8	5	13	–
	(3) North Morar,	*c.* 630	469	6	5	11	–	1	1	3	7	10	2
98	INVERNESS (including Burgh), . . .	16496	16162	248	237	485	30	28	58	132	142	274	114
99	Kilmonivaig—												
	(1) Glengarry, . .	*c.* 710	625	–	8	8	–	–	–	5	5	10	2
	(2) Lochaber, . .	*c.* 1873	1651	19	22	41	1	2	3	8	14	22	4
100	Kilmorack, . . .	3007	2852	37	40	77	4	3	7	21	21	42	20
101	Kiltarlity, . . .	2965	2839	24	40	64	1	2	3	14	17	31	15
102	Kingussie and Insh, .	2201	2033	33	42	75	3	3	6	24	25	49	6
103	Kirkhill, ...	1730	1757	22	23	45	3	–	3	2	11	13	8
104	Laggan, ...	1223	986	11	7	18	2	–	2	12	7	19	3
105	Moy and Dalarossie, .	1018	1026	16	7	23	2	1	3	7	7	14	3
106	Petty, ...	1784	1671	20	19	39	1	–	1	11	16	27	13
107	Urquhart, etc.—												
	(1) Urquhart, . .	*c.* 2585	2294	29	25	54	2	1	3	8	18	26	8
	(2) Glenmoriston, .	*c.* 695	617	9	6	15	1	–	1	7	6	13	2
	Insular.												
108	Barra, ...	1873	1853	35	33	68	–	2	2	16	17	33	10
109	Bracadale, . . .	1597	1335	16	17	33	2	2	4	10	18	28	7
110	Duirinish, . . .	5330	4775	62	52	114	6	1	7	36	47	83	10

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
111	Harris—(1) Harris,	3663	3769	58	51	109	4	–	4	42	43	85	25
	(2) Bernera,	477	336	8	1	9	2	–	2	1	5	6	4
	(3) St Kilda,	110	78	1	1	2	–	–	–	7	3	10	–
112	Kilmuir—(1) Kilmuir,	c. 1743	1561	17	21	38	1	2	3	16	14	30	2
	(2) Stenscholl,	c. 1464	1311	15	10	25	–	1	1	14	25	39	5
113	North Uist,	3918	3959	51	63	114	3	5	8	35	32	67	22
114	Portree—(1) Portree,	2805	2579	35	40	75	2	2	4	28	37	65	15
	(2) Raasay,	752	580	4	12	16	–	2	2	8	3	11	2
115	Sleat,	2531	2330	35	24	59	2	–	2	23	17	40	5
116	Small Isles,	916	567	7	6	13	–	1	1	10	5	15	–
117	Snizort—(1) North	c. 3071	2613	10	9	19	–	–	–	8	11	19	–
	(2) South			12	19	31	–	1	1	17	19	36	6
118	South Uist—												
	(1) Benbecula,	1762	1544	24	20	44	–	1	1	9	11	20	6
	(2) Howmore,	c. 2040	1763	36	22	58	–	–	–	16	25	41	12
	(3) Boisdale,	c. 2371	2051	35	25	60	–	3	3	14	19	33	5
119	Strath,	3243	2664	32	37	69	3	4	7	32	36	68	7
	—— Total,	91954	84902	1139	1148	2287	97	94	191	716	800	1516	423
	III. NORTH-EASTERN.												
	7. Nairn.												
120	Ardclach,	1278	1330	11	17	28	–	2	2	12	15	27	6
121	Auldearn,	1480	1328	11	16	27	–	2	2	9	16	25	9
122	Cawdor,	1202	1203	12	8	20	–	–	–	12	9	21	6
123	NAIRN (incl. Burgh),	4116	4486	77	85	162	8	7	15	52	56	108	32
	Total,	8076	8347	111	126	237	8	11	19	85	96	181	53
	8. Elgin (or Moray).												
124	Abernethy & Kincardine,	1871	1928	31	31	62	7	5	12	22	16	38	5
125	Alves,	919	1010	18	22	40	2	1	3	8	8	16	8
126	Bellie,	2017	1967	24	27	51	4	2	6	11	17	28	13
127	Birnie,	427	411	7	8	15	–	1	1	6	4	10	2
128	Boharm,	1368	1412	26	16	42	6	5	11	8	9	17	4
129	Dallas,	1226	1102	16	15	31	5	1	6	7	7	14	4
130	Drainy,	1856	3028	63	59	122	8	8	16	19	28	47	26
131	Duffus,	2983	3308	72	74	146	8	7	15	29	27	56	22
132	Duthil, etc.—(1) Duthil,	c. 1493	1609	20	24	44	5	2	7	11	11	22	6
	(2) Rothiemurchus,	c. 295	319	4	2	6	–	1	1	1	4	5	1
133	Dyke,	1369	1247	18	9	27	2	1	3	9	10	19	5
134	Edinkillie,	1343	1303	32	25	57	6	1	7	10	16	26	9
135	ELGIN (incl. Burgh),	8231	9866	180	174	354	21	28	49	107	125	232	50
136	New Spynie,	445	518	9	11	20	–	1	1	–	2	2	1
137	FORRES (incl. Burgh),	4069	4112	86	78	164	13	14	27	55	52	107	30
138	Kinloss,	1370	1315	16	22	38	2	2	4	8	18	26	7
139	Knockando,	1771	1736	30	29	59	6	12	18	28	22	50	9
140	Rafford,	1020	1055	18	14	32	1	1	2	5	6	11	3
141	Rothes,	2022	2407	50	48	98	7	5	12	33	33	66	7
142	St Andrews Lhanbryde,	1208	1344	23	18	41	3	4	7	11	7	18	10
143	Speymouth,	685	689	6	13	19	1	–	1	5	1	6	5
144	Urquhart,	2544	2532	40	38	78	8	8	16	15	23	38	17
	Total,	40532	44218	789	757	1546	115	110	225	408	446	854	244
	9. Banff.												
145	Aberlour,	1447	1665	28	29	57	6	7	13	18	12	30	6
146	Alvah,	1402	1467	23	26	49	2	6	8	3	9	12	5
147	BANFF—(1) Burgh,	6084	6791	130	126	256	17	19	36	84	73	157	45
	(2) Landward,	869	949	17	8	25	2	2	4	12	2	14	3
148	Botriphnie,	713	867	10	6	16	2	1	3	9	6	15	9
149	Boyndie,	1564	1711	27	39	66	2	5	7	5	20	25	15

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
150	CULLEN (pt. of Burgh),	1697	1821	38	30	68	4	–	4	14	20	34	9
151	Deskford, . . .	917	1031	11	20	31	2	4	6	8	4	12	7
152	Enzie, ...	c. 1872	2072	35	44	79	7	13	20	13	17	30	17
153	Fordyce, . . .	3807	4145	88	74	162	21	16	37	45	36	81	27
154	Forglen, ...	695	783	10	16	26	2	1	3	6	–	6	7
155	Gamrie, ...	2758	3019	54	69	123	2	8	10	21	24	45	18
156	Grange, ...	1851	1909	22	19	41	6	1	7	9	11	20	10
157	Inveravon—(1) Inveravon,	c. 894	868	13	13	26	1	1	2	8	5	13	7
	(2) Auchbreck,	c. 1820	1771	23	32	55	3	8	11	14	20	34	7
158	Inverkeithny, . . .	835	880	16	17	33	1	4	5	5	3	8	4
159	Keith, ...	4986	5943	87	102	189	19	23	42	50	60	110	33
160	Kirkmichael, etc.—												
	(1) Kirkmichael, . .	c. 568	551	5	10	15	–	1	1	4	4	8	2
	(2) Tomintoul, . .	c. 990	960	7	13	20	1	4	5	9	8	17	4
161	Marnoch, . . .	2994	3289	66	45	111	13	7	20	24	39	63	10
162	Mortlach, . . .	2804	3095	59	58	117	17	12	29	27	31	58	27
163	Ordiquhill, . . .	644	764	11	14	25	2	1	3	4	4	8	8
164	Rathven (incl. Buckie, Town), . . .	c. 4664	4922	110	110	220	13	12	25	44	55	99	46
165	Rothiemay, . . .	1413	1414	17	24	41	4	7	11	4	9	13	5
166	St Fergus, . . .	1597	1608	24	33	57	6	7	13	14	18	32	6
167	Seafield (pt. of CULLEN, Burgh), . . .	c. 1468	1725	30	21	51	1	3	4	17	16	33	12
	Total,	51353	56020	961	998	1959	156	173	329	471	506	977	349
	10. Aberdeen.												
168	ABERDEEN—												
	(1) St Nicholas (Burgh),	41465	41962	875	788	1663	151	141	292	534	568	1102	338
	(2) Old Machar (Burgh),	30503	31938	535	481	1016	72	65	137	291	357	648	287
	(3) Do. (Landward),	1254	1298	14	19	33	1	2	3	8	6	14	9
169	Aberdour, . . .	1707	1837	25	23	48	2	3	5	17	12	29	16
170	Aboyne, ...	1108	1160	22	24	46	3	3	6	11	14	25	8
171	Alford, ...	1143	1264	18	30	48	2	2	4	7	5	12	5
172	Auchindoir, . . .	1369	1593	33	15	48	5	3	8	13	11	24	3
173	Auchterless, . . .	1837	2010	42	34	76	8	6	14	16	23	39	12
174	Belhelvie, . . .	1692	1807	30	23	53	1	3	4	13	9	22	9
175	Birse, ...	1533	1284	25	16	41	4	1	5	5	6	11	8
176	Bourtie, ...	529	547	6	12	18	1	2	3	5	2	7	4
177	Cabrach, . . .	750	794	11	15	26	4	5	9	5	9	14	7
178	Cairney, ...	1565	1490	11	21	32	1	1	2	8	7	15	7
179	Chapel of Garioch, . .	2102	2023	33	33	66	4	2	6	15	12	27	15
180	Clatt, ...	543	511	1	5	6	–	2	2	1	7	8	1
181	Cluny, ...	1149	1254	21	25	46	5	2	7	7	7	14	8
182	Coull, ...	734	792	17	8	25	5	–	5	2	6	8	2
183	Crathie and Braemar, .	1788	1574	15	9	24	1	1	2	15	12	27	7
184	Crimond, . . .	893	892	17	9	26	5	–	5	10	5	15	4
185	Cruden, ...	2479	2743	48	40	88	7	8	15	26	14	40	11
186	Culsamond, . . .	1042	1165	17	24	41	3	7	10	6	5	11	17
187	Daviot, ...	601	614	9	3	12	–	–	–	4	1	5	1
188	Drumblade, . . .	949	926	9	8	17	2	1	3	8	5	13	6
189	Drumoak, . . .	948	996	12	20	32	–	1	1	7	11	18	6
190	Dyce, ...	470	585	10	11	21	–	1	1	4	8	12	2
191	Echt, ...	1206	1287	15	18	33	3	4	7	8	15	23	9
192	Ellon, ...	c. 2750	3239	50	56	106	10	7	17	14	20	34	23
193	Fintray, ...	1080	1003	20	17	37	3	2	5	9	8	17	6
194	Forgue, ...	2626	2686	58	46	104	10	9	19	23	21	44	18
195	Foveran, . . .	1638	1891	27	32	59	6	7	13	18	16	34	10
196	Fraserburgh (incl. Twn.).	4447	4511	98	108	206	6	13	19	40	38	78	37
197	Fyvie, ...	3927	4344	65	78	143	13	21	34	29	46	75	28
198	Gartly, ...	990	1029	8	14	22	–	4	4	7	6	13	3

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
199	Glass, ...	972	1049	13	23	36	4	6	10	7	3	10	8
200	Glenbucket, . . .	542	552	10	6	16	4	1	5	3	8	11	4
201	Glenmuick, Tullich, and Glengairn, . . .	1984	1668	28	17	45	2	5	7	15	9	24	11
202	Huntly (incl. Town), .	4061	4329	77	80	157	10	15	25	39	47	86	22
203	Insch, ...	1519	1565	26	24	50	7	3	10	13	12	25	6
204	INVERURIE (including part of Burgh), . .	c. 2649	2668	52	58	110	14	12	26	20	26	46	23
205	Keig, ...	772	811	16	12	28	3	2	5	5	11	16	3
206	Keithhall, . . .	920	933	11	9	20	1	1	2	6	2	8	2
207	Kemnay, . . .	680	832	14	14	28	2	–	2	3	9	12	5
208	Kildrummy, . . .	643	590	8	15	23	3	1	4	2	1	3	6
209	Kincardine O'Neil, . .	2098	2186	29	28	57	4	3	7	20	27	47	9
210	King-Edward, . .	2749	2843	62	44	106	16	12	28	21	28	49	16
211	Kinnellar, . . .	590	691	10	6	16	1	–	1	5	7	12	3
212	Kinnethmont, . .	1108	1187	26	17	43	10	2	12	11	12	23	8
213	KINTORE (incl. Burgh, and part of Burgh of INVERURIE), . .	1342	1895	35	29	64	4	3	7	23	15	38	9
214	Leochel-Cushnie, . .	1068	1173	32	21	53	3	3	6	17	12	29	9
215	Leslie, ...	559	577	15	9	24	2	4	6	5	1	6	4
216	Logie-Buchan, . .	724	762	21	12	33	2	1	3	4	4	8	4
217	Logie-Coldstone, . .	889	932	19	13	32	5	1	6	10	6	16	4
218	Longside, . . .	2952	3008	65	60	125	13	8	21	24	24	48	35
219	Lonmay, . . .	1964	2142	18	34	52	2	1	3	21	21	42	11
220	Lumphanan, . . .	1088	1251	22	22	44	3	8	11	11	9	20	7
221	Methlic, ...	1997	2157	41	24	65	7	4	11	13	13	26	9
222	Midmar, ...	1166	1091	12	17	29	3	4	7	4	7	11	3
223	Monquhitter, . . .	2295	2580	46	42	88	11	10	21	15	16	31	23
224	Monymusk, . . .	940	988	20	12	32	4	1	5	9	6	15	5
225	New Deer, . . .	c. 3383	3736	50	69	119	9	6	15	14	26	40	22
226	Newhills, . . .	3325	3463	59	56	115	9	9	18	22	22	44	27
a227	New Machar, . . .	c. 1338	1556	29	21	50	3	5	8	11	10	21	10
b227	New Pitsligo, . . .	c. 2425	2609	53	65	118	14	11	25	29	35	64	21
228	Old Deer, . . .	c. 4025	4392	70	65	135	8	11	19	26	45	71	33
229	Old Meldrum, . .	2002	2343	53	40	93	13	12	25	28	13	41	10
230	Oyne, ...	919	1127	24	12	36	3	6	9	9	5	14	6
231	Peterculter, . . .	1351	1410	26	17	43	2	2	4	8	8	16	8
232	PETERHEAD (including Burgh), . . .	9429	9796	193	188	381	26	20	46	109	97	206	66
233	Pitsligo, ...	1801	1890	42	37	79	4	7	11	11	17	28	16
234	Premnay, . . .	793	916	13	13	26	3	3	6	6	5	11	6
235	Rathen, ...	2368	2554	52	43	95	5	2	7	16	12	28	25
236	Rayne, ...	1550	1514	25	28	53	3	5	8	9	5	14	4
a237	Rhynie, ...	1017	1061	18	18	36	3	4	7	9	12	21	3
b237	Savoch, ...	c. 1852	2061	25	26	51	4	5	9	27	12	39	7
238	Skene, ...	1862	1831	27	35	62	5	5	10	18	12	30	10
239	Slains, ...	1232	1266	25	18	43	5	5	10	9	6	15	8
240	Strathdon, . . .	1531	1459	23	11	34	7	3	10	11	12	23	5
241	Strichen, . . .	c. 2223	2409	55	37	92	16	7	23	19	14	33	21
242	Tarland, ...	1197	1246	25	19	44	2	2	4	13	10	23	8
243	Tarves, ...	c. 2339	2377	38	29	67	8	7	15	12	18	30	14
244	Tough, ...	891	874	8	14	22	–	1	1	10	10	20	3
245	Towie, ...	758	839	12	10	22	1	1	2	7	6	13	1
246	Tullynessle and Forbes, .	930	957	15	13	28	2	5	7	5	8	13	3
247	Turriff, ...	3584	3693	75	59	134	20	8	28	34	28	62	23
248	Tyrie, ...	c. 775	833	16	10	26	–	2	2	6	8	14	8
249	Udny, ...	c. 1473	1623	28	28	56	6	1	7	23	14	37	9
	Total,	213461	223344	4004	3694	7698	659	595	1254	2013	2098	4111	1553

No. of District.	Registration Districts.	Population.		Total Births including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
	11. Kincardine.												
250	Arbuthnot, ...	1002	932	15	11	26	3	2	5	4	3	7	2
251	Banchory-Devenick—												
	(1) Ban.-Devenick (incl. pt. of ABERDEEN, Burgh), . . .	c. 1298	1232	20	24	44	2	4	6	8	8	16	8
	(2) Portlethen, . .	c. 1780	1687	30	29	59	4	6	10	7	9	16	16
252	Banchory-Ternan, . .	2462	2947	56	40	96	7	5	12	27	27	54	25
253	Benholm, ...	1641	1574	34	21	55	6	2	8	11	14	25	11
254	BERVIE (or Inverbervie) —(incl. Burgh), . .	1459	1561	23	31	54	2	3	5	28	15	43	12
255	Dunnottar (incl. part of Stonehaven, Town), .	1949	1828	40	31	71	5	7	12	26	27	53	21
256	Durris, ...	962	1109	16	18	34	2	–	2	11	3	14	7
257	Fettercairn, . . .	1741	1700	29	31	60	7	4	11	17	20	37	6
258	Fetteresso—												
	(1) Fetteresso (incl. pt. of Stonehaven, Town),	c. 3730	3575	56	52	108	7	9	16	48	39	87	28
	(2) Cookney, . .	c. 1990	1952	33	29	62	5	3	8	11	10	21	13
259	Fordoun, . . .	2386	2297	22	42	64	1	3	4	22	24	46	10
260	Garvock, . . .	457	458	3	10	13	–	1	1	1	2	3	1
261	Glenbervie, . . .	1239	1219	22	14	36	4	6	10	19	6	25	8
262	Kinneff and Catterline, .	1069	1054	16	15	31	4	2	6	4	5	9	10
263	Laurencekirk, . . .	2125	2110	36	31	67	4	2	6	29	32	61	19
264	Maryculter, . . .	1055	1055	12	14	26	1	2	3	7	7	14	8
265	Marykirk, . . .	2232	2068	52	25	77	7	6	13	22	18	40	10
266	Nigg, ...	1841	2074	42	33	75	6	5	11	11	14	25	9
267	St Cyrus, . . .	1579	1552	22	18	40	3	3	6	10	18	28	10
268	Strachan, . . .	947	870	14	10	24	3	2	5	6	11	17	5
	Total,	34944	34854	593	529	1122	83	77	160	329	312	641	239
	IV. EAST-MIDLAND.												
	12. Forfar.												
269	Aberlemno, . . .	1116	1054	13	9	22	–	1	1	4	7	11	6
270	Airlie, ...	856	845	17	8	25	2	–	2	6	4	10	3
271	Arbirlot, . . .	990	960	19	14	33	4	2	6	5	9	14	10
272	ARBROATH (incl. Bur.),	17238	17831	344	355	699	36	46	82	271	258	529	140
273	Auchterhouse, . .	686	706	9	10	19	–	1	1	6	8	14	6
274	Barry, ...	2175	2465	28	35	63	2	1	3	27	36	63	19
275	BRECHIN (incl. Burgh),	8210	8810	137	133	270	16	22	38	116	105	221	57
276	Carmylie, . . .	1240	1286	25	10	35	3	1	4	10	9	19	8
277	Careston, . . .	207	225	3	5	8	1	3	4	2	–	2	–
278	Cortachy and Clova, .	722	653	13	10	23	–	–	–	4	2	6	2
279	Coupar-Angus, . .	2685	2642	39	38	77	5	4	9	25	38	63	16
280	Craig (incl. part of MONTROSE, Burgh), . .	1934	2177	47	33	80	4	3	7	32	16	48	14
281	Dun, ...	522	552	10	10	20	–	2	2	2	1	3	4
282	DUNDEE—												
	(1) First District, . .	c.39960	44064	972	935	1907	101	107	208	628	629	1257	413
	(2) Second District, .	c.34835	40813	852	773	1625	122	116	238	634	653	1287	429
	(3) Third (or Lochee) Dis.	c. 5232	6787	111	149	260	14	10	24	78	92	170	53
283	Dunnichen, . . .	1884	1932	38	34	72	6	5	11	14	19	33	12
284	Eassie and Nevay, . .	706	748	11	14	25	–	–	–	6	4	10	3
285	Edzell, ...	1084	1025	18	14	32	–	3	3	9	6	15	5
286	Farnell, ...	650	703	10	6	16	1	–	1	5	9	14	6
287	Fearn, ...	392	439	7	6	13	–	–	–	11	5	16	4
288	FORFAR (incl. Burgh),	11009	10838	201	193	394	36	44	80	99	138	237	74
289	Glammis, . . .	2152	1980	29	29	58	2	3	5	15	18	33	8
290	Glenisla, . . .	1050	1008	13	13	26	1	1	2	9	6	15	4

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
291	Guthrie, . . .	469	476	7	2	9	1	–	1	3	3	6	4
292	Inverarity, . . .	948	961	18	9	27	1	1	2	10	14	24	7
293	Inverkeillor, . . .	1871	1792	25	36	61	2	3	5	16	17	33	6
294	Kettins, . . .	995	962	11	10	21	1	–	1	10	5	15	5
295	Kingoldrum, . . .	429	473	7	5	12	1	–	1	8	2	10	1
296	Kinnell, . . .	826	816	12	15	27	1	4	5	4	4	8	8
297	Kinnettles, . . .	460	447	7	4	11	1	1	2	2	3	5	–
298	Kirkden, . . .	1763	1862	35	30	65	5	8	13	20	24	44	12
299	Kirriemuir (incl. Town),	7617	7359	114	117	231	24	18	42	74	70	144	42
300	Lethnott and Navar, .	408	446	2	8	10	–	1	1	1	–	1	–
301	Liff, Benvie, and Invergowrie, . . .	1467	1430	21	18	39	2	2	4	11	10	21	12
302	Lintrathen, . . .	926	898	8	11	19	2	2	4	5	4	9	2
303	Lochlee, . . .	615	495	4	6	10	–	–	–	4	7	11	4
304	Logie-Pert, . . .	1609	1483	21	19	40	3	3	6	7	10	17	4
305	Lunan, . . .	279	259	8	4	12	1	–	1	1	2	3	1
306	Lundie, . . .	450	442	4	6	10	–	1	1	1	–	1	–
307	Mains, etc.—(1) Mains, .	1299	1392	32	19	51	3	1	4	16	7	23	11
	(2) Strathmartine, .	735	789	13	14	27	1	–	1	4	6	10	3
308	Marytown, . . .	366	417	12	3	15	1	–	1	4	4	8	4
309	Menmuir, . . .	693	796	17	13	30	3	1	4	6	7	13	5
310	Monifieth (including part of Broughty Ferry),	4267	5052	94	74	168	5	7	12	48	49	97	33
311	Monikie, . . .	1317	1460	29	18	47	5	2	7	8	6	14	8
312	MONTROSE (incl. part of Burgh), . . .	16037	15668	254	246	500	28	26	54	166	215	381	101
313	Murroes, . . .	643	763	12	15	27	1	1	2	6	5	11	3
314	Newtyle, . . .	1141	1139	25	15	40	1	1	2	16	10	26	8
315	Oathlaw, . . .	424	399	8	10	18	–	2	2	10	6	16	–
316	Panbride, . . .	1372	1299	22	20	42	–	1	1	9	6	15	5
317	Rescobie, . . .	711	747	16	8	24	2	–	2	3	6	9	2
318	Ruthven, . . .	503	265	4	2	6	–	–	–	5	2	7	1
319	St Vigeans, . . .	2591	2553	49	42	91	8	4	12	22	34	56	14
320	Stracathro, . . .	505	546	2	7	9	–	2	2	2	4	6	2
321	Tannadice, . . .	1517	1438	26	16	42	4	–	4	5	11	16	8
322	Tealing, . . .	844	883	13	13	26	–	1	1	6	13	19	7
	Total,	193627	206750	3898	3671	7569	463	468	931	2531	2638	5169	1619
	13. Perth.												
323	Aberdalgie, . . .	343	295	6	6	12	–	–	–	2	–	2	3
324	Aberfeldy, . . .	c. 2702	2402	26	34	60	7	4	11	19	16	35	15
325	Aberfoyle, . . .	514	565	3	3	6	–	1	1	3	1	4	3
326	Abernethy, . . .	2026	1960	32	41	73	4	3	7	17	22	39	8
327	Abernyte, . . .	275	310	5	6	11	1	–	1	2	3	5	3
328	Alyth (incl. Town), .	c. 2946	3198	55	43	98	13	6	19	22	35	57	15
329	Auchterarder (including Town), . . .	4160	4208	64	57	121	9	12	21	41	49	90	20
330	Auchtergaven, . .	3232	2562	27	34	61	1	8	9	15	23	38	19
331	Balquhidder, . . .	874	746	9	5	14	2	–	2	7	6	13	3
332	Bendochy, . . .	c. 552	549	13	4	17	3	–	3	3	4	7	1
333	Blackford, . . .	c. 2012	2084	35	34	69	4	5	9	21	18	39	14
334	Blair-Athol, . . .	c. 1951	1553	30	28	58	5	5	10	27	22	49	5
335	Blairgowrie (including Town), . . .	c. 4081	4423	70	66	136	11	9	20	44	51	95	23
336	Callander, . . .	1716	1676	22	23	45	2	5	7	11	28	39	8
337	Caputh, ...	c. 1920	1728	20	22	42	1	1	2	14	16	30	11
338	Cargill, ...	1629	1647	23	18	41	–	3	3	12	11	23	6
339	Clunie, ...	723	699	10	9	19	1	1	2	3	5	8	5
340	Collace, ...	581	534	2	6	8	–	–	–	3	2	5	7

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
341	Comrie,	2463	2226	26	25	51	3	3	6	27	17	44	8
342	Crieff (incl. Town),	4504	4490	77	64	141	15	9	24	46	46	92	20
343	CULROSS (incl. Burgh),	1487	1423	28	20	48	6	2	8	11	13	24	8
344	Dowally,	c. 531	486	7	13	20	–	2	2	5	4	9	7
345	Dron,	394	376	7	5	12	–	–	–	4	4	8	4
346	Dull,	c. 855	753	8	7	15	3	2	5	5	7	12	3
347	Dunbarney,	1066	1035	20	20	40	–	2	2	7	16	23	11
348	Dunblane,	c. 3213	3096	47	44	91	6	7	13	23	23	46	17
349	Dunkeld,	c. 1199	1086	20	12	32	1	–	1	11	16	27	8
350	Dunning,	2206	2084	27	37	64	7	6	13	17	18	35	14
351	Errol,	2796	2759	50	44	94	6	3	9	16	15	31	30
352	Findo-Gask,	405	399	8	3	11	1	1	2	4	2	6	3
353	Forgandenny,	828	739	6	8	14	1	–	1	5	4	9	2
354	Forteviot,	638	595	6	9	15	1	1	2	3	–	3	1
a355	Fortingall,	c. 1409	1244	7	14	21	1	1	2	4	8	12	3
b355	Foss,	c. 432	381	2	2	4	–	–	–	1	1	2	3
356	Fowlis-Easter,	300	317	5	6	11	–	2	2	1	3	4	2
357	Fowlis-Wester,	1321	1276	15	16	31	1	1	2	7	6	13	4
358	Glendevon,	128	138	–	3	3	–	–	–	1	–	1	1
359	Inchture,	745	659	8	11	19	3	1	4	3	6	9	3
360	Kenmore,	c. 1718	1515	22	16	38	4	–	4	12	12	24	10
361	Killin,	c. 1817	1681	14	14	28	2	–	2	14	24	38	5
362	Kilmadock,	3659	3312	40	42	82	1	8	9	23	28	51	10
363	Kilspindie,	684	665	12	14	26	1	2	3	8	7	15	6
364	Kincardine,	1993	1778	19	20	39	1	2	3	19	20	39	12
365	Kinclaven,	881	758	9	7	16	1	–	1	8	4	12	2
366	Kinfauns,	650	659	11	7	18	1	–	1	5	6	11	3
367	Kinloch-Rannoch,	c. 1303	1147	12	12	24	2	–	2	12	18	30	3
368	Kinnaird,	370	318	5	7	12	–	–	–	5	2	7	2
369	Kinnoull,	771	796	10	14	24	3	1	4	9	10	19	6
370	Kirkmichael—												
	(1) Kirkmichael,	c. 849	812	12	14	26	3	1	4	9	13	22	5
	(2) Glenshee,	c. 349	334	5	1	6	–	–	–	1	2	3	1
371	Lecropt,	442	538	8	6	14	–	–	–	5	7	12	2
372	Lethendy and Kinloch,	c. 544	530	10	4	14	–	–	–	4	5	9	2
373	Little Dunkeld,	c. 2140	2089	44	30	74	4	4	8	23	18	41	19
374	Logie (including part of STIRLING),	2551	3483	44	48	92	5	5	10	46	39	85	17
375	Logiealmond,	c. 959	815	7	10	17	2	2	4	6	4	10	1
376	Logierait,	c. 2109	1902	24	25	49	3	2	5	20	14	34	16
377	Longforgan,	1787	1823	36	47	83	3	6	9	16	14	30	11
378	Madderty,	593	536	3	8	11	–	–	–	4	4	8	4
379	Meigle,	978	1122	17	17	34	–	2	2	12	11	23	11
380	Methven,	c. 2394	2290	45	21	66	8	4	12	22	14	36	19
381	Moneydie,	321	252	3	3	6	1	1	2	3	1	4	–
382	Monzie,	c. 569	461	4	3	7	–	–	–	2	2	4	–
383	Monzievaird,	790	782	8	15	23	–	2	2	5	3	8	2
384	Moulin,	c. 1772	1605	17	26	43	1	–	1	10	6	16	13
385	Muckhart,	685	615	3	4	7	–	1	1	6	6	12	6
a386	Muthill,	c. 2972	2008	35	37	72	1	4	5	24	39	63	15
b386	Persie,	c. 814	839	11	10	21	–	2	2	8	5	13	5
387	PERTH (incl. Burgh),	24670	26094	425	405	830	30	47	77	331	321	652	229
388	Port of Menteith,	1419	1375	15	17	32	1	5	6	11	11	22	4
389	Rattray,	c. 2308	2234	32	23	55	2	6	8	18	19	37	13
390	Redgorton,	c. 1955	1596	19	27	46	–	2	2	10	13	23	16
391	Rhynd,	338	297	7	4	11	1	1	2	5	3	8	3
392	St Madoes,	288	280	10	4	14	1	–	1	3	2	5	2
393	St Martins,	983	904	15	19	34	3	2	5	5	8	13	8
a394	Scone,	2332	2153	36	39	75	5	5	10	14	20	34	19
b394	Strathfillan,	c. 435	411	3	6	9	–	–	–	4	3	7	3

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
394	Tenandry,	c. 681	595	10	5	15	–	–	–	5	5	10	2
395	Tibbermore,	1469	1182	12	17	29	–	–	–	4	14	18	4
396	Trinity-Gask,	597	488	12	5	17	–	–	–	4	4	8	4
397	Tulliallan (including Kincardine),	3043	2410	34	35	69	1	1	2	28	32	60	18
398	Weem,	c. 230	215	4	1	5	2	–	2	5	2	7	–
	Total,	137369	133198	1950	1891	3841	212	224	436	1255	1316	2571	854
	14. Fife.												
399	Abbotshall,	688	808	8	17	25	–	2	2	5	6	11	1
400	Abdie,	c. 1353	1257	16	15	31	2	3	5	9	4	13	10
401	Aberdour,	1945	1874	30	36	66	1	1	2	11	22	33	7
402	ANSTRUTHER-EASTER (pt. of Burgh),	1161	1155	19	19	38	1	1	2	13	25	38	13
403	ANSTRUTHER-WESTER (incl. Burgh),	443	438	10	16	26	–	1	1	2	9	11	5
404	Arngask,	689	705	12	10	22	3	1	4	2	2	4	4
405	Auchterderran,	3210	3457	76	68	144	4	5	9	37	40	77	27
406	AUCHTERMUCHTY (incl. Burgh),	3704	3285	51	62	113	5	8	13	45	34	79	17
407	Auchtertool,	517	609	8	7	15	3	2	5	2	9	11	1
408	Ballingry,	568	736	18	26	44	4	1	5	12	15	27	3
409	Balmerino,	945	815	8	11	19	2	–	2	4	7	11	2
410	Beath,	1252	2390	64	71	135	4	3	7	32	40	72	9
411	BURNTISLAND (incl. Burgh),	3158	3670	63	74	137	6	5	11	40	37	77	18
412	Cameron,	1207	1362	19	19	38	1	–	1	6	6	12	5
413	Carnbee,	1129	1157	24	18	42	–	1	1	11	8	19	8
414	Carnock,	3191	2925	46	49	95	7	1	8	18	21	39	15
415	Ceres,	2833	2723	49	48	97	6	3	9	16	21	37	15
416	Collessie,	1520	1530	18	20	38	1	3	4	13	16	29	8
417	CRAIL (incl. Burgh),	1903	1931	29	28	57	5	1	6	28	14	42	14
418	Criech,	386	377	8	5	13	–	–	–	4	5	9	1
419	Cults,	915	800	17	12	29	1	1	2	6	10	16	5
420	CUPAR (incl. Burgh),	7427	6750	121	112	233	14	10	24	60	67	127	51
421	Dairsie,	708	638	11	6	17	–	–	–	5	5	10	5
422	Dalgetty,	1513	1569	21	29	50	3	–	3	8	11	19	3
423	Dunbog,	c. 409	414	8	4	12	–	–	–	3	7	10	3
424	DUNFERMLINE—												
	(1) Burgh,	13836	13506	214	218	432	25	16	41	136	166	302	128
	(2) Landward,	c. 7602	7609	154	151	305	13	11	24	81	100	181	30
425	Dunino,	289	370	8	6	14	1	–	1	7	7	14	5
426	DYSART (incl. Burgh),	8739	8842	159	139	298	10	9	19	68	67	135	66
427	Elie,	843	826	17	9	26	1	1	2	10	8	18	4
428	FALKLAND (incl. Burgh)	3102	2937	33	38	71	2	2	4	25	29	54	15
429	Ferry-Port-on-Craig,	2238	2013	34	39	73	3	3	6	12	26	38	11
430	Flisk,	c. 157	230	3	6	9	–	1	1	4	5	9	3
431	Forgan,	1125	1326	19	14	33	–	1	1	18	12	30	9
432	INVERKEITHING (incl. Burgh),	c. 2748	3196	68	48	116	8	3	11	15	25	40	12
433	Kemback,	956	896	11	12	23	1	–	1	8	6	14	5
434	Kennoway,	2257	2012	25	16	41	2	2	4	13	10	23	8
435	Kettle,	2601	2474	41	33	74	7	4	11	27	26	53	10
436	Kilconquhar (including EARLSFERRY),	2489	2431	36	22	58	1	3	4	15	22	37	9
437	Kilmany,	662	656	13	10	23	1	1	2	5	7	12	2
438	KILRENNY (incl. Burgh and part of ANSTRUTHER-EASTER).	2194	2534	51	54	105	5	4	9	24	29	53	12
439	KINGHORN (incl. Burgh)	2455	2349	40	27	67	6	5	11	21	26	47	16

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
440	Kinglassie, . . .	1186	1266	23	19	42	1	–	1	15	10	25	4
441	Kingsbarns, . . .	893	937	11	14	25	–	3	3	18	17	35	5
442	KIRKCALDY (including Burgh), . . .	10636	11117	177	179	356	12	13	25	89	88	177	99
443	Largo, ...	2800	2626	49	46	95	5	4	9	12	17	29	10
444	Leslie (incl. Town), .	3800	4332	61	49	110	7	9	16	31	50	81	28
445	Leuchars, . . .	1991	1903	26	20	46	3	1	4	19	19	38	8
446	Logie, ...	467	410	4	11	15	2	1	3	2	5	7	4
447	Markinch, . . .	5843	5375	74	75	149	7	4	11	47	56	103	37
448	Monimail, . . .	1102	1054	12	12	24	–	–	–	5	8	13	9
449	Moonzie, . . .	198	179	2	3	5	–	–	–	3	2	5	3
450	NEWBURGH (including Burgh), . . .	2986	2693	44	46	90	4	6	10	35	44	79	20
451	Newburn, . . .	375	374	4	5	9	–	–	–	2	1	3	2
452	PITTENWEEM (incl. Burgh), . . .	1473	1710	40	17	57	12	1	13	27	17	44	17
453	ST ANDREWS and St Leonards (incl. Burgh of St Andrews), . .	7327	7605	101	126	227	4	11	15	68	74	142	55
454	St Monance (or Abercrombie), . . .	1241	1498	27	28	55	2	1	3	15	21	36	10
455	Saline, ...	1792	1610	37	23	60	7	3	10	28	14	42	13
456	Scoonie (incl. Leven), .	3115	3257	44	55	99	4	6	10	22	39	61	18
457	Strathmiglo, . . .	2509	2261	46	28	74	8	4	12	23	26	49	17
458	Torryburn, . . .	1341	1229	23	21	44	–	2	2	12	10	22	8
459	Wemyss, . . .	5647	6003	120	122	242	9	8	17	68	58	126	21
	Total,	153789	155021	2605	2523	5128	246	196	442	1422	1588	3010	983
	15. Kinross.												
460	Cleish, ...	659	649	10	6	16	1	–	1	4	7	11	6
461	Fossoway and Tulliebole,	1621	1584	20	30	50	3	3	6	8	13	21	9
462	Kinross (incl. Town), .	3227	2649	33	38	71	7	4	11	20	28	48	13
463	Orwell, ...	2569	2399	31	41	72	2	7	9	18	11	29	12
464	Portmoak, . . .	1550	1450	26	14	40	6	2	8	7	15	22	11
	Total,	9626	8731	120	129	249	19	16	35	57	74	131	51
	16. Clackmannan.												
465	Alloa (incl. Town), .	9493	8867	177	150	327	18	14	32	125	103	228	50
466	Clackmannan, . .	5802	4425	95	88	183	6	9	15	56	60	116	32
467	Dollar, ...	1574	1776	25	17	42	3	2	5	23	13	36	8
468	Tillicoultry (including Town), . . .	4686	5054	82	80	162	14	7	21	80	77	157	37
	—— Total,	21555	20122	379	335	714	41	32	73	284	253	537	127
	V. WEST-MIDLAND.												
	17. Stirling.												
469	Airth, ...	1319	1194	25	21	46	3	2	5	12	17	29	16
470	Alva (incl. Town), .	3204	3283	67	66	133	6	6	12	35	44	79	18
471	Baldernock, . . .	801	718	9	12	21	1	–	1	7	11	18	4
472	Balfron, . . .	1900	1517	18	18	36	3	–	3	18	25	43	9
473	Bothkennar, . . .	1179	1722	48	41	89	7	3	10	14	15	29	15
474	Buchanan, . . .	632	705	8	6	14	–	–	–	7	3	10	3
475	Campsie (including Lennoxtown), . . .	6918	6483	100	104	204	7	7	14	70	61	131	41
476	Denny (incl. Town), .	4754	4988	118	104	222	14	14	28	60	74	134	47
477	Drymen, . . .	1481	1619	26	11	37	5	2	7	17	20	37	9
478	Dunipace, . . .	1472	1731	31	32	63	–	2	2	22	27	49	15
479	FALKIRK—(1) Burgh, .	8752	9030	178	144	322	20	6	26	108	122	230	85
	(2) Landward,	7686	7996	172	151	323	19	7	26	88	72	160	89

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
480	Fintry, ...	823	685	11	8	19	1	1	2	4	5	9	2
481	Gargunnock, . . .	754	728	10	11	21	1	–	1	2	6	8	3
482	Killearn, . . .	1176	1171	14	12	26	1	–	1	6	11	17	9
483	Kilsyth (incl. Town), .	5346	6112	153	124	277	24	15	39	105	93	198	40
484	Kippen, ...	1892	1722	26	22	48	5	2	7	24	15	39	9
485	Larbert, ...	4606	4999	113	107	220	12	6	18	64	61	125	35
486	Muiravonside, . .	2647	2660	68	62	130	3	4	7	24	28	52	21
487	Polmont, . . .	3764	4111	83	71	154	8	2	10	45	38	83	40
488	St Ninians (includ. Bannockburn, Town), .	7630	6648	127	129	256	16	11	27	78	59	137	47
489	Slamannan, . . .	1655	2916	74	83	157	7	3	10	37	30	67	21
490	STIRLING (incl. Burgh),	12401	14012	278	257	535	25	28	53	185	192	377	174
491	Strathblane, . .	1010	1388	11	15	26	2	2	4	3	8	11	1
	Total,	83802	88138	1768	1611	3379	190	123	313	1035	1037	2072	753
	18. Dumbarton.												
492	Arrochar, . . .	562	629	4	4	8	–	–	–	6	7	13	4
493	Bonhill (includ. Town, & Alexandria, Town),	7819	9059	152	153	305	10	13	23	113	91	204	61
494	Cardross (incl. Renton),	3402	4168	91	81	172	7	7	14	43	55	98	31
495	Cumbernauld, . .	3778	3513	55	58	113	8	11	19	30	18	48	15
496	DUMBARTON (incl. Burgh)	5445	8268	217	197	414	8	8	16	133	107	240	67
497	Kilmaronock, . .	1033	1085	14	24	38	–	–	–	4	1	5	5
498	Kirkintilloch (incl. Town)	8426	8179	172	129	301	27	10	37	126	113	239	59
499	Luss, ...	907	831	7	8	15	–	–	–	8	6	14	5
500	New, or East, Kilpatrick,	4286	4910	135	94	229	13	11	24	59	61	120	19
501	Old, or West, Kilpatrick (incl. Duntocher, Town)	5921	5577	98	87	185	11	2	13	63	43	106	33
502	Roseneath, . . .	1044	1626	35	13	48	–	–	–	7	11	18	6
503	Row (incl. Helensburgh),	4372	6334	98	107	205	7	8	15	75	93	168	25
	Total,	46995	54179	1078	955	2033	91	70	161	667	606	1273	330
	19. Argyll. *Mainland.*												
504	Ardchattan, . . .	1525	1381	20	18	38	1	–	1	12	11	23	–
505	Ardnamurchan—												
	(1) Aharacle, . .	*c.* 1791	1544	16	20	36	2	–	2	15	22	37	7
	(2) Arisaig, . .	*c.* 1555	1343	14	16	30	–	1	1	8	15	23	2
	(3) Sunart (or Strontian)	*c.* 875	759	13	12	25	–	2	2	4	7	11	4
	(4) Western District, .	*c.* 1225	1054	15	18	33	–	–	–	9	6	15	4
506	Ballachulish and Corran of Ardgour, . .	*c.* 1125	919	9	12	21	–	1	1	9	9	18	14
507	CAMPBELTOWN (incl. Burgh), . . .	9381	8149	121	121	242	11	16	27	86	88	174	47
508	Craignish, . . .	756	618	5	7	12	–	–	–	4	10	14	2
509	Cumlodden, . . .	1095	1033	16	17	33	–	1	1	5	8	13	5
510	Dunoon and Kilmun (incl. Dunoon & Kirn),	4518	5461	70	82	152	8	2	10	52	55	107	27
511	Glassary, . . .	*c.* 1860	1769	28	25	53	3	–	3	20	15	35	5
512	Glenorchy and Inishail, .	1450	1307	11	16	27	–	–	..	15	12	27	3
513	INVERARAY (including Burgh), . . .	1755	1650	25	16	41	3	–	3	14	13	27	9
514	Inverchaolain, . .	474	424	7	8	15	–	–	–	4	3	7	3
515	Kilbrandon & Kilchattan,	*c.* 2571	2053	27	23	50	1	2	3	14	15	29	4
516	Kilcalmonell, etc.—												
	(1) Kilcalmonell, . .	*c.* 930	742	10	6	16	1	–	1	7	6	13	3
	(2) Kilberry, . .	689	583	6	3	9	–	1	1	3	3	6	2
517	Kilchrenan, etc.—												
	(1) Kilchrenan, . .	494	385	2	5	7	–	2	2	3	4	7	–
	(2) Dalavich, . .	282	230	6	3	9	–	–	–	–	3	3	–

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
518	Kilfinan, ...	1695	1891	36	39	75	–	2	2	27	15	42	13
519	Killean and Kilchenzie, .	2219	1890	34	26	60	–	3	3	12	12	24	11
520	Kilmalie, ...	c. 4110	3353	39	39	78	5	4	9	44	31	75	17
521	Kilmartin, ...	1144	949	20	10	30	1	1	2	6	8	14	1
522	Kilmodan, ...	500	433	7	–	7	–	–	–	3	2	5	3
523	Kilmore and Kilbride (incl. Burgh of OBAN),	3131	2962	40	38	78	7	3	10	39	32	71	11
524	Kilninver, etc.—												
	(1) Kilninver, . .	449	314	5	2	7	–	–	–	3	6	9	–
	(2) Kilmelford, . .	265	486	8	8	16	–	–	–	5	2	7	–
525	Lismore, etc.—												
	(1) Lismore, . .	c. 1167	1023	14	22	36	1	–	1	8	9	17	5
	(2) Appin, ...	c. 940	825	8	13	21	–	–	–	9	11	20	3
	(3) Glencoe & Ballachulish, ...	c. 1510	1324	28	20	48	1	1	2	16	12	28	3
	(4) Duror, ...	c. 480	423	2	4	6	–	–	–	4	1	5	1
526	Lochgilphead, . .	c. 3263	3312	47	45	92	3	1	4	36	36	72	19
527	Lochgoilhead, etc.—												
	(1) Lochgoilhead, .	446	418	8	5	13	–	–	–	3	3	6	1
	(2) Kilmorich, . .	388	284	9	1	10	–	–	–	2	5	7	1
528	Morvern, ...	1547	1226	20	16	36	–	1	1	9	14	23	2
529	Muckairn, ...	788	729	9	10	19	1	1	2	11	16	27	2
530	North Knapdale, . .	1666	1327	10	7	17	1	–	1	17	5	22	6
531	Saddell, etc.—												
	(1) Saddell, ...	791	739	9	3	12	–	–	–	7	8	15	1
	(2) Skipness, . .	c. 705	533	11	9	20	2	–	2	7	8	15	–
532	Southend, ...	1406	1214	20	11	31	3	1	4	7	7	14	3
533	South Knapdale, . .	565	654	9	5	14	–	–	–	5	4	9	6
534	Stralachlan, etc.—												
	(1) Stralachlan, . .	397	309	5	6	11	–	1	1	6	4	10	1
	(2) Strachur, . .	518	563	6	5	11	–	1	1	8	8	16	–
535	Tarbert, ...	c. 1828	1661	26	36	62	1	1	2	18	14	32	10
	Insular.												
536	Bowmore (or Kilarrow), .	3469	2701	27	23	50	4	2	6	23	26	49	9
537	Gigha, ...	547	467	6	1	7	1	–	1	8	1	9	2
538	Iona, ...	c. 900	743	7	8	15	–	–	–	11	6	17	2
539	Jura, etc.—(1) Jura, .	c. 868	858	5	13	18	–	1	1	2	7	9	2
	(2) Colonsay,	837	598	7	8	15	–	–	–	8	5	13	2
540	Kilchoman, ...	c. 2865	2377	25	31	56	2	3	5	27	22	49	6
541	Kildalton, ...	c. 2450	2187	19	19	38	2	2	4	15	18	33	4
542	Kilfinichen & Kilvickeon,	c. 2171	1792	22	28	50	–	8	8	11	12	23	4
543	Kilmeny, ...	1413	1268	14	7	21	1	1	2	11	10	21	2
544	Kilninian and Kilmore, .	c. 1890	1641	14	21	35	2	2	4	16	14	30	3
545	Kinlochspelvie, . .	c. 420	428	7	5	12	–	1	1	4	1	5	–
546	Oa, ...	c. 860	769	10	8	18	–	1	1	6	6	12	1
547	Portnahaven, ...	c. 1277	1059	18	16	34	–	3	3	14	10	24	6
548	Salen, ...	c. 634	604	7	12	19	–	–	–	7	8	15	3
549	Tobermory, ...	c. 1804	1566	24	25	49	1	1	2	28	35	63	6
550	Torosay, ...	c. 550	557	13	8	21	–	–	–	2	3	5	–
551	Tyree, etc.—(1) Tyree, .	3709	3217	39	31	70	5	2	7	18	25	43	16
	(2) Coll, .	1109	781	14	10	24	1	1	2	9	6	15	5
	Total,	94042	83859	1129	1082	2211	75	77	152	816	793	1609	334
	20. Bute.												
552	Cumbraes, ...	1275	1256	17	23	40	–	–	–	17	8	25	6
553	Kilbride, ...	c. 2340	2253	21	20	41	2	3	5	21	34	55	8
554	Kilmory, ...	c. 2724	2515	32	19	51	4	–	4	22	29	51	4
555	Kingarth, ...	1007	905	7	14	21	1	2	3	3	4	7	–

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
556	Lochranza, . . .	c. 883	824	7	8	15	–	–	–	11	3	14	4
557	North Bute, . . .	c. 1235	1351	16	17	33	1	2	3	10	14	24	12
558	ROTHESAY, . .	c. 7144	7227	108	114	222	7	12	19	87	87	174	51
	Total,	16608	16331	208	215	423	15	19	34	171	179	350	85
	VI. SOUTH-WESTERN.												
	21. Renfrew.												
559	Abbey—												
	(1) Part of PAISLEY,	16351	15889	321	280	601	22	28	50	181	203	384	216
	(2) Landward (including part of Barrhead),	c. 4867	5670	90	99	189	3	9	12	43	42	85	37
	(3) Johnstone (including Town), . .	c. 7363	8142	189	168	357	27	13	40	110	121	231	80
560	Cathcart, . . .	2916	3782	62	70	132	3	2	5	39	47	86	28
561	Eaglesham, . . .	2524	2328	22	24	46	2	1	3	15	22	37	16
562	Eastwood, . . .	9243	11314	221	200	421	22	25	47	140	129	269	91
563	Erskine, ...	1232	1457	21	34	55	1	1	2	12	14	26	6
564	GREENOCK—												
	(1) New, or Middle, .	9414	9446	248	237	485	15	23	38	221	243	464	43
	(2) East, . . .	7704	12135	290	320	610	8	15	23	194	183	377	176
	(3) Old, or West, . .	20318	22313	518	519	1037	33	27	60	544	491	1035	271
565	Houston and Killellan, .	2753	2490	42	34	76	6	2	8	19	36	55	23
566	Inchinnan, . . .	649	619	14	9	23	1	–	1	4	6	10	2
567	Innerkip—												
	(1) Innerkip, . .	c. 1026	1188	29	17	46	–	–	–	15	17	32	1
	(2) Gourock (including Town), . . .	c. 1992	2307	38	32	70	6	3	9	33	39	72	6
568	Kilbarchan, . . .	5474	6348	119	104	223	11	5	16	77	77	154	45
569	Kilmalcolm, . . .	1399	1455	17	19	36	3	–	3	7	14	21	12
570	Lochwinnoch, . .	4153	3821	48	45	93	8	6	14	47	45	92	21
571	Mearns, ...	3704	3547	63	65	128	7	4	11	35	39	74	20
572	Neilston (including part of Barrhead), . .	12233	11013	153	159	312	20	20	40	87	110	197	55
573	PAISLEY—												
	(1) High, . . .	14643	14900	313	311	624	24	28	52	156	171	327	113
	(2) Low, . . .	7205	6712	134	114	248	18	18	36	105	90	195	60
	(3) Middle, . . .	9904	9926	194	174	368	25	17	42	154	158	312	86
574	PORT-GLASGOW (incl. Burgh), . . .	7017	7294	201	182	383	17	18	35	126	134	260	93
575	RENFREW (incl. Burgh),	3866	4650	109	105	214	3	5	8	45	52	97	36
	Total,	157950	168746	3456	3321	6777	285	270	555	2409	2483	4892	1537
	22. Ayr.												
576	Ardrossan—												
	(1) Old (including part of Saltcoats), .	c. 3434	3530	49	53	102	4	6	10	39	45	84	44
	(2) New (including Ardrossan), . .	c. 2147	3246	66	58	124	4	3	7	38	21	59	13
577	Auchinleck, . . .	3697	4213	79	102	181	3	7	10	58	43	101	31
578	AYR (incl. Burgh), .	18845	19659	318	332	650	34	46	80	240	220	460	144
579	Ballantrae, . . .	1801	1483	27	18	45	3	–	3	14	11	25	8
580	Barr, ...	907	910	9	14	23	1	1	2	6	5	11	6
581	Beith (incl. Town), .	6425	5775	114	82	196	6	7	13	69	76	145	44
582	Colmonell, . . .	2934	2588	46	38	84	8	3	11	16	13	29	14
583	Coylton, ...	1542	1604	32	21	53	4	2	6	6	8	14	3
584	Craigie, ...	793	730	11	8	19	–	–	–	6	6	12	9
585	Dailly, ...	2413	2050	40	39	79	5	8	13	16	15	31	11

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
586	Dalmellington, . .	2910	4194	108	112	220	9	9	18	50	43	93	32
587	Dalry (incl. Town), .	8865	11156	310	302	612	13	14	27	173	137	310	81
588	Dalrymple, . . .	1096	1325	33	28	61	–	4	4	6	10	16	8
589	Dreghorn, . . .	1828	3283	73	56	129	3	7	10	30	22	52	18
590	Dundonald (incl. Troon),	4555	4694	71	76	147	5	4	9	36	44	80	40
591	Dunlop, . . .	1115	1038	10	15	25	1	1	2	3	8	11	9
592	Fenwick, . . .	1741	1532	11	12	23	1	–	1	11	15	26	16
593	Galston (incl. Town), .	4392	5254	116	121	237	4	10	14	52	51	103	43
594	Girvan (incl. Town), .	8588	7053	88	100	188	14	15	29	69	72	141	36
595	IRVINE (incl. Burgh), .	8463	8607	183	151	334	18	15	33	118	118	236	71
596	Kilbirnie (incl. Town),	5484	5265	120	117	237	4	5	9	54	45	99	48
597	KILMARNOCK (incl. part of Burgh), . .	21287	23556	494	415	909	36	39	75	321	315	636	192
598	Kilmaurs, . . .	3144	3526	70	76	146	3	6	9	32	33	65	20
599	Kilwinning (incl. Town),	6359	7717	164	167	331	8	9	17	87	86	173	36
600	Kirkmichael, . . .	3262	2823	38	35	73	6	7	13	23	24	47	11
601	Kirkoswald, . . .	2242	2060	33	30	63	5	3	8	11	17	28	13
602	Largs (incl. Town), .	3715	3620	51	61	112	4	4	8	43	42	85	24
603	Loudoun (incl. Newmilns), ...	4720	4840	87	73	160	7	3	10	44	51	95	45
604	Mauchline, . . .	2470	2303	42	37	79	3	3	6	27	30	57	13
605	Maybole (incl. Town), .	7615	6713	102	102	204	19	13	32	57	46	103	45
606	Monkton and Prestwick,	1960	1937	37	32	69	5	5	10	14	14	28	12
607	Muirkirk (incl. Town),	3423	3270	69	66	135	6	6	12	65	52	117	24
608	New Cumnock, . .	2759	2891	69	42	111	7	7	14	24	21	45	18
609	Ochiltree, . . .	1787	1676	18	21	39	1	1	2	10	14	24	9
610	Old Cumnock (including Town), . . .	3777	3721	72	63	135	5	8	13	52	44	96	42
611	Riccarton (incl. part of KILMARNOCK), .	4583	5629	132	123	255	7	6	13	80	80	160	34
612	St Quivox and Newton-upon-Ayr, . . .	2231	1870	34	30	64	3	5	8	21	12	33	14
613	Sorn (incl. Catrine), .	4174	4042	79	58	137	12	4	16	39	44	83	37
614	Stair, ...	820	743	14	13	27	4	2	6	6	6	12	5
615	Stevenston (incl. Town and part of Saltcoats),	3811	5452	111	115	226	6	9	15	77	61	138	41
616	Stewarton (incl. Town),	4572	4449	59	66	125	8	5	13	38	44	82	23
617	Straiton, . . .	1540	1544	26	28	54	5	4	9	13	14	27	18
618	Symington, . . .	902	855	12	13	25	1	–	1	3	5	8	7
619	Tarbolton, . . .	2824	2669	82	60	142	5	7	12	47	55	102	11
620	West Kilbride, . .	2021	1968	38	28	66	4	4	8	13	15	28	10
	Total,	189973	199063	3847	3609	7456	314	327	641	2257	2153	4410	1433
	23. Lanark.												
621	Avondale (incl. Strathaven), ...	6451	6125	119	80	199	9	9	18	70	51	121	55
622	Barony—												
	(1) Maryhill (incl. Town and part of GLASGOW), .	c. 4007	6734	138	156	294	9	8	17	93	99	192	44
	(2) Springburn (incl. pt. of GLASGOW), .	c. 6386	8911	222	195	417	21	31	52	238	226	464	39
	(3) Shettleston, . .	c. 6564	6914	141	132	273	13	15	28	80	81	161	59
623	Biggar, ...	2049	1999	33	32	65	5	8	13	19	15	34	8
624	Blantyre, . . .	2848	3092	53	54	107	6	6	12	14	25	39	17
625	Bothwell—												
	(1) Bothwell (including Bellshill), . .	c. 5583	7059	170	144	314	16	8	24	111	105	216	58
	(2) Holytown, . .	c. 9700	10844	259	226	485	19	14	33	138	124	262	70

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
a626	Cadder—												
	(1) Western District,	c. 2550	3023	61	60	121	3	3	6	40	32	72	16
	(2) Eastern District,			56	45	101	4	–	4	29	27	56	14
b626	Calderhead,	c. 2464	2925	85	102	187	7	5	12	48	42	90	24
627	Cambuslang,	3306	3647	74	63	137	–	3	3	46	44	90	28
628	Cambusnethan (including Wishaw) (part of),	8621	14601	368	296	664	30	22	52	141	123	264	122
629	Carluke (incl. Town),	6283	6176	129	131	260	19	13	32	72	50	122	48
630	Carmichael,	805	836	21	9	30	5	1	6	8	8	16	4
631	Carmunnock,	710	734	9	9	18	1	1	2	5	8	13	4
632	Carnwath,	3551	3584	66	78	144	12	6	18	43	45	88	25
633	Carstairs,	1066	1345	25	28	53	–	1	1	11	14	25	12
634	Covington & Thankerton,	548	532	6	8	14	–	–	–	3	2	5	4
635	Crawford—												
	(1) Crawford,	c. 730	69	16	13	29	1	1	2	9	8	17	4
	(2) Leadhills,	c. 940	896	21	21	42	1	1	2	11	15	26	14
636	Crawfordjohn,	1111	980	9	11	20	–	–	–	2	10	12	5
637	Culter,	472	665	5	11	16	–	3	3	3	4	7	3
638	Dalserf—												
	(1) Larkhall (including Town),	c. 2670	3629	87	90	177	10	4	14	42	42	84	30
	(2) Dalserf,	c. 913	1247	24	16	40	–	1	1	11	17	28	8
639	Dalziel (incl. Motherwell),	2262	5438	155	139	294	5	5	10	91	75	166	30
640	Dolphington,	305	260	–	5	5	–	–	–	3	1	4	3
641	Douglas,	2611	2490	42	45	87	5	4	9	43	39	82	12
642	Dunsyre,	312	312	3	3	6	1	–	1	1	4	5	–
643	East Kilbride,	3760	4064	58	86	144	3	6	9	39	46	85	26
644	GLASGOW—												
	(1) Central District,	c. 43270	49678	1227	1119	2346	239	224	463	967	961	1928	349
	(2) High,	c. 42005	48119	1095	1008	2103	106	82	188	1235	1069	2304	377
	(3) Bridgeton,	c. 38385	45485	1016	980	1996	99	85	184	713	693	1406	383
	(4) Calton,	c. 33310	36625	785	723	1508	40	62	102	596	612	1208	492
	(5) Clyde,	c. 32800	29975	555	549	1104	52	67	119	541	526	1067	208
	(6) Blythswood,	c. 21405	28697	455	399	854	41	30	71	281	296	577	544
	(7) Milton,	c. 26240	33360	826	749	1575	50	56	106	522	473	995	284
	(8) Anderston,	c. 30035	40945	995	913	1908	47	63	110	590	585	1175	337
	(9) Tradeston,	c. 27163	38600	849	776	1625	53	36	89	584	570	1154	474
	(10) Hutchesontown,	c. 34484	44019	1058	909	1967	79	74	153	759	756	1515	322
645	Glassford,	1955	1938	40	22	62	4	1	5	29	21	50	14
646	Govan—												
	(1) Govan (incl. Town),	c. 6238	13725	407	357	764	10	13	23	232	220	452	145
	(2) Partick (incl. Town),	c. 7852	14859	393	348	741	7	11	18	198	236	434	154
647	HAMILTON (incl. Burgh),	11740	14047	275	261	536	26	28	54	184	195	379	103
648	LANARK (incl. Burgh),	8243	7891	133	142	275	23	24	47	69	80	149	57
649	Lesmahagow,	7746	9266	165	187	352	19	13	32	59	63	122	64
650	Libberton,	800	836	18	14	32	1	1	2	4	6	10	5
651	New Monkland—												
	(1) AIRDRIE,	14435	12922	240	234	474	19	19	38	162	172	334	110
	(2) Landward,	8766	7632	131	151	282	15	18	33	91	90	181	45
652	Old Monkland—												
	(1) Western District,	c. 6646	6932	160	161	321	9	6	15	105	91	196	36
	(2) Middle District (incl. Coatbridge),	c. 13168	15303	396	380	776	13	23	36	237	201	438	128
	(3) Eastern District (incl. Calderbank),	c. 7519	7308	147	126	273	13	9	22	82	89	171	15
653	Pettinain,	428	407	6	10	16	1	1	2	3	3	6	2
654	RUTHERGLEN (incl. Burgh),	7954	9335	183	197	380	5	12	17	139	120	259	93
655	Shotts (part of),	5982	7343	84	106	190	6	5	11	50	31	81	15

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
656	Stonehouse (incl. Town),	2781	3267	59	64	123	4	3	7	38	26	64	222
657	Symington, . . .	536	528	8	10	18	3	–	3	3	8	11	4[illegible]
658	Walston, . . .	497	480	10	5	15	1	2	3	2	6	8	22
659	Wandell and Lamington,	369	380	6	6	12	–	–	–	2	3	5	33
660	Wiston and Roberton, .	839	786	13	11	24	2	–	2	3	6	9	55
	Total,	533169	640444	14190	13205	27395	1192	1147	2339	9944	9590	19534	5577
	VII. SOUTH-EASTERN.												
	24. Linlithgow.												
661	Abercorn, . . .	977	965	19	11	30	4	–	4	24	17	41	6[illegible]
662	Bathgate (incl. Town and Armadale), .	4533	10134	312	286	598	13	19	32	181	133	314	88[illegible]
663	Borrowstounness (incl. Town), . . .	5192	5698	119	119	238	12	8	20	67	63	130	43[illegible]
664	Carriden, . . .	1724	1821	38	36	74	3	4	7	15	28	43	7[illegible]
665	Dalmeny, . . .	768	804	9	19	28	3	3	6	10	6	16	6[illegible]
666	Ecclesmachen, . .	289	309	6	4	10	–	–	–	2	2	4	3
667	Kirkliston, . . .	2029	1907	42	42	84	6	3	9	15	11	26	12[illegible]
668	LINLITHGOW—												
	(1) Burgh, . . .	4213	3843	62	73	135	6	7	13	38	44	82	21[illegible]
	(2) Landward, . .	1902	1941	33	40	73	4	7	11	26	19	45	22[illegible]
669	Livingstone, . . .	1289	1366	32	24	56	4	2	6	10	14	24	2[illegible]
670	QUEENSFERRY (incl. Burgh), . . .	1195	1391	28	29	57	3	2	5	10	11	21	6[illegible]
671	Torphichen, . . .	1356	1848	37	41	78	2	5	7	18	18	36	12[illegible]
672	Uphall, ...	1331	1507	20	25	45	3	1	4	13	11	24	9[illegible]
673	Whitburn, . . .	3792	5511	127	139	266	5	13	18	67	71	138	40[illegible]
	Total,	30590	39045	884	888	1772	68	74	142	496	448	944	277[illegible]
	25. Edinburgh.												
674	Borthwick, . . .	1614	1742	32	26	58	2	1	3	15	14	29	9[illegible]
675	Carrington, . . .	710	681	6	15	21	–	2	2	4	5	9	4[illegible]
676	Cockpen, . . .	3228	2902	67	51	118	5	4	9	27	25	52	22[illegible]
677	Colinton, . . .	2676	2656	38	46	84	4	5	9	23	33	56	12[illegible]
678	Corstorphine, . . .	1499	1579	21	23	44	4	3	7	20	22	42	10[illegible]
679	Cramond, . . .	2547	2695	44	50	94	5	6	11	28	24	52	15[illegible]
680	Cranston, . . .	1235	1035	17	8	25	1	1	2	10	5	15	10[illegible]
681	Crichton, . . .	1387	1304	28	27	55	4	2	6	12	9	21	11[illegible]
682	Currie, ...	2190	2248	42	38	80	5	1	6	18	17	35	10[illegible]
683	Dalkeith (incl. Town),	6521	7114	140	141	281	10	11	21	75	79	154	76[illegible]
684	Duddingston—												
	(1) PORTOBELLO, .	3559	4366	57	70	127	5	5	10	52	58	110	38[illegible]
	(2) Landward, . .	904	857	10	15	25	–	1	1	9	4	13	12[illegible]
685	EDINBURGH—												
	(1) St George (incl. Landward of St Cuthbert), . . .	c. 38540	42068	693	679	1372	44	26	70	532	560	1092	320[illegible]
	(2) St Andrew, . .	c. 37435	38731	507	477	984	29	25	54	307	341	648	404[illegible]
	(3) Canongate (incl. Landward), . .	c. 29230	30169	692	636	1328	72	55	127	791	599	1390	291
	(4) St Giles, . . .	c. 29245	29679	738	677	1415	163	144	307	379	404	783	338
	(5) Newington, . .	c. 27198	29797	548	533	1081	31	27	58	332	348	680	363
686	Fala and Soutra, . .	434	382	14	6	20	2	1	3	5	4	9	5[illegible]
687	Glencross, . . .	1138	1217	17	13	30	1	–	1	8	10	18	3
688	Heriot, ...	352	407	8	3	11	1	1	2	6	2	8	3
689	Inveresk (incl. MUSSELBURGH), . . .	8653	9518	189	175	364	22	13	35	133	137	270	80

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl.	Mal.	Fem	Total.	
690	Kirknewton and East-Calder,	1630	1549	30	22	52	5	–	5	9	11	20	9
691	Lasswade,	5821	5688	109	98	207	9	7	16	69	37	106	42
692	LEITH—												
	(1) North Leith,	c. 9494	11562	216	234	450	7	12	19	130	138	268	98
	(2) South Leith	c. 22725	24467	494	504	998	27	26	53	314	331	645	246
693	Liberton,	3528	3510	52	51	103	6	8	14	46	40	86	20
694	Mid-Calder,	1474	1389	23	18	41	2	6	8	18	14	32	13
695	Newbattle,	2518	2837	56	56	112	5	6	11	36	24	60	20
696	Newton,	1780	1553	21	24	45	2	3	5	10	14	24	9
697	Penicuik,	3003	3249	54	55	109	8	5	13	20	29	49	27
698	Ratho,	1718	1659	30	21	51	2	2	4	15	10	25	10
699	Stow,	1973	2171	40	26	66	4	3	7	17	13	30	16
700	Temple,	1414	1385	30	29	59	5	2	7	13	14	27	8
701	West-Calder,	2120	1927	40	40	80	6	9	15	16	18	34	12
	Total,	259493	274093	5103	4887	9990	498	423	921	3499	3393	6892	2566
	26. Haddington.												
702	Aberlady,	1099	1019	12	12	24	1	1	2	8	11	19	4
703	Athelstaneford,	971	902	13	11	24	–	–	–	4	7	11	3
704	Bolton,	373	332	2	8	10	–	1	1	2	1	3	1
705	Dirleton,	1634	1540	19	22	41	–	–	–	11	8	19	5
706	DUNBAR (incl. Burgh),	4415	4944	82	89	171	5	10	15	48	60	108	18
707	Garvald,	869	891	11	14	25	3	–	3	2	5	7	1
708	Gladsmuir,	1780	1945	36	34	70	5	3	8	22	21	43	11
709	HADDINGTON (incl. Burgh),	5525	5548	108	79	187	7	9	16	63	54	117	41
710	Humbie,	925	997	16	15	31	3	1	4	7	9	16	2
711	Innerwick,	1012	937	15	18	33	1	–	1	8	4	12	6
712	Morham,	249	281	3	4	7	–	–	–	2	3	5	1
713	NORTH BERWICK (incl. Burgh),	1643	2071	27	41	68	2	4	6	12	19	31	10
714	Oldhamstocks,	692	615	13	9	22	2	1	3	4	4	8	3
715	Ormiston,	811	915	16	12	28	2	1	3	9	10	19	3
716	Pencaitland,	1175	1187	26	28	54	–	4	4	9	8	17	11
717	Prestonkirk,	1894	1960	38	36	74	6	5	11	15	14	29	10
718	Prestonpans,	2123	2080	50	23	73	1	3	4	19	14	33	16
719	Salton,	697	712	11	10	21	1	2	3	–	6	6	3
720	Spott,	595	555	9	15	24	1	6	7	3	4	7	4
721	Stenton,	719	692	13	7	20	–	2	2	7	4	11	5
722	Tranent (incl. Town),	4158	4647	94	97	191	12	6	18	55	57	112	23
723	Whitekirk & Tynninghame	1131	1113	15	16	31	–	2	2	5	6	11	4
724	Whittinghame,	671	710	10	14	24	–	2	2	6	5	11	6
725	Yester (or Gifford),	1202	1033	16	17	33	4	–	4	6	9	15	12
	Total,	36363	37626	655	631	1286	56	63	119	327	343	670	203
	27. Berwick.												
726	Abbey St Bathans,	155	179	4	3	7	2	–	2	–	1	1	4
727	Ayton,	1959	2014	33	33	66	3	4	7	17	20	37	9
728	Bunkle and Preston,	715	756	9	10	19	–	–	–	7	9	16	6
729	Channelkirk,	728	671	10	11	21	1	3	4	11	14	25	11
730	Chirnside,	1384	1502	28	24	52	4	2	6	5	4	9	5
731	Cockburnspath,	1196	1194	18	20	38	1	–	1	6	7	13	6
732	Coldingham,	3188	3241	54	73	127	5	8	13	22	35	57	10
733	Coldstream,	3245	2823	41	39	80	5	6	11	30	35	65	12
734	Cranshaws,	127	134	4	2	6	–	–	–	1	–	1	1
735	Dunse (incl. Town),	3407	3595	64	60	124	5	7	12	33	36	69	19
736	Earlston,	1819	1825	25	24	49	–	4	4	20	13	33	9

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
737	Eccles, ...	1892	1861	32	21	53	5	4	9	10	13	23	7
738	Edrom, ...	1474	1592	22	15	37	2	2	4	9	9	18	6
739	Eyemouth, . . .	1488	1804	40	49	89	1	7	8	28	23	51	14
740	Fogo, ...	604	559	12	9	21	2	–	2	2	3	5	4
741	Foulden, . . .	430	431	6	7	13	2	–	2	2	2	4	–
742	Gordon, ...	983	931	15	17	32	1	1	2	5	6	11	6
743	Greenlaw, . . .	1378	1370	25	25	50	2	5	7	14	11	25	10
744	Hume, ...	406	420	13	3	16	1	1	2	4	2	6	1
745	Hutton, ...	1102	1067	13	11	24	–	1	1	11	6	17	6
746	Ladykirk, . . .	561	564	11	6	17	1	1	2	3	6	9	2
747	Langton, . . .	484	502	10	6	16	–	–	–	3	3	6	6
748	LAUDER (incl. Burgh),	2154	2198	40	38	78	8	6	14	23	21	44	12
749	Legerwood, . . .	587	599	11	9	20	1	2	3	5	4	9	1
750	Longformacus, . .	411	448	10	6	16	1	1	2	2	2	4	2
751	Merton, . . .	692	729	7	6	13	–	1	1	2	3	5	9
752	Mordington, . . .	427	377	9	9	18	1	1	2	4	3	7	3
753	Nenthorn, . . .	441	461	4	9	13	1	3	4	2	6	8	4
754	Polwarth, . . .	331	251	3	5	8	–	–	–	3	3	6	1
755	Swinton, . . .	994	964	15	15	30	5	–	5	13	5	18	3
756	Westruther, . . .	791	786	12	11	23	1	2	3	2	2	4	3
757	Whitsome, . . .	612	640	14	11	25	–	2	2	2	2	4	3
	Total,	36165	36488	614	587	1201	61	74	135	301	309	610	195
	28. Peebles.												
758	Broughton, . . .	284	297	6	4	10	–	–	–	1	1	2	2
759	Drumelzier, . . .	244	209	3	2	5	–	–	–	2	1	3	–
760	Eddlestone, . . .	790	753	16	11	27	1	3	4	9	7	16	3
761	Glenholm, . . .	252	198	7	3	10	2	–	2	2	2	4	2
762	Innerleithen, . . .	1236	1823	37	26	63	3	2	5	16	11	27	7
763	Kilbucho, . . .	345	228	4	3	7	–	–	–	6	–	6	–
764	Kirkurd, . . .	326	362	4	6	10	–	–	–	3	4	7	2
765	Lyne, etc.—(1) Lyne, .	95	81	1	1	2	1	1	2	1	3	4	–
	(2) Meggat,	63	53	1	–	1	–	–	–	–	–	–	1
766	Manor, . . .	256	247	4	5	9	–	–	–	–	–	–	4
767	Newlands, . . .	950	987	15	13	28	3	1	4	10	13	23	7
768	PEEBLES (incl. Burgh),	2673	2850	56	52	108	4	4	8	42	57	99	19
769	Skirling, . . .	316	317	9	5	14	2	–	2	–	–	–	2
770	Stobo, ...	478	478	14	12	26	–	–	–	8	7	15	3
771	Traquair, . . .	646	687	17	8	25	3	1	4	4	7	11	3
772	Tweedsmuir, . . .	220	196	–	5	5	–	–	–	–	–	–	2
773	West Linton, . . .	1630	1534	28	29	57	10	4	14	17	28	45	9
	Total,	10804	11300	222	185	407	29	16	45	121	141	262	66
	29. Selkirk.												
774	Ettrick, ...	477	454	10	4	14	1	1	2	2	3	5	4
775	Galashiels (incl. part of Town), . . .	3014	3379	75	60	135	8	9	17	31	41	72	25
776	Kirkhope, . . .	c. 600	555	10	8	18	1	–	1	4	1	5	4
777	Roberton, . . .	670	640	12	12	24	4	1	5	1	4	5	6
778	SELKIRK (incl. Burgh),	4347	4739	68	63	131	11	5	16	42	67	109	24
779	Yarrow, ...	c. 694	643	7	14	21	–	4	4	5	3	8	3
	Total,	9802	10410	182	161	343	25	20	45	85	119	204	66
	VIII. SOUTHERN.												
	30. Roxburgh.												
780	Ancrum, . . .	1554	1511	26	15	41	4	1	5	7	12	19	11
781	Ashkirk, . . .	578	578	6	9	15	1	1	2	3	4	7	4

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
782	Bedrule,	240	222	4	5	9	–	1	1	–	1	1	3
783	Bowden,	981	864	15	17	32	4	3	7	7	13	20	6
784	Castleton,	2130	3688	34	50	84	6	9	15	16	15	31	12
785	Cavers,	1495	1824	30	29	59	2	1	3	16	16	32	8
786	Crailing,	734	673	5	9	14	1	–	1	6	7	13	4
a787	Eckford,	1073	957	11	12	23	3	1	4	4	6	10	6
b787	Edgerston,	c. 373	359	7	5	12	1	–	1	1	2	3	–
788	Ednam,	658	599	6	7	13	1	–	1	2	3	5	–
789	Hawick (incl. part of Town),	7801	8726	185	181	366	26	39	65	142	140	282	61
790	Hobkirk,	720	771	20	10	30	1	1	2	3	5	8	1
791	Hownam,	252	289	1	4	5	–	–	–	2	1	3	–
792	JEDBURGH (incl. Burgh),	c. 5220	5011	78	91	169	11	10	21	52	61	113	30
793	Kelso (incl. Town),	5634	5192	83	75	158	5	1	6	62	62	124	35
794	Kirktown,	282	421	8	5	13	3	–	3	3	2	5	1
795	Lilliesleaf,	798	772	14	7	21	1	2	3	3	5	8	3
796	Linton,	630	608	11	9	20	1	4	5	2	3	5	2
797	Makerston,	345	380	6	8	14	–	–	–	4	1	5	–
798	Maxton,	550	497	7	7	14	1	2	3	4	5	9	4
799	Melrose—												
	(1) Melrose,	3592	3557	59	49	108	4	7	11	42	35	77	28
	(2) Ladhope (incl. part of Galashiels),	3773	4154	76	69	145	4	5	9	39	40	79	41
800	Minto,	467	430	5	2	7	1	–	1	2	3	5	3
801	Morebattle,	997	1031	11	12	23	1	–	1	7	5	12	5
802	Oxnam,	c. 632	592	10	13	23	1	2	3	4	4	8	2
803	Roxburgh,	1141	1178	18	12	30	2	1	3	12	18	30	6
804	St Boswells,	884	865	18	18	36	1	1	2	6	6	12	10
805	Smailholm,	617	554	11	8	19	–	–	–	4	5	9	2
806	Southdean,	c. 765	687	9	14	23	1	2	3	4	3	7	3
807	Sprouston,	1424	1305	24	12	36	4	3	7	9	15	24	14
808	Stitchel,	426	425	6	8	14	1	2	3	3	2	5	1
809	Teviothead,	550	438	5	6	11	1	1	2	2	5	7	2
810	Wilton (incl. Town and part of Hawick),	2557	3357	67	87	154	5	11	16	37	47	84	24
811	Yetholm,	1352	1207	22	14	36	2	1	3	24	15	39	6
	Total,	51225	53722	898	879	1777	100	112	212	534	567	1101	338
	31. Dumfries.												
812	ANNAN (incl. part of Burgh),	c. 5128	5113	77	81	158	14	9	23	66	65	131	25
a813	Applegarth,	918	935	12	15	27	1	–	1	6	10	16	3
b813	Brydekirk (incl. part of ANNAN),	c. 864	779	8	8	16	–	1	1	11	18	29	3
814	Canonbie,	3163	3219	54	52	106	12	5	17	41	48	89	18
815	Carlaverock,	1418	1248	16	8	24	3	–	3	14	12	26	7
816	Closeburn,	1732	1651	36	26	62	8	3	11	12	13	25	8
817	Cummertrees,	c. 1334	1184	17	13	30	2	1	3	18	12	30	7
818	Dalton,	761	679	6	6	12	–	–	–	2	7	9	10
819	Dornock,	936	856	15	10	25	4	1	5	7	11	18	5
820	Dryfesdale,	2409	2509	42	32	74	4	5	9	36	31	67	16
821	DUMFRIES (incl. part of Burgh),	12298	13523	261	225	486	31	34	65	232	190	422	115
822	Dunscore,	1578	1554	25	14	39	–	–	–	10	13	23	10
823	Durrisdeer,	1795	1320	22	15	37	3	4	7	11	14	25	15
824	Eskdalemuir,	672	590	5	10	15	1	3	4	11	6	17	2
825	Ewes,	354	356	6	5	11	–	–	–	–	1	1	4
826	Glencairn,	1980	1867	39	26	65	5	8	13	13	29	42	7

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
827	Graitney (or Gretna),	1830	1620	29	19	48	5	4	9	14	26	40	8
828	Halfmorton,	687	713	16	6	22	2	1	3	4	3	7	1
829	Hoddam,	*c.* 1705	1568	26	13	39	3	2	5	15	14	29	2
830	Holywood,	1060	1115	25	16	41	7	4	11	7	9	16	7
831	Hutton,	836	876	12	14	26	2	1	3	7	2	9	7
832	Johnstone,	1261	1149	22	15	37	2	3	5	6	10	16	8
833	Keir,	960	849	11	10	21	1	–	1	4	7	11	6
834	Kirkconnel,	1245	996	20	17	37	2	1	3	6	4	10	4
835	Kirkmahoe,	1553	1462	19	23	42	3	1	4	20	20	40	7
836	Kirkmichael,	1124	1026	13	22	35	3	4	7	9	6	15	5
837	Kirkpatrick-Fleming,	1829	1925	31	39	70	6	9	15	20	17	37	9
838	Kirkpatrick-Juxta,	1097	1025	12	19	31	2	–	2	4	6	10	7
839	Langholm,	2990	2979	69	53	122	11	5	16	65	64	129	10
840	LOCHMABEN (includ. Burgh),	3127	3087	66	37	103	18	5	23	37	39	76	17
841	Middlebie,	2163	2004	25	38	63	7	6	13	27	25	52	16
842	Moffat,	2304	2232	24	31	55	2	3	5	28	35	63	7
843	Morton,	2482	2253	41	34	75	5	2	7	27	24	51	12
844	Mousewald,	686	633	10	8	18	–	2	2	5	4	9	3
845	Penpont,	1411	1326	23	21	44	1	3	4	13	13	26	7
846	Ruthwell,	1110	1046	13	20	33	2	1	3	6	11	17	9
847	St Mungo,	645	686	13	9	22	4	–	4	8	6	14	4
848	SANQUHAR (including Burgh),	*c.* 3155	2758	45	43	88	7	5	12	18	33	51	15
849	Tinwald,	1080	1079	15	21	36	3	5	8	9	16	25	7
850	Torthorwald,	1313	1254	21	23	44	7	4	11	17	14	31	11
851	Tundergarth,	577	507	11	11	22	3	–	3	5	5	10	1
852	Tynron,	482	446	2	4	6	–	–	–	3	6	9	3
*a*853	Wamphray,	523	559	8	10	18	2	2	4	10	3	13	3
*b*853	Wanlockhead,	*c.* 916	811	15	12	27	2	1	3	8	6	14	11
854	Westerkirk,	658	537	10	4	14	2	–	2	4	8	12	1
	Total,	78149	75904	1288	1138	2426	202	148	350	896	916	1812	463
	32. Kirkcudbright.												
855	Anwoth,	900	899	7	11	18	1	3	4	5	7	12	5
856	Balmaclellan,	*c.* 938	890	9	8	17	–	–	–	7	10	17	4
857	Balmaghie,	1217	1225	21	17	38	2	4	6	12	12	24	8
858	Borgue,	1043	1162	16	20	36	3	1	4	11	15	26	4
859	Buittle,	1042	1165	15	16	31	–	2	2	10	6	16	5
860	Carsphairn,	855	553	7	6	13	–	–	–	4	3	7	2
861	Colvend,	1398	1366	20	18	38	4	1	5	10	15	25	4
862	Corsock-Bridge,	*c.* 550	544	10	7	17	–	–	–	3	4	7	3
863	Crossmichael,	1362	1536	34	21	55	5	2	7	12	12	24	9
864	Dalbeattie,	*c.* 1927	2054	32	31	63	7	4	11	22	22	44	10
865	Dalry,	1238	1149	14	18	32	5	4	9	11	14	25	6
866	Girthon,	1787	1702	26	19	45	3	4	7	17	25	42	14
867	Irongray,	918	913	16	8	24	4	2	6	6	7	13	8
868	Kells (incl. NEW GALLOWAY),	1091	1170	15	17	32	4	4	8	15	6	21	11
869	Kelton	3186	3436	46	68	114	6	12	18	28	33	61	15
870	Kirkbean,	982	942	14	12	26	1	3	4	5	5	10	3
871	KIRKCUDBRIGHT (including Burgh),	3555	3407	44	49	93	8	8	16	39	42	81	23
872	Kirkgunzeon,	734	793	14	11	25	2	–	2	7	3	10	1
873	Kirkmabreck,	2266	1851	20	26	46	3	–	3	12	17	29	13
874	Kirkpatrick-Durham,	*c.* 1349	1323	23	20	43	3	3	6	18	13	31	9
875	Lochrutton,	726	677	13	11	24	4	1	5	4	6	10	3
876	Minnigaff,	2054	1804	24	27	51	7	5	12	14	26	40	7
877	New Abbey,	1098	1063	25	14	39	2	3	5	6	12	18	6

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
878	Parton, ...	c. 547	572	8	7	15	1	2	3	6	4	10	2
879	Rerrick, ...	1725	1738	25	39	64	5	7	12	15	19	34	8
880	Terregles (incl. part of DUMFRIES), . .	566	580	3	12	15	–	3	3	4	3	7	5
881	Tongland, . . .	924	892	13	22	35	2	2	4	2	5	7	4
882	Troqueer (incl. part of DUMFRIES), . .	4925	4743	85	89	174	13	17	30	63	68	131	23
883	Twynholm, . . .	782	815	14	14	28	2	5	7	9	3	12	7
884	Urr, ...	c. 1436	1531	20	19	39	4	3	7	13	20	33	14
	Total,	43121	42495	633	657	1290	101	105	206	390	437	827	236
	33. Wigtown.												
885	Glasserton, . . .	1487	1472	23	16	39	2	1	3	19	10	29	5
886	Inch, ...	2579	2460	39	36	75	3	7	10	17	25	42	9
887	Kirkcolm, . . .	2018	1860	22	27	49	9	7	16	19	15	34	6
888	Kirkcowan, . . .	1541	1434	16	17	33	4	1	5	12	12	24	9
889	Kirkinner, . . .	1914	1716	23	27	50	6	3	9	8	18	26	14
890	Kirkmaiden, . . .	2681	2333	46	31	77	10	6	16	23	16	39	18
891	Leswalt, . . .	1703	1417	18	16	34	3	2	5	9	8	17	8
892	Mochrum, . . .	2946	2694	35	35	70	9	9	18	19	30	49	11
893	New Luce, . . .	791	731	10	7	17	2	2	4	3	5	8	3
894	Old Luce (or Glenluce), .	2841	2800	46	43	89	7	6	13	19	23	42	13
895	Penninghame (incl. Newton-Stewart), . .	4155	4061	72	58	130	10	9	19	36	39	75	28
896	Portpatrick, . . .	1963	2189	38	32	70	6	4	10	25	22	47	15
897	Sorbie, ...	1886	1814	23	23	46	4	5	9	13	20	33	7
898	Stoneykirk, . . .	3321	3228	50	55	105	10	5	15	22	37	59	14
899	STRANRAER (incl. Burgh)	5738	6315	91	105	196	13	18	31	83	59	142	37
900	WHITHORN (incl. Burgh)	3001	2934	55	47	102	12	6	18	27	29	56	16
901	WIGTOWN (incl. Burgh)	2824	2637	34	32	66	6	4	10	35	29	64	15
	Total,	43389	42095	641	607	1248	116	95	211	389	397	786	228

SUMMARY.

Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
	1851.	1861.	Mal.	Fem.	Total.	Mal.	Fem	Total	Mal.	Fem.	Total.	
Insular, ...	166,487	160,733	2232	2091	4323	102	110	212	1427	1507	2934	784
Mainland-Rural, . .	1,712,552	1,763,377	30371	28864	59235	3327	2950	6277	17222	17500	34722	10820
Town, ...	1,009,703	1,138,184	23623	22160	45783	2238	2221	4459	16982	16843	33825	10630
SCOTLAND, . .	2,888,742	3,062,294	56226	53115	109341	5667	5281	10948	35631	35850	71481	22234

MARRIAGES registered in SCOTLAND in 1863, and the Number of Persons who signed the Register by Marks.

COUNTY.	Regular Marriages according to the Rites of								Irregular Marriages.	Signed the Register by Marks.		
	Established Church.	Free Church.	United Presbyterian Church.	Episcopalians.	Roman Catholics.	Other Denominations.	Not stated.	TOTAL.		Males.	Females.	TOTAL.
Shetland	109	26	9	1	–	21	1	167	–	14	49	63
Orkney	87	38	60	–	–	16	–	201	–	2	7	9
Caithness	47	120	5	–	–	17	–	189	–	9	35	44
Sutherland	8	79	–	–	–	–	–	87	–	8	22	30
Ross and Cromarty	59	333	5	2	3	5	–	407	–	128	196	324
Inverness	167	191	16	2	43	4	–	423	–	150	211	361
Nairn	21	19	10	1	2	–	–	53	–	5	11	16
Elgin	113	92	24	4	7	4	–	244	–	8	28	36
Banff	211	78	31	7	21	1	–	349	–	11	58	69
Aberdeen	956	350	82	55	22	81	7	1553	–	30	123	153
Kincardine	166	42	9	20	1	1	–	239	–	7	14	21
Forfar	671	323	266	90	179	89	1	1619	–	174	451	625
Perth	441	238	119	9	36	11	–	854	–	32	65	97
Fife	575	149	196	9	3	38	13	983	–	27	98	125
Kinross	24	16	11	–	–	–	–	51	–	–	2	2
Clackmannan	43	41	31	–	1	11	–	127	–	5	14	19
Stirling	376	108	152	3	73	41	–	753	–	96	150	246
Dumbarton	146	59	41	2	66	16	–	330	–	80	107	187
Argyll	181	117	18	5	5	8	–	334	–	33	79	112
Bute	38	27	5	2	10	3	–	85	–	18	20	38
Renfrew	746	260	179	35	270	44	–	1534	3	280	518	798
Ayr	763	289	184	23	96	78	–	1433	–	208	409	617
Lanark	1740	1342	935	120	949	437	49	5572	6	831	1758	2589
Linlithgow	114	81	32	–	38	12	–	277	–	41	87	128
Edinburgh	1152	516	503	80	204	103	1	2559	7	137	275	412
Haddington	120	38	24	3	16	1	1	203	–	14	28	42
Berwick	102	36	48	1	3	5	–	195	–	3	7	10
Peebles	45	8	9	2	2	–	–	66	–	–	1	1
Selkirk	35	7	20	–	–	4	–	66	–	–	1	1
Roxburgh	150	50	91	7	16	24	–	338	–	8	17	25
Dumfries	245	83	85	2	20	22	3	460	3	12	25	37
Kirkcudbright	152	34	24	1	17	8	–	236	–	13	17	30
Wigtown	126	52	25	1	16	8	–	228	–	31	32	63
SCOTLAND	9929	5242	3249	487	2119	1113	76	22215	19	2415	4915	7330

Ages and Condition of Persons married in Scotland in 1863.

Condition combined with Age.	Total.	AGES and CONDITION of PERSONS at MARRIAGE in 1863.																					
		Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	85	90	Age not stated.
Bachelors with Spinsters.	19142	–	–	–	14	149	503	1059	7695	6002	2167	877	401	158	74	22	9	2	1	–	–	–	9
	19142	–	6	56	279	861	1574	1958	7966	4600	1168	445	139	45	15	4	1	–	–	–	–	–	25
Bachelors with Widows.	348	–	–	–	–	–	2	5	49	89	74	65	32	17	10	3	–	1	–	–	–	–	1
	348	–	–		–	–	–	–	20	78	105	81	39	14	8	1	2	–	–	–	–	–	–
Widowers with Spinsters.	1856	–	–	–	–	1	–	–	40	233	350	354	315	222	150	90	61	26	12	–	–	–	2
	1856	–	–	1	3	26	28	45	318	448	344	315	208	77	28	9	1	–	–	–	–	–	5
Widowers with Widows.	584	–	–	–	–	–	–	1	2	24	64	82	119	98	73	57	44	12	5	2	1	–	–
	584	–	–	–	–	–	–	–	5	62	99	144	118	84	49	14	7	–	1	–	–	–	1
Condition not stated. Men.	304	–	–	–	–	2	5	15	89	79	51	29	11	9	3	3	2	2	–	–	1	–	3
Condition not stated. Women.	304	–	–	–	–	7	24	29	98	79	44	10	5	–	4	–	–	1	–	–	–	–	3
Total Men.....	22234	–	–	–	14	152	510	1080	7875	6427	2706	1407	878	504	310	175	116	43	18	2	2	–	15
Total Women.....	22234	–	6	57	282	894	1626	2032	8407	5267	1760	995	509	220	104	28	11	1	1	–	–	–	34

AGES of MALES married in Scotland in 1863.

	Total Males.	AGES of MALES at MARRIAGE in 1863.																					
		Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	85	90	Age not stated.
Scotland . .	22234	–	–	–	14	152	510	1080	7875	6427	2706	1407	878	504	310	175	116	43	18	2	2	–	15
DISTRICTS.																							
Insular . .	784	–	–	–	–	2	5	11	180	284	167	59	22	20	13	9	6	5	–	–	–	–	1
Mainland-Rural	10820	–	–	–	8	76	228	546	3789	3120	1362	696	427	236	147	92	51	20	11	–	1	–	10
Town . . .	10630	–	–	–	6	74	277	523	3906	3023	1177	652	429	248	150	74	59	18	7	2	1	–	4
DIVISIONS.																							
1. Northern . .	644	–	–	–	–	4	7	10	181	208	126	48	25	10	8	5	5	6	–	–	–	–	1
2. North-Western	830	–	–	–	–	4	3	14	161	280	177	98	33	25	12	14	2	3	3	–	–	–	1
3. North-Eastern	2438	–	–	–	2	11	43	93	766	756	310	180	117	77	41	17	20	3	2	–	–	–	–
4. East-Midland .	3634	–	–	–	–	20	68	160	1357	1044	431	213	146	79	49	34	22	8	2	–	–	–	1
5. West-Midland	1502	–	–	–	–	8	30	89	498	435	191	99	54	43	23	15	9	5	–	–	1	–	2
6. South-Western	8548	–	–	–	9	78	271	508	3262	2341	927	473	321	162	97	49	28	10	5	2	–	–	5
7. South-Eastern	3373	–	–	–	2	18	62	144	1261	980	364	220	125	81	50	29	21	7	4	–	1	–	4
8. Southern . .	1265	–	–	–	1	9	26	62	389	383	180	76	57	27	30	12	9	1	2	–	–	–	1
COUNTIES.																							
Shetland . .	167	–	–	–	–	2	1	1	48	60	37	7	4	3	2	–	1	–	–	–	–	–	1
Orkney . .	201	–	–	–	–	–	2	6	63	58	34	18	6	4	4	2	2	2	–	–	–	–	–
Caithness . .	189	–	–	–	–	–	4	2	53	64	33	15	10	2	2	2	1	1	–	–	–	–	–
Sutherland . .	87	–	–	–	–	2	–	1	17	26	22	8	5	1	–	1	1	3	–	–	–	–	–
Ross and Cromarty	407	–	–	–	–	2	1	6	80	131	92	54	19	11	4	6	–	1	–	–	–	–	–
Inverness . .	423	–	–	–	–	2	2	8	81	149	85	44	14	14	8	8	2	2	3	–	–	–	1

AGES of MALES married in Scotland in 1863.

Nairn . . .	53	–	–	–	–	–	1	1	10	14	8	9	4	5	–	–	1	–	–	–	–	–	–
Elgin . . .	244	–	–	–	–	2	4	9	72	75	38	20	11	1	5	2	5	–	–	–	–	–	–
Banff . . .	349	–	–	–	1	–	3	15	123	100	45	27	14	11	8	–	–	1	1	–	–	–	–
Aberdeen . .	1553	–	–	–	1	9	32	57	492	484	190	106	75	56	25	12	13	1	–	–	–	–	–
Kincardine . .	239	–	–	–	–	–	3	11	69	83	29	18	13	4	3	3	1	1	1	–	–	–	–
Forfar . .	1619	–	–	–	–	7	34	62	629	436	190	93	68	36	29	19	12	4	–	–	–	–	–
Perth . . .	854	–	–	–	–	7	21	34	259	264	133	53	40	19	9	9	3	3	–	–	–	–	–
Fife . . .	983	–	–	–	–	5	10	53	396	299	88	55	33	24	8	4	5	1	2	–	–	–	–
Kinross . .	51	–	–	–	–	–	2	2	17	13	6	5	2	–	1	2	1	–	–	–	–	–	–
Clackmannan .	127	–	–	–	–	1	1	9	56	32	14	7	3	–	2	–	1	–	–	–	–	–	1
Stirling . .	753	–	–	–	–	5	21	62	307	191	71	42	19	14	11	4	3	1	–	–	–	–	2
Dumbarton . .	330	–	–	–	–	3	7	20	110	94	39	25	12	7	3	5	3	2	–	–	–	–	–
Argyll . .	334	–	–	–	–	–	1	5	63	116	74	26	20	17	6	4	1	–	–	–	1	–	–
Bute . . .	85	–	–	–	–	–	1	2	18	34	7	6	3	5	3	2	2	2	–	–	–	–	–
Renfrew . .	1537	–	–	–	–	8	41	62	609	450	153	88	60	31	19	7	5	3	–	–	–	–	1
Ayr . . .	1433	–	–	–	2	15	52	97	558	382	138	76	52	28	17	6	6	–	3	–	–	–	1
Lanark . .	5578	–	–	–	7	55	178	349	2095	1509	636	309	209	103	61	36	17	7	2	2	–	–	3
Linlithgow . .	277	–	–	–	2	3	9	27	118	69	30	7	6	2	–	2	–	–	1	–	–	–	1
Edinburgh . .	2566	–	–	–	–	14	43	108	932	751	278	178	98	66	46	23	18	6	2	–	1	–	2
Haddington .	203	–	–	–	–	1	4	3	86	61	15	17	5	4	2	1	3	1	–	–	–	–	–
Berwick . .	195	–	–	–	–	–	4	3	76	56	24	10	9	7	1	3	–	–	1	–	–	–	1
Peebles . .	66	–	–	–	–	–	2	2	26	16	13	3	2	1	1	–	–	–	–	–	–	–	–
Selkirk . .	66	–	–	–	–	–	–	1	23	27	4	5	5	1	–	–	–	–	–	–	–	–	–
Roxburgh . .	338	–	–	–	–	2	5	12	105	118	37	21	17	9	4	3	4	1	–	–	–	–	–
Dumfries . .	463	–	–	–	–	2	7	23	140	136	73	31	21	9	11	5	3	–	1	–	–	–	1
Kirkcudbright .	236	–	–	–	–	2	3	11	69	75	33	10	14	5	9	2	2	–	1	–	–	–	–
Wigtown . .	228	–	–	–	1	3	11	16	75	54	37	14	5	4	6	2	–	–	–	–	–	–	–

AGES of FEMALES married in Scotland in 1863.

	Total Females.	AGES of FEMALES at MARRIAGE in 1863.																					
		Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	85	90	Age not stated.
Scotland . .	22234	–	6	57	282	894	1626	2032	8407	5267	1760	995	509	220	104	28	11	1	1	–	–	–	34
DISTRICTS.																							
Insular . .	784	–	–	2	1	24	26	39	278	263	93	30	17	5	1	2	1	–	–	–	–	–	2
Mainland-Rural	10820	–	4	29	149	419	744	947	4099	2628	895	492	230	94	48	15	5	1	–	–	–	–	21
Town . . .	10630	–	2	26	132	451	856	1046	4030	2376	772	473	262	121	55	11	5	–	1	–	–	–	11
DIVISIONS.																							
1. Northern . .	644	–	–	2	4	11	19	36	211	231	78	24	13	10	2	1	1	–	–	–	–	–	1
2. North-Western	830	–	–	1	4	21	35	49	302	257	92	39	16	8	4	–	–	–	–	–	–	–	2
3. North-Eastern	2438	–	1	2	26	77	165	183	916	603	230	132	65	21	9	8	–	–	–	–	–	–	–
4. East-Midland .	3634	–	–	3	27	108	197	290	1423	926	329	171	91	36	21	3	3	–	–	–	–	–	6
5. West-Midland .	1502	–	1	6	15	73	126	151	543	338	127	64	25	21	7	3	1	–	–	–	–	–	1
6. South-Western	8548	–	1	31	145	440	782	888	3326	1746	541	328	182	73	37	8	6	1	–	–	–	–	13
7. South-Eastern	3373	–	2	10	45	117	233	330	1236	824	256	174	77	36	19	4	–	–	1	–	–	–	9
8. Southern . .	1265	–	1	2	16	47	69	105	450	342	107	63	40	15	5	1	–	–	–	–	–	–	2
COUNTIES.																							
Shetland . .	167	–	–	–	1	2	2	4	49	75	27	5	–	1	–	–	–	–	–	–	–	–	1
Orkney . .	201	–	–	1	–	6	6	12	75	60	22	6	10	3	–	–	–	–	–	–	–	–	–
Caithness . .	189	–	–	–	–	1	9	16	64	64	19	10	2	2	1	–	1	–	–	–	–	–	–
Sutherland . .	87	–	–	1	3	2	2	4	23	32	10	3	1	4	1	1	–	–	–	–	–	–	–
Ross and Cromarty	407	–	–	1	2	11	18	27	148	116	50	24	6	2	2	–	–	–	–	–	–	–	–
Inverness . .	423	–	–	–	2	10	17	22	154	141	42	15	10	6	2	–	–	–	–	–	–	–	2

AGES of FEMALES married in Scotland in 1863.

Nairn . . .	53	–	–	–	1	1	1	1	14	21	7	3	3	–	–	1	–	–	–	–	–	–	–
Elgin . . .	244	–	–	1	1	8	22	14	81	70	23	18	5	1	–	–	–	–	–	–	–	–	–
Banff . . .	349	–	–	1	3	11	28	24	145	75	32	17	7	4	2	–	–	–	–	–	–	–	–
Aberdeen . .	1553	–	1	–	18	47	98	125	578	385	148	81	45	15	5	7	–	–	–	–	–	–	–
Kincardine . .	239	–	–	–	3	10	16	19	98	52	20	13	5	1	2	–	–	–	–	–	–	–	–
Forfar . . .	1619	–	–	2	16	43	86	121	652	395	140	68	53	24	14	1	1	–	–	–	–	–	3
Perth . . .	854	–	–	–	7	31	53	66	305	235	85	47	14	3	6	2	–	–	–	–	–	–	–
Fife . . .	983	–	–	1	3	27	49	88	398	249	86	48	23	7	1	–	1	–	–	–	–	–	2
Kinross . .	51	–	–	–	1	–	2	1	19	15	8	3	1	1	–	–	–	–	–	–	–	–	–
Clackmannan .	127	–	–	–	–	7	7	14	49	32	10	5	–	1	–	–	1	–	–	–	–	–	1
Stirling . .	753	–	1	5	8	43	72	91	288	142	58	21	8	13	1	1	–	–	–	–	–	–	1
Dumbarton . .	330	–	–	–	3	13	37	32	119	78	18	13	9	6	2	–	–	–	–	–	–	–	–
Argyll . . .	334	–	–	–	4	12	14	25	107	98	42	23	4	2	3	–	–	–	–	–	–	–	–
Bute . . .	85	–	–	1	–	5	3	3	29	20	9	7	4	–	1	2	1	–	–	–	–	–	–
Renfrew . .	1537	–	–	3	28	64	126	160	618	325	84	60	40	12	10	1	1	–	–	–	–	–	5
Ayr . . .	1433	–	–	12	29	71	145	147	556	281	89	52	30	11	5	1	2	1	–	–	–	–	1
Lanark . .	5578	–	1	16	88	305	511	581	2152	1140	368	216	112	50	22	6	3	–	–	–	–	–	7
Linlithgow . .	277	–	1	4	10	17	27	35	106	46	16	7	3	1	1	1	–	–	–	–	–	–	2
Edinburgh . .	2566	–	1	5	31	86	183	251	921	631	200	140	60	32	16	3	–	–	1	–	–	–	5
Haddington .	203	–	–	–	2	6	12	19	72	60	15	10	5	2	–	–	–	–	–	–	–	–	–
Berwick . .	195	–	–	–	1	4	6	12	81	53	15	13	6	1	2	–	–	–	–	–	–	–	1
Peebles . .	66	–	–	1	1	2	3	6	30	14	4	2	2	–	–	–	–	–	–	–	–	–	1
Selkirk . .	66	–	–	–	–	2	2	7	26	20	6	2	1	–	–	–	–	–	–	–	–	–	–
Roxburgh . .	338	–	–	–	1	17	16	26	124	95	33	12	8	4	1	1	–	–	–	–	–	–	–
Dumfries . .	463	–	1	1	7	9	23	33	157	140	39	28	17	4	3	–	–	–	–	–	–	–	1
Kirkcudbright .	236	–	–	–	3	9	14	17	81	63	23	13	6	5	1	–	–	–	–	–	–	–	1
Wigtown . .	228	–	–	1	5	12	16	29	88	44	12	10	9	2	–	–	–	–	–	–	–	–	–

DEATHS at Different Ages in SCOTLAND during the Year 1863.—Both Sexes.

	Population.		Both Sexes.													
			All Ages.	Age under												
				Months.												
	1851.	1861.		3	6	12	2	3	4	5	10	15	20	25	30
Scotland	2888742	3062294	71481	6227	2218	4680	7385	3975	2751	1815	4185	1890	2258	2634	2452
Insular	166487	160733	2934	220	45	116	205	126	64	46	104	56	113	133	121
Mainland	1712552	1763377	34722	2996	969	1937	2945	1575	1143	773	2024	1048	1147	1276	1139
Towns	1009703	1138184	33825	3011	1204	2627	4235	2274	1544	996	2057	786	998	1225	1192
Shetland	31078	31670	446	27	7	10	15	4	6	7	4	8	16	26	29
Orkney	31455	32395	466	30	5	7	13	4	1	3	7	11	27	27	21
Caithness	39782	42200	669	58	15	20	33	27	13	12	42	28	19	24	19
Sutherland	24720	24157	386	19	11	8	8	14	4	3	7	7	17	13	14
Ross & Cromarty	83781	82427	1568	119	28	56	120	63	25	26	63	30	45	54	57
Inverness	91954	84902	1516	133	30	50	82	65	31	12	53	29	54	64	47
Nairn	8076	8347	181	13	2	9	6	3	2	7	7	3	3	10	9
Elgin	40532	44218	854	66	25	38	43	26	18	18	41	25	30	38	33
Banff	51353	56020	977	94	39	40	59	26	17	17	40	35	36	43	34
Aberdeen	213461	223344	4111	405	125	171	230	135	106	75	178	117	132	176	153
Kincardine	34944	34854	641	54	13	27	32	19	20	15	35	30	22	17	25
Forfar	193627	206750	5169	511	174	321	505	295	231	153	366	119	146	190	180
Perth	137369	133198	2571	186	59	108	155	101	86	63	138	63	88	93	72
Fife	153789	155021	3010	262	87	176	252	163	80	69	178	70	81	92	100
Kinross	9626	8731	131	9	1	3	5	1	2	4	6	5	4	4	4
Clackmannan	21555	20122	537	57	22	43	57	25	19	19	35	16	18	17	11
Stirling	83802	88138	2072	179	71	145	234	139	87	60	138	80	50	66	56
Dumbarton	46995	54179	1273	113	35	91	142	79	51	31	93	43	49	50	46
Argyll	94042	83859	1609	84	31	64	113	62	55	29	77	37	66	62	44
Bute	16608	16331	350	20	6	19	16	16	10	9	17	12	12	13	19
Renfrew	157950	168746	4892	426	182	411	668	310	208	116	286	140	147	196	187
Ayr	189973	199063	4410	358	121	323	517	268	169	102	274	135	171	181	149
Lanark	533169	640444	19534	1656	687	1677	2793	1481	1030	642	1388	511	610	664	662
Linlithgow	30590	39045	944	88	28	94	172	73	52	30	54	19	20	13	18
Edinburgh	259493	274093	6892	656	226	451	697	337	229	155	298	135	177	238	243
Haddington	36363	37626	670	81	16	41	41	18	17	11	30	14	21	28	26
Berwick	36165	36488	610	63	25	31	23	13	21	11	28	10	17	20	24
Peebles	10804	11300	262	36	3	14	18	14	12	11	21	9	12	15	8
Selkirk	9802	10410	204	22	5	10	16	2	7	1	13	6	12	8	9
Roxburgh	51225	53722	1101	111	43	64	97	57	38	31	87	22	33	35	34
Dumfries	78149	75904	1812	159	54	88	137	78	66	46	114	79	70	88	66
Kirkcudbright	43121	42495	827	71	16	41	48	27	16	18	30	19	28	30	35
Wigtown	43389	42095	786	61	26	29	38	30	22	9	36	23	25	33	24

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1863.—Both Sexes.

Inverness	16496	16162	274	16	14	16	14	3	2	1	6	4	9	16	7
Aberdeen	71973	73900	1750	184	65	89	113	70	54	35	50	47	50	86	68
Arbroath	17238	17831	529	52	11	33	41	41	17	18	34	15	16	22	13
Dundee	80027	91664	2714	289	117	217	328	167	147	87	208	44	67	96	95
Forfar	11009	10838	237	26	8	9	13	10	4	2	12	5	13	10	11
Montrose	16037	15668	381	23	8	15	32	23	16	11	24	6	8	17	16
Perth	23835	25293	652	41	20	36	58	37	29	23	22	24	27	27	16
Dunfermline	13836	13506	302	31	14	18	47	24	10	7	10	8	9	8	9
Kirkcaldy	10636	11117	177	10	5	11	12	14	1	3	7	3	7	4	6
Stirling	12401	14012	377	36	15	23	37	18	13	11	30	9	12	19	10
Greenock	37436	43894	1876	163	76	186	304	139	89	54	113	50	44	71	77
Paisley	48071	47427	1218	112	87	90	186	76	41	19	56	30	49	49	41
Ayr	18845	19659	460	47	17	23	39	21	12	7	19	13	19	16	24
Kilmarnock	21287	23556	636	42	18	52	79	49	38	28	41	19	26	20	16
Glasgow	329097	395503	13329	1105	482	1187	1925	1053	746	465	957	316	403	441	485
Barony	16050	22559	817	56	31	71	109	59	36	25	52	17	25	27	27
Govan	14996	28584	886	85	25	76	166	79	43	25	63	25	15	27	24
Hamilton	11740	14047	379	35	4	22	40	29	13	14	30	13	15	12	12
Airdrie	14435	12922	334	35	13	24	44	22	15	13	27	12	12	10	12
Coatbridge, etc.	13168	13303	438	39	20	36	69	30	24	10	35	18	13	13	13
Edinburgh	161648	170444	4593	430	153	292	472	231	152	98	187	80	119	170	167
Leith	32219	36029	913	99	30	70	116	48	28	25	51	13	21	35	25
Dumfries	17223	18266	553	55	21	31	41	31	14	15	23	15	19	29	18

DEATHS at Different Ages in SCOTLAND during the YEAR 1863.—BOTH SEXES.

	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
SCOTLAND . . .	2105	2034	2035	2043	2131	2122	2980	2757	3251	2916	2532	1369	454	137	36	109
Insular . . .	77	69	76	54	101	74	146	143	181	205	219	135	61	15	6	23
Mainland . . .	942	881	896	921	1002	1067	1500	1573	1972	1828	1709	964	309	97	20	69
Towns . . .	1086	1084	1063	1068	1028	981	1334	1041	1098	883	604	270	84	25	10	17
Shetland . . .	13	14	13	11	15	9	20	25	28	32	43	38	15	1	–	10
Orkney . . .	10	5	16	3	18	14	34	38	42	41	42	29	15	1	–	2
Caithness . . .	12	23	19	20	24	18	25	48	27	48	57	25	6	6	–	1
Sutherland . .	12	13	11	6	6	11	25	33	33	25	46	23	9	7	–	1
Ross and Cromarty .	45	39	40	29	41	46	80	90	115	120	118	69	21	13	9	7
Inverness . . .	46	46	30	36	63	49	66	79	101	90	147	60	33	9	5	6
Nairn . . .	5	7	5	6	3	5	8	9	13	20	14	8	2	1	–	1
Elgin . . .	25	23	37	23	31	31	40	36	56	54	44	36	11	2	1	3
Banff . . .	38	27	40	23	34	22	39	45	59	54	56	44	11	5	–	–
Aberdeen . . .	127	110	129	124	139	155	193	206	244	230	236	144	44	16	5	6
Kincardine . .	15	15	17	20	13	34	26	40	42	30	50	18	10	2	–	–
Forfar . . .	144	155	153	129	175	169	234	185	190	190	144	67	27	10	4	2
Perth . . .	77	61	78	69	91	78	146	142	189	177	138	82	21	6	–	4
Fife	74	66	58	87	95	108	152	142	204	183	124	77	20	4	–	6
Kinross . . .	6	5	5	2	5	8	6	5	10	11	8	6	6	–	–	–
Clackmannan . .	20	14	15	16	11	18	20	19	20	16	16	11	1	–	–	1
Stirling . . .	52	57	44	46	62	50	85	73	79	87	70	41	14	5	–	2
Dumbarton . .	36	40	35	28	40	42	44	47	52	39	24	20	6	1	–	1
Argyll . . .	38	39	41	45	55	56	72	96	114	110	105	73	24	8	1	8
Bute	14	12	18	8	18	13	24	9	20	20	13	7	2	1	–	2
Renfrew . . .	141	150	131	154	138	115	165	156	178	108	102	44	22	4	1	6
Ayr	105	111	113	133	109	113	157	160	218	159	139	84	27	7	2	5
Lanark . . .	619	578	587	573	510	452	638	476	473	374	275	118	31	15	4	10
Linlithgow . .	14	20	17	21	17	25	26	23	37	43	19	14	2	1	–	4
Edinburgh . .	242	231	215	240	271	283	361	275	352	287	186	73	22	3	2	7
Haddington . .	12	17	24	31	16	25	41	37	40	35	26	14	6	2	–	–
Berwick . . .	11	15	11	19	10	24	41	40	51	37	32	19	12	–	1	1
Peebles . . .	8	8	8	6	2	6	10	14	4	7	10	3	1	–	–	2
Selkirk . . .	5	3	13	10	8	8	4	13	7	12	7	2	1	–	–	–
Roxburgh . . .	26	30	30	29	19	29	52	39	48	72	38	30	4	1	–	2
Dumfries . . .	62	50	42	42	47	52	68	74	96	91	90	34	13	3	1	2
Kirkcudbright . .	26	27	22	27	21	27	45	39	55	54	66	22	12	1	–	4
Wigtown . . .	25	23	18	27	24	27	33	44	54	60	47	34	3	2	–	3
DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1863.—BOTH SEXES.																
Inverness . . .	8	13	9	8	16	14	10	11	24	15	24	6	5	2	–	1
Aberdeen . . .	61	64	68	56	73	66	80	86	95	74	62	35	12	5	1	1
Arbroath . . .	20	11	20	14	16	17	21	22	22	24	16	9	2	1	1	–
Dundee . . .	83	80	82	65	90	85	109	73	68	58	39	15	3	1	1	–
Forfar . . .	6	6	5	6	7	6	14	18	14	13	9	5	5	–	–	–
Montrose . . .	10	12	13	11	16	16	25	15	14	23	15	7	1	3	1	–
Perth . . .	13	21	29	20	21	23	37	35	36	26	20	8	3	–	–	–
Dunfermline . .	13	7	2	10	7	12	15	11	12	12	1	3	2	–	–	–
Kirkcaldy . . .	5	8	1	10	7	10	14	10	9	11	4	3	1	1	–	–
Stirling . . .	13	12	14	6	8	8	16	22	14	16	6	5	3	1	–	–
Greenock . . .	47	62	55	63	55	31	54	46	33	27	22	9	4	2	–	–
Paisley . . .	46	39	38	44	41	40	55	51	52	30	30	10	4	–	1	1
Ayr	12	12	17	26	13	14	25	16	22	20	19	4	1	–	1	1
Kilmarnock . .	14	17	12	14	8	17	21	25	28	22	17	8	3	1	–	1
Glasgow . . .	438	400	424	423	354	326	423	289	263	206	135	59	15	4	2	3
Barony . . .	18	25	25	17	18	23	42	32	35	30	7	7	1	–	1	1
Govan . . .	25	33	22	22	20	14	28	20	13	14	12	6	3	–	–	1
Hamilton . . .	12	14	10	8	6	9	14	16	19	10	10	7	2	1	–	2
Airdrie . . .	3	8	6	7	10	6	13	6	16	8	8	4	–	–	–	–
Coatbridge, etc. .	18	19	13	19	9	4	13	11	5	3	1	2	–	1	–	–
Edinburgh . .	173	171	148	168	180	187	247	173	242	180	114	42	10	2	1	4
Leith . . .	24	32	32	33	35	33	37	35	33	31	14	9	3	–	–	1
Dumfries . . .	24	18	18	18	18	20	21	18	29	30	19	7	1	–	–	–

MALE DEATHS at Different Ages in SCOTLAND during the YEAR 1863.—MALES.

	MALE POPULATION.		MALES.													
			ALL AGES.	AGE UNDER												
				MONTHS.												
	1851.	1861.		3	6	12	2	3	4	5	10	15	20	25	30
SCOTLAND .	1375479	1449848	35631	3554	1203	2518	3835	2017	1374	880	2159	932	1138	1388	1135
Insular . .	76760	73409	1427	120	20	61	109	69	24	19	52	26	57	78	74
Mainland .	829259	849381	17222	1715	537	1033	1535	762	569	380	1054	518	582	686	547
Towns . .	469460	527058	16982	1719	646	1424	2191	1186	781	481	1053	388	499	624	514
Shetland . .	13145	13053	201	12	3	4	9	2	2	2	3	3	9	14	17
Orkney . .	14350	14924	216	16	1	5	6	3	–	1	3	6	15	15	12
Caithness .	18809	19846	331	40	9	11	20	12	8	4	21	10	14	12	10
Sutherland .	11437	11058	184	11	7	2	6	6	3	1	5	5	11	8	7
Ross & Cromarty	39489	38462	791	66	16	33	60	34	13	11	36	15	27	37	40
Inverness .	42814	39479	716	70	13	24	41	34	12	4	21	14	26	42	22
Nairn . .	3831	3976	85	9	2	5	4	2	–	5	5	2	3	6	4
Elgin . .	18943	20737	408	32	14	18	19	12	9	10	26	12	13	15	21
Banff . .	24195	26401	471	55	17	26	37	16	9	5	20	16	16	18	12
Aberdeen .	100935	105322	2013	233	73	89	110	70	61	40	92	63	68	89	60
Kincardine .	17188	16939	329	33	9	14	17	9	14	6	15	15	10	5	8
Forfar . .	89408	93280	2531	302	95	175	268	146	115	73	197	53	67	99	67
Perth . .	65697	63169	1255	110	30	57	75	51	46	23	64	35	50	52	34
Fife . . .	73305	72714	1422	137	44	108	125	76	36	37	93	30	39	51	38
Kinross . .	4660	4150	57	4	–	–	3	1	1	2	2	4	2	4	–
Clackmannan .	10634	9742	284	36	14	26	25	13	11	12	22	6	9	6	3
Stirling . .	41113	43487	1035	100	48	66	101	70	40	20	77	46	26	35	31
Dumbarton .	23340	26455	667	66	17	47	79	43	24	14	45	19	26	34	22
Argyll . .	46197	40914	816	49	18	27	62	32	25	19	34	19	32	34	25
Bute . .	7518	7208	171	13	2	13	8	9	4	4	5	6	5	7	10
Renfrew . .	74224	79380	2409	241	89	207	345	151	91	63	145	79	69	107	87
Ayr . .	92933	97035	2257	206	65	167	298	126	94	49	138	63	92	86	72
Lanark . .	258449	308263	9944	930	367	916	1461	776	527	313	722	253	303	333	283
Linlithgow .	15422	20069	496	50	17	51	96	40	24	15	22	11	7	7	8
Edinburgh .	119428	126429	3499	396	127	260	332	180	110	74	155	69	96	126	126
Haddington .	17592	17866	327	50	13	23	23	5	8	7	13	6	11	18	10
Berwick . .	17367	17354	301	34	19	18	18	5	13	5	19	4	7	12	13
Peebles . .	5400	5603	121	21	1	6	9	5	4	7	12	3	5	6	4
Selkirk . .	4836	5069	85	6	1	5	10	–	2	1	4	3	4	7	4
Roxburgh .	25002	26593	534	64	22	31	57	26	18	17	40	9	12	17	16
Dumfries .	37200	35687	896	96	28	46	69	38	34	21	71	34	37	48	39
Kirkcudbright	20223	19789	390	30	9	26	21	16	5	9	16	9	14	16	17
Wigtown .	20335	19395	389	36	13	12	21	8	11	6	16	10	13	22	13
MALE DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1863.																
Inverness .	7401	7261	132	7	7	6	6	2	–	1	3	2	6	10	3
Aberdeen .	31746	32554	825	101	35	42	57	37	30	19	29	27	25	44	22
Arbroath .	7866	7770	271	33	8	16	21	22	10	10	21	5	4	12	4
Dundee . .	36364	40395	1340	168	62	123	179	78	74	39	104	20	31	47	34
Forfar . .	5017	4735	99	15	5	3	3	6	1	2	7	–	5	4	4
Montrose .	7061	6736	166	13	5	6	16	11	5	6	14	4	6	7	6
Perth . .	11282	11564	331	27	8	20	30	19	17	7	10	16	16	13	7
Dunfermline .	6901	6447	136	10	9	8	25	15	5	3	5	4	2	3	3
Kirkcaldy .	4906	5074	89	6	4	9	6	9	–	1	5	2	5	2	1
Stirling . .	5908	6814	185	22	5	9	20	10	4	5	12	4	7	11	3
Greenock .	17905	21567	959	88	44	93	151	70	38	34	58	30	17	47	40
Paisley . .	22608	21913	596	66	16	53	72	36	21	8	28	15	28	26	16
Ayr . . .	8675	9094	240	30	10	9	23	9	8	2	7	7	14	4	14
Kilmarnock .	10163	11398	321	27	10	26	54	22	17	14	20	6	10	8	8
Glasgow . .	154930	185556	6788	616	262	654	1016	572	379	226	512	151	199	206	211
Barony . .	8090	11221	411	30	14	34	51	38	20	11	22	10	12	13	8
Govan . .	7286	13603	430	51	13	40	80	37	22	13	24	11	9	16	6
Hamilton .	5576	6798	184	18	1	8	26	10	8	6	15	5	8	6	6
Airdrie . .	7333	6242	162	20	7	9	20	12	9	9	10	7	2	5	3
Coatbridge, etc.	7084	8155	237	19	10	28	33	10	18	1	15	14	7	7	5
Edinburgh .	72067	76013	2341	264	85	170	227	120	73	47	89	39	65	93	86
Leith . .	15482	17894	444	52	16	37	54	25	12	9	28	4	10	19	15
Dumfries .	7809	8254	295	36	10	21	21	16	10	8	15	5	11	21	9

MALE DEATHS at Different Ages in SCOTLAND during the YEAR 1863.—MALES.

	MALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
SCOTLAND . . .	983	943	990	1048	1085	1071	1443	1290	1496	1292	1054	520	158	43	15	67
Insular . . .	39	31	39	17	50	39	76	66	76	91	85	61	27	4	2	15
Mainland . . .	441	408	416	478	521	549	714	739	936	831	717	364	108	31	8	43
Towns . . .	503	504	535	553	514	483	653	485	484	370	252	95	23	8	5	9
Shetland . . .	7	4	7	4	8	4	10	12	9	14	14	16	4	1	–	7
Orkney . . .	6	1	8	1	8	4	16	16	15	18	19	13	7	–	–	1
Caithness . . .	8	11	10	10	14	10	10	19	9	20	22	11	3	3	–	–
Sutherland . .	7	7	9	2	4	6	10	13	12	10	18	9	3	1	–	1
Ross and Cromarty .	25	25	19	11	19	24	36	39	55	55	47	24	9	6	4	5
Inverness . . .	24	24	17	16	29	25	34	34	50	40	59	27	8	2	1	3
Nairn . . .	1	6	1	2	–	1	4	2	5	6	6	4	–	–	–	–
Elgin . . .	10	11	18	11	17	14	21	23	24	22	17	16	1	1	–	1
Banff . . .	13	12	14	12	23	9	15	23	31	24	20	20	6	2	–	–
Aberdeen . . .	56	48	64	68	68	77	104	95	114	104	87	60	10	3	2	5
Kincardine . .	12	4	7	7	5	25	13	28	23	17	23	4	5	1	–	–
Forfar . . .	66	70	66	59	83	75	116	81	85	75	63	19	10	3	1	2
Perth . . .	37	27	37	32	52	38	70	69	88	82	54	29	11	–	–	2
Fife . . .	28	24	27	37	48	51	68	65	91	89	51	20	6	–	–	3
Kinross . . .	2	2	2	1	1	5	3	1	4	6	3	1	3	–	–	–
Clackmannan . .	11	6	10	9	6	13	9	11	11	8	4	2	–	–	–	1
Stirling . . .	26	30	21	22	33	28	48	37	41	35	31	14	6	1	–	2
Dumbarton . .	19	22	18	15	21	22	26	23	28	18	10	8	1	–	–	–
Argyll . . .	24	18	22	21	32	32	40	49	55	52	48	25	12	4	–	6
Bute	7	3	9	2	7	7	15	4	7	10	7	4	2	–	–	1
Renfrew . . .	66	62	63	82	64	59	78	62	78	40	55	16	6	1	1	2
Ayr	51	58	57	71	62	62	68	82	105	64	65	39	11	2	2	2
Lanark . . .	279	268	289	301	289	223	312	230	212	172	115	46	11	5	3	5
Linlithgow . .	8	12	10	11	11	17	13	10	18	23	7	6	–	–	–	2
Edinburgh . .	115	123	119	138	123	139	169	132	157	118	79	22	5	3	1	5
Haddington . .	6	5	10	16	5	11	20	11	18	17	12	5	3	1	–	–
Berwick . . .	5	6	3	10	6	13	14	25	25	13	8	4	2	–	–	–
Peebles . . .	3	1	2	4	–	3	4	8	2	2	6	2	–	–	–	1
Selkirk . . .	1	1	5	4	5	5	1	6	2	4	3	1	–	–	–	–
Roxburgh . .	12	13	17	21	5	13	22	15	17	36	17	14	–	1	–	2
Dumfries . . .	25	19	16	17	20	24	33	32	50	39	36	16	5	1	–	2
Kirkcudbright . .	13	13	10	16	5	14	22	12	24	27	27	7	8	1	–	3
Wigtown . . .	10	7	3	15	12	18	19	21	31	32	21	16	–	–	–	3
DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1863.—MALES.																
Inverness . . .	4	5	6	5	6	7	7	4	11	9	9	2	2	1	–	1
Aberdeen . . .	24	28	33	27	32	31	43	38	44	30	14	9	2	2	–	–
Arbroath . . .	11	8	10	6	9	7	14	11	8	10	7	2	2	–	–	–
Dundee . . .	33	34	37	31	40	40	54	36	26	27	18	5	–	–	–	–
Forfar . . .	3	1	1	3	3	2	10	7	4	3	3	2	2	–	–	–
Montrose . . .	5	7	4	4	8	5	9	5	6	5	6	2	–	1	–	–
Perth . . .	7	12	18	11	13	9	21	12	14	12	6	4	2	–	–	–
Dunfermline . .	3	2	1	4	4	5	5	4	7	8	–	1	–	–	–	–
Kirkcaldy . . .	3	2	–	6	3	3	7	4	4	5	1	1	–	–	–	–
Stirling . . .	8	7	6	2	4	3	11	9	8	9	4	1	1	–	–	–
Greenock . . .	26	20	28	35	26	15	30	21	19	10	14	5	–	–	–	–
Paisley . . .	19	20	19	24	21	21	17	18	22	8	17	2	2	–	1	–
Ayr . . .	9	8	8	12	11	5	13	12	9	4	8	2	–	–	1	1
Kilmarnock . .	5	10	6	6	3	14	10	11	11	11	7	5	–	–	–	–
Glasgow . . .	203	178	204	211	189	162	192	142	117	100	56	21	6	1	1	1
Barony . . .	13	14	12	10	9	12	28	17	13	11	3	4	1	–	1	–
Govan . . .	12	14	12	9	12	6	15	11	6	5	4	1	–	–	–	1
Hamilton . . .	4	6	5	3	2	4	8	11	7	4	7	4	–	1	–	1
Airdrie . . .	1	3	4	7	6	3	7	3	9	1	3	2	–	–	–	–
Coatbridge, etc. .	6	11	11	12	8	3	7	6	3	1	1	1	–	–	–	–
Edinburgh . .	84	94	88	102	80	99	111	79	105	69	51	12	3	2	1	3
Leith	10	12	14	17	17	15	21	18	17	14	4	3	–	–	–	1
Dumfries . . .	10	8	8	6	8	12	13	6	14	14	9	4	–	–	–	–

FEMALE DEATHS at Different Ages in SCOTLAND during the YEAR 1863.—FEMALES.

	FEMALE POPULATION.		FEMALES.												
			ALL AGES.	AGE UNDER											
				MONTHS.											
	1851.	1861.		3	6	12	2	3	4	5	10	15	20	25	30
SCOTLAND .	1513263	1612446	35850	2673	1015	2162	3550	1958	1377	935	2026	958	1120	1246	1317
Insular . .	89727	87324	1507	100	25	55	96	57	40	27	52	30	56	55	47
Mainland .	883293	913996	17500	1281	432	904	1410	813	574	393	970	530	565	590	592
Towns . .	540243	611126	16843	1292	558	1203	2044	1088	763	515	1004	398	499	601	678
Shetland . .	17933	18617	245	15	4	6	6	2	4	5	1	5	7	12	12
Orkney . .	17105	17471	250	14	4	2	7	1	1	2	4	5	12	12	9
Caithness .	20973	22354	338	18	6	9	13	15	5	8	21	18	5	12	9
Sutherland .	13283	13099	202	8	4	6	2	8	1	2	2	2	6	5	7
Ross & Cromarty	44292	43965	777	53	12	23	60	29	12	15	27	15	18	17	17
Inverness .	49140	45523	800	63	17	26	41	31	19	8	32	15	28	22	25
Nairn . .	4245	4371	96	4	–	4	2	1	2	2	2	1	–	4	5
Elgin . .	21589	23481	446	34	11	20	24	14	9	8	15	13	17	23	12
Banff . .	27158	29619	506	39	22	14	22	10	8	12	20	19	20	25	22
Aberdeen .	112526	118022	2098	172	52	82	120	65	45	35	86	54	64	87	93
Kincardine .	17756	17915	312	21	4	13	15	10	6	9	20	15	12	12	17
Forfar . .	104219	113470	2638	209	79	146	237	149	116	80	169	66	79	91	113
Perth . .	71672	70029	1316	76	29	51	80	50	40	40	74	28	38	41	38
Fife . .	80484	82307	1588	125	43	68	127	87	44	32	85	40	42	41	62
Kinross . .	4966	4581	74	5	1	3	2	–	1	2	4	1	2	–	4
Clackmannan .	10921	10380	253	21	8	17	32	12	8	7	13	10	9	11	8
Stirling . .	42689	44651	1037	79	23	79	133	69	47	40	61	34	24	31	25
Dumbarton .	23655	27724	606	47	18	44	63	36	27	17	49	24	23	16	18
Argyll . .	47845	42945	793	35	13	37	51	30	30	10	43	18	34	28	19
Bute . .	9090	9123	179	7	4	6	8	7	6	5	12	6	7	6	9
Renfrew . .	83726	89366	2483	185	93	204	323	159	117	53	141	61	78	89	100
Ayr . .	96980	102028	2153	152	56	156	219	142	75	53	136	72	79	95	77
Lanark . .	274420	332181	9590	726	320	761	1332	705	503	329	666	258	307	331	379
Linlithgow .	15168	18976	448	38	11	43	76	33	28	15	32	8	13	6	10
Edinburgh .	140065	147664	3393	260	99	191	365	157	119	81	143	66	81	112	117
Haddington .	18771	19760	343	31	3	18	18	13	9	4	17	8	10	10	16
Berwick . .	18798	19134	309	29	6	13	5	8	8	6	9	6	10	8	11
Peebles . .	5404	5697	141	15	2	8	9	9	8	4	9	6	7	9	4
Selkirk . .	4966	5341	119	16	4	5	6	2	5	–	9	3	8	1	5
Roxburgh .	26223	27129	567	47	21	33	40	31	20	14	47	13	21	18	18
Dumfries .	40949	42217	916	63	26	42	68	40	32	25	43	45	33	40	27
Kirkcudbright	22898	22706	437	41	7	15	27	11	11	9	14	10	14	14	18
Wigtown .	23054	22700	397	25	13	17	17	22	11	3	20	13	12	17	11

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1863.—FEMALES.

Inverness .	9095	8901	142	9	7	10	8	1	2	–	3	2	3	6	4
Aberdeen .	40227	41346	925	83	30	47	56	33	24	16	21	20	25	42	46
Arbroath .	9372	10061	258	19	8	17	20	19	7	8	13	10	12	10	9
Dundee .	43663	51269	1374	121	55	94	149	89	73	48	104	24	36	49	61
Forfar . .	5992	6103	138	11	3	6	10	4	3	–	5	5	8	6	7
Montrose .	8976	8932	215	10	3	9	16	12	11	5	10	2	2	10	10
Perth . .	12553	13729	321	14	12	16	28	18	12	16	12	8	11	14	9
Dunfermline .	6935	7059	166	21	5	10	22	9	5	4	5	4	7	5	6
Kirkcaldy .	5730	6043	88	4	1	2	6	5	1	2	2	1	2	2	5
Stirling . .	6493	7198	192	14	10	14	17	8	9	6	18	5	5	8	7
Greenock .	19531	22327	917	75	32	93	153	69	51	20	55	20	27	24	37
Paisley . .	25463	25514	622	46	21	37	64	40	20	11	28	15	21	23	25
Ayr . .	10170	10565	220	17	7	14	16	12	4	5	12	6	5	12	10
Kilmarnock .	11124	12158	315	15	8	26	25	27	21	14	21	13	16	12	8
Glasgow . .	174167	209947	6541	489	220	533	909	481	367	239	445	165	204	235	274
Barony . .	7960	11338	406	26	17	37	58	21	16	14	30	7	13	14	19
Govan . .	7710	14981	456	34	12	36	86	42	21	12	39	14	6	11	18
Hamilton .	6164	7249	195	17	3	14	14	19	5	8	15	8	7	6	6
Airdrie . .	7102	6680	172	15	6	15	24	10	6	4	17	5	10	5	9
Coatbridge, etc.	6084	7148	201	20	10	8	36	20	6	9	20	4	6	6	8
Edinburgh .	89581	94431	2252	166	68	122	245	111	79	51	98	41	54	77	81
Leith . .	16737	18135	469	47	14	33	62	23	16	16	23	9	11	16	10
Dumfries .	9414	10012	258	19	11	10	20	15	4	7	8	10	8	8	9

FEMALE DEATHS at Different Ages in SCOTLAND during the YEAR 1863.—FEMALES.

	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
SCOTLAND . . .	1122	1091	1045	995	1046	1051	1537	1467	1755	1624	1478	849	296	94	21	42
Insular . . .	38	38	37	37	51	35	70	77	105	114	134	74	34	11	4	8
Mainland . . .	501	473	480	443	481	518	786	834	1036	997	992	600	201	66	12	26
Towns . . .	583	580	528	515	514	498	681	556	614	513	352	175	61	17	5	8
Shetland . . .	6	10	6	7	7	5	10	13	19	18	29	22	11	–	–	3
Orkney . . .	4	4	8	2	10	10	18	22	27	23	23	16	8	1	–	1
Caithness . . .	4	12	9	10	10	8	15	29	18	28	35	14	3	3	–	1
Sutherland . .	5	6	2	4	2	5	15	20	21	15	28	14	6	6	–	–
Ross and Cromarty .	20	14	21	18	22	22	44	51	60	65	71	45	12	7	5	2
Inverness . . .	22	22	13	20	34	24	32	45	51	50	88	33	25	7	4	3
Nairn . . .	4	1	4	4	3	4	4	7	8	14	8	4	2	1	–	1
Elgin . . .	15	12	19	12	14	17	19	13	32	32	27	20	10	1	1	2
Banff . . .	25	15	26	11	11	13	24	22	28	30	36	24	5	3	–	–
Aberdeen . . .	71	62	65	56	71	78	89	111	130	126	149	84	34	13	3	1
Kincardine . .	3	11	10	13	8	9	13	12	19	13	27	14	5	1	–	–
Forfar . . .	78	85	87	70	92	94	118	104	105	115	81	48	17	7	3	–
Perth	40	34	41	37	39	40	76	73	101	95	84	53	10	6	–	2
Fife	46	42	31	50	47	57	84	77	113	94	73	57	14	4	–	3
Kinross . . .	4	3	3	1	4	3	3	4	6	5	5	5	3	–	–	–
Clackmannan . .	9	8	5	7	5	5	11	8	9	8	12	9	1	–	–	–
Stirling . . .	26	27	23	24	29	22	37	36	38	52	39	27	8	4	–	–
Dumbarton . .	17	18	17	13	19	20	18	24	24	21	14	12	5	1	–	1
Argyll . . .	14	21	19	24	23	24	32	47	59	58	57	48	12	4	1	2
Bute	7	9	9	6	11	6	9	5	13	10	6	3	–	1	–	1
Renfrew . . .	75	88	68	72	74	56	87	94	100	68	47	28	16	3	–	4
Ayr	54	53	56	62	47	51	89	78	113	95	74	45	16	5	–	3
Lanark . . .	340	310	298	272	221	229	326	246	261	202	160	72	20	10	1	5
Linlithgow . .	6	8	7	10	6	8	13	13	19	20	12	8	2	1	–	2
Edinburgh . .	127	108	96	102	148	144	192	143	195	169	107	51	17	–	1	2
Haddington . .	6	12	14	15	11	14	21	26	22	18	14	9	3	1	–	–
Berwick . . .	6	9	8	9	4	11	27	15	26	24	24	15	10	–	1	1
Peebles . . .	5	7	6	2	2	3	6	6	2	5	4	1	1	–	–	1
Selkirk . . .	4	2	8	6	3	3	3	7	5	8	4	1	1	–	–	–
Roxburgh . . .	14	17	13	8	14	16	30	24	31	36	21	16	4	–	–	–
Dumfries . . .	37	31	26	25	27	28	35	42	46	52	54	18	8	2	1	–
Kirkcudbright . .	13	14	12	11	16	13	23	27	31	27	39	15	4	–	–	1
Wigtown . . .	15	16	15	12	12	9	14	23	23	28	26	18	3	2	–	–
DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1863.—FEMALES.																
Inverness . . .	4	8	3	3	10	7	3	7	13	6	15	4	3	1	–	–
Aberdeen . . .	37	36	35	29	41	35	37	48	51	44	48	26	10	3	1	1
Arbroath . . .	9	3	10	8	7	10	7	11	14	14	9	7	–	1	1	–
Dundee . . .	50	46	45	34	50	45	55	37	42	31	21	10	3	1	1	–
Forfar . . .	3	5	4	3	4	4	4	11	10	10	6	3	3	–	–	–
Montrose . . .	5	5	9	7	8	11	16	10	8	18	9	5	1	2	1	–
Perth . . .	6	9	11	9	8	14	16	23	22	14	14	4	1	–	–	–
Dunfermline . .	10	5	1	6	3	7	10	7	5	4	1	2	2	–	–	–
Kirkcaldy . .	2	6	1	4	4	7	7	6	5	6	3	2	1	1	–	–
Stirling . . .	5	5	8	4	4	5	5	13	6	7	2	4	2	1	–	–
Greenock . . .	21	42	27	28	29	16	24	25	14	17	8	4	4	2	–	–
Paisley . . .	27	19	19	20	20	19	38	33	30	22	13	8	2	–	–	1
Ayr	3	4	9	14	2	9	12	4	13	16	11	2	1	–	–	–
Kilmarnock . .	9	7	6	8	5	3	11	14	17	11	10	3	3	1	–	1
Glasgow . . .	235	222	220	212	165	164	231	147	146	106	79	38	9	3	1	2
Barony . . .	5	11	13	7	9	11	14	15	22	19	4	3	–	–	–	1
Govan . . .	13	19	10	13	8	8	13	9	7	9	8	5	3	–	–	–
Hamilton . . .	8	8	5	5	4	5	6	5	12	6	3	3	2	–	–	1
Airdrie . . .	2	5	2	–	4	3	6	3	7	7	5	2	–	–	–	–
Coatbridge, etc. .	12	8	2	7	1	1	6	5	2	2	–	1	–	1	–	–
Edinburgh . .	89	77	60	66	100	88	136	94	137	111	63	30	7	–	–	1
Leith	14	20	18	16	18	18	16	17	16	17	10	6	3	–	–	–
Dumfries . . .	14	10	10	12	10	8	8	12	15	16	10	3	1	–	–	–

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1863.—BOTH SEXES.

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
ALL CAUSES	71481	446	466	669	386	1568	1516	181	854	977	4111	641	5169	2571	3010	131
SPECIFIED CAUSES	63201	345	427	608	339	1304	1274	174	798	908	3962	614	5029	2447	2823	125
I. Zymotic Class	18888	26	36	146	34	301	213	26	215	219	911	193	1639	558	785	20
II. Diseases of Uncer. Seat	2308	7	22	22	15	60	33	7	41	47	172	16	178	113	136	6
III. Tubercular Class	10981	67	63	69	46	159	160	28	95	139	598	82	726	356	358	16
IV. Brain and Nervous Sys.	5216	18	34	32	22	58	70	13	80	76	366	46	395	226	229	15
V. Organs of Circulation	2706	1	8	25	8	20	28	5	42	26	217	21	240	120	142	7
VI. Respiratory Organs	8951	22	43	73	32	103	160	18	56	96	467	63	638	258	286	15
VII. Organs of Digestion	4970	25	31	47	21	54	106	14	60	75	317	51	322	220	203	13
VIII. Urinary Organs	882	2	9	11	5	18	16	3	15	19	105	14	62	27	37	2
IX. Organs of Generation	563	1	1	5	2	8	18	5	6	12	37	6	55	9	29	1
X. Organs of Locomotion	455	1	2	9	–	8	13	–	4	12	30	6	29	15	23	3
XI. Skin, etc.	108	1	–	–	–	1	1	–	2	2	15	3	3	9	6	–
XII. Malformation	164	1	1	–	1	4	–	–	1	2	9	4	18	12	7	1
XIII. Premature Debility	2949	4	12	31	2	28	42	7	30	44	173	19	239	83	119	2
XIV. Atrophy	611	3	5	1	1	9	14	1	2	2	14	3	27	14	20	–
XV. Age	6069	151	135	116	128	391	342	42	114	116	416	70	308	334	347	19
XVI. Sudden Deaths	120	2	–	–	3	2	3	–	1	–	6	2	5	6	12	2
XVII. Violent Deaths	2260	13	25	21	19	80	55	5	34	21	109	15	145	87	84	3
I. Small Pox	1646	–	–	–	–	11	15	–	67	40	75	11	216	22	129	2
Measles	2212	2	–	15	1	50	4	3	4	8	66	30	158	26	127	2
Scarlatina	3413	3	2	9	–	7	4	2	17	8	17	31	441	66	30	1
Diphtheria	1745	–	–	38	8	29	19	1	22	31	204	25	121	114	144	4
Hooping Cough	1649	–	–	–	2	–	18	1	4	2	38	12	105	55	43	1
Croup	1870	3	2	16	8	112	33	5	21	20	66	7	137	58	66	1
Thrush	35	–	–	–	–	–	–	–	1	–	4	1	6	–	1	–
Diarrhœa	1192	1	3	8	2	11	16	–	16	18	65	6	86	36	41	1
Dysentery	285	–	2	2	–	3	5	–	2	7	26	2	30	10	12	–
Cholera	114	–	–	–	–	–	–	–	1	1	2	–	25	2	–	–
Influenza	304	–	8	15	1	14	29	2	2	17	47	9	15	9	11	–
Purpura	47	1	–	–	–	–	–	1	2	–	5	–	4	2	1	–
Ague	12	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Worms	35	–	–	–	–	1	1	–	–	–	1	–	2	3	–	–
Infantile Fever	85	1	–	4	–	1	1	–	–	–	6	1	5	2	1	–
Typhus	3441	12	15	30	8	51	52	5	44	48	220	44	220	124	142	7
Metria	195	–	–	2	–	2	4	4	4	5	15	9	8	2	9	1
Rheumatic Fever	113	1	2	2	2	5	3	–	2	3	9	1	10	6	8	–
Erysipelas	335	2	1	1	2	3	9	2	6	10	33	2	31	17	13	–
Syphilis	139	–	1	4	–	1	–	–	–	1	12	2	18	2	3	–
Noma	20	–	–	–	–	–	–	–	–	–	–	–	1	1	4	–
Hydrophobia	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	75	–	–	–	–	1	2	–	2	–	3	–	9	2	1	–
Dropsy	696	4	14	4	6	23	15	–	12	8	27	1	60	27	56	4
Abscess	161	–	–	3	1	4	1	3	2	4	12	–	14	6	5	1
Ulcer	58	2	–	1	–	3	–	–	–	1	7	–	3	4	1	–
Fistula	15	–	–	1	–	1	–	–	–	–	1	–	–	–	1	–
Mortification	127	–	1	2	–	2	–	–	–	6	13	1	16	6	2	–
Cancer	1162	–	7	9	8	26	14	4	25	27	108	14	76	65	70	1
Gout	14	1	–	2	–	–	1	–	–	1	1	–	–	3	–	–
III. Scrofula	663	–	9	5	6	7	5	5	7	19	63	2	30	19	18	–
Tabes Mesenterica	873	2	1	5	1	1	3	–	4	9	29	6	20	18	24	1
Phthisis	7614	64	47	49	36	139	146	21	75	96	400	62	518	268	250	13
Hydrocephalus	1831	1	6	10	3	12	6	2	9	15	106	12	158	51	66	2

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1863.—BOTH SEXES.

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES	537	2072	1273	1609	350	4892	4410	19534	944	6892	670	610	262	204	1101	1812	827	786
SPECIFIED CAUSES	494	1907	1206	1391	329	4702	4233	19075	912	6801	632	577	249	201	1070	1716	776	753
Zymotic Class	177	575	375	317	68	1442	1154	6005	308	1721	129	115	100	51	292	477	111	149
Uncertain Seat	11	74	31	49	15	120	126	481	22	284	24	36	8	8	36	50	32	26
Tubercular Class	68	301	239	169	65	875	841	3346	134	1011	92	69	18	35	186	299	149	122
Brain, etc.	40	112	99	100	30	362	302	1239	52	683	56	64	25	19	98	124	68	63
Heart, etc.	19	68	50	48	15	153	146	572	40	374	34	50	9	11	57	74	41	35
Respiratory Organs	54	247	96	152	34	522	525	3218	140	987	73	64	19	28	109	174	88	91
Digestive Organs	22	160	84	86	28	394	330	1272	70	477	54	38	19	13	73	139	81	71
Urinary Organs	9	16	12	18	6	43	41	181	8	109	7	8	1	–	15	25	17	21
Generative Organs	1	18	8	7	3	43	29	135	8	63	9	5	4	1	10	13	6	5
Locomotive Organs	1	12	9	13	4	38	24	108	3	53	2	3	1	2	9	7	8	3
Skin	–	3	2	2	–	5	5	24	3	5	4	1	–	1	3	5	–	2
Malformation	–	2	3	2	–	18	10	24	3	18	2	4	–	2	3	3	6	3
Premature Debility	29	81	54	33	8	222	197	888	33	298	36	26	17	15	55	74	28	20
Atrophy	11	18	10	7	3	68	39	230	7	60	7	1	2	1	7	15	3	6
Age	45	154	79	314	38	259	318	739	47	369	76	74	15	11	90	191	110	111
Sudden Deaths	1	5	5	–	1	5	4	34	4	10	3	1	1	1	–	–	1	–
Violent Deaths	6	61	50	74	11	133	142	579	30	279	24	18	10	2	27	46	27	25
Small Pox	55	19	36	7	1	230	3	423	3	99	30	17	7	1	3	81	36	7
Measles	10	77	12	23	1	199	178	609	146	326	5	4	–	6	71	44	4	1
Scarlatina	9	135	79	23	17	153	176	1683	39	196	25	20	38	4	33	122	5	18
Diphtheria	11	43	38	60	11	84	87	375	11	162	1	6	15	1	41	16	8	15
Hooping Cough	19	56	49	46	3	219	69	722	17	90	11	5	3	1	9	21	8	20
Croup	18	83	41	54	11	144	153	474	27	177	11	19	10	2	23	35	16	17
Thrush	–	–	1	1	–	2	2	9	–	6	–	1	–	–	–	–	–	–
Diarrhœa	4	27	26	15	3	86	109	383	16	152	7	3	3	7	12	18	1	10
Dysentery	1	8	9	5	1	12	27	73	1	26	3	–	2	1	1	10	3	1
Cholera	–	2	1	2	1	8	4	34	2	14	–	8	–	1	3	1	–	2
Influenza	1	14	2	3	1	4	22	31	–	10	3	2	1	–	9	5	5	12
Purpura	–	3	–	1	–	1	2	13	–	4	1	1	–	–	–	4	–	1
Ague	–	–	–	–	–	2	1	6	–	2	–	–	–	–	–	–	–	–
Worms	–	1	–	–	–	2	2	10	–	3	–	1	–	–	4	2	1	1
Infantile Fever	4	2	–	7	1	4	4	13	–	11	–	–	–	–	1	3	3	10
Typhus	41	83	65	65	14	240	283	960	36	345	19	24	13	25	67	98	16	25
Metria	2	4	5	3	–	15	8	48	1	19	3	1	6	–	6	6	–	3
Rheumatic Fever	–	4	3	1	1	3	2	19	–	11	6	1	1	–	2	2	2	1
Erysipelas	1	10	6	1	–	22	17	79	5	36	2	2	1	2	6	6	3	4
Syphilis	1	4	2	–	2	8	5	36	1	30	2	–	–	–	1	3	–	–
Noma	–	–	–	–	–	4	–	5	3	2	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Hæmorrhage	2	2	2	3	–	5	4	19	–	12	–	1	–	1	3	–	1	–
Dropsy	4	25	8	12	1	42	40	200	5	45	8	10	3	1	8	11	8	4
Abscess	–	6	2	3	2	10	4	42	2	25	1	–	–	1	1	2	1	3
Ulcer	1	2	1	1	2	3	2	15	–	2	1	–	1	1	2	1	–	1
Fistula	–	1	–	–	–	–	3	4	–	2	–	–	–	–	1	–	–	–
Mortification	–	3	1	2	2	6	3	27	–	18	1	4	–	–	2	4	5	–
Cancer	4	34	17	28	8	54	70	174	15	178	13	21	4	4	19	32	16	17
Gout	–	1	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	1
Scrofula	5	20	10	11	3	42	59	194	10	64	–	5	3	1	12	13	9	7
Tabes Mesenterica	2	29	24	7	4	78	68	306	22	116	7	4	3	2	41	22	10	4
Phthisis	48	187	172	128	50	614	570	2241	63	648	69	46	10	26	113	236	110	99
Hydrocephalus	13	65	33	23	8	141	144	605	39	183	16	14	2	6	20	28	20	12

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1863.—BOTH SEXES. (*Continued.*)

DISEASES.	Scotland.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV. Cephalitis	323	1	4	2	–	5	6	1	4	5	22	3	25	14	9	–
Apoplexy	1155	3	6	9	2	2	12	5	14	13	80	20	88	61	56	6
Paralysis	1632	7	13	8	11	31	30	5	24	28	97	13	108	99	86	6
Delirium Tremens	63	–	–	–	1	–	1	–	1	–	7	1	2	1	5	–
Chorea	9	–	–	–	–	1	–	–	–	–	1	–	–	1	1	–
Epilepsy	212	–	1	4	1	7	6	–	7	3	7	–	13	7	5	1
Tetanus	49	1	–	–	–	2	3	–	–	1	4	1	1	1	3	–
Insanity	60	–	–	–	–	–	3	–	1	1	9	–	4	6	2	–
Convulsions	824	3	2	2	2	3	2	1	15	11	61	3	99	15	25	–
Brain Disease	889	3	8	7	5	7	7	1	14	14	78	5	55	21	37	2
V. Pericarditis	71	–	–	–	–	2	–	–	–	–	5	–	4	1	4	–
Aneurism	75	–	–	1	–	1	1	1	1	1	7	–	5	3	2	–
Heart Disease	2560	1	8	24	8	17	27	4	41	25	205	21	231	116	136	7
VI. Laryngitis	173	–	–	2	–	3	–	–	–	4	10	1	15	5	7	–
Bronchitis	5484	8	21	38	16	42	57	8	29	52	294	41	366	160	182	8
Pleurisy	252	–	1	1	1	6	42	1	1	4	12	4	21	11	9	–
Pneumonia	2212	1	7	22	7	19	27	7	12	26	116	17	150	53	68	5
Asthma	547	12	11	8	7	32	32	1	12	7	19	–	57	20	16	2
Lung Disease	283	1	3	2	1	1	2	1	2	3	16	–	29	9	4	–
VII. Teething	1132	5	–	2	2	6	22	2	14	21	76	7	100	31	44	2
Quinsey	78	–	–	2	2	4	4	–	1	–	7	–	6	4	–	–
Gastritis	164	–	1	5	–	1	3	–	1	–	7	2	3	4	9	1
Enteritis	902	1	7	7	1	8	13	–	6	9	32	8	33	30	21	2
Peritonitis	311	1	1	3	4	3	4	2	3	6	22	1	25	13	8	–
Ascites	73	–	1	1	–	1	3	1	1	1	4	1	4	4	2	1
Ulceration of Intestines	177	–	–	–	–	–	–	1	3	5	16	5	16	5	11	1
Hernia	86	1	–	–	–	–	–	–	1	–	10	–	7	6	6	1
Ileus	268	2	5	1	6	3	9	2	5	11	32	3	13	13	8	1
Intussusception	37	–	–	2	–	2	3	–	–	–	3	–	2	2	3	1
Stricture of Intestines	22	–	–	–	–	1	–	–	–	1	4	–	–	1	2	1
Stomach Disease	774	8	9	5	1	11	21	–	13	10	51	11	53	44	44	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	132	1	–	5	–	–	2	–	–	1	1	2	6	13	5	–
Jaundice	200	–	4	5	1	4	8	1	3	2	18	4	14	11	10	–
Liver Disease	589	6	8	9	4	10	14	5	9	8	32	7	39	37	29	1
Spleen Disease	25	–	–	–	–	–	–	–	–	–	2	–	1	2	1	–
VIII. Nephritis	68	–	–	1	–	3	1	–	–	–	2	–	8	–	3	–
Nephria	210	–	1	3	–	3	2	1	2	3	16	6	18	8	8	–
Ischuria	61	–	1	–	–	1	3	1	–	–	11	1	2	1	3	–
Diabetes	74	1	2	1	2	1	–	–	3	2	4	–	7	1	2	1
Stone	61	–	2	3	–	6	2	–	4	1	11	4	2	1	2	–
Cystitis	45	–	–	–	–	–	–	–	–	1	3	1	4	5	–	–
Stricture of Urethra	17	–	1	–	–	–	1	–	–	1	2	–	–	–	–	1
Kidney Disease	346	1	2	3	3	4	7	1	6	11	56	2	21	11	19	–
IX. Paramenia	22	–	–	–	1	–	1	–	–	3	–	–	1	–	–	–
Ovarian Dropsy	92	–	–	–	–	1	3	–	2	3	10	2	6	–	5	1
Childbirth	376	1	1	4	1	5	13	5	4	5	16	4	41	7	22	–
Organs of Generation	73	–	–	1	–	2	1	–	–	1	11	–	7	2	2	–
X. Arthritis	22	–	–	–	–	–	–	–	–	–	1	–	–	3	–	–
Rheumatism	182	1	2	8	–	7	12	–	2	5	12	3	9	9	10	–
Joint and Bone Disease	251	–	–	1	–	1	1	–	2	7	17	3	20	3	13	3
XI. Carbuncle	29	1	–	–	–	1	1	–	1	–	1	–	–	4	4	–
Phlegmon	16	–	–	–	–	–	–	–	–	2	2	–	1	1	2	–
Skin Disease	63	–	–	–	–	–	–	–	1	–	12	3	2	4	–	–
XII. Cyanosis	56	–	–	–	–	–	–	–	–	–	3	2	11	6	2	1
Spina Bifida	35	–	–	–	–	4	–	–	–	2	3	1	3	–	2	–
Other Malformations	73	1	1	–	1	–	–	–	1	–	3	1	4	6	3	–
XVII. Intemperance	59	–	–	1	–	–	1	–	–	–	1	1	6	1	2	1
Privation	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	83	–	–	–	–	1	1	–	1	–	7	–	7	5	3	1
Neglect	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	17	1	–	–	–	1	1	–	–	–	2	–	1	1	–	–
Poison	43	–	–	1	–	1	–	–	–	–	2	–	8	1	–	–
Burns and Scalds	329	4	3	2	4	9	4	1	7	1	25	1	20	12	13	–
Hanging, etc.	49	–	–	–	–	–	–	–	1	–	2	–	3	3	3	–
Suffocation	116	–	1	1	–	–	–	–	1	4	8	–	13	–	5	–
Drowning	506	7	19	7	13	56	22	1	5	5	22	3	23	21	12	–
Fracture and Contusion	856	–	1	8	2	10	23	2	14	8	31	9	50	41	32	1
Wounds	80	1	–	1	–	2	1	–	2	1	3	1	7	1	2	–
Other Violent Causes	116	–	1	–	–	–	2	1	3	2	6	–	7	1	12	–
Not Specified	3280	101	39	61	47	264	242	7	56	69	149	27	140	124	187	6

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1863.—BOTH SEXES. (*Continued.*)

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	1	3	10	5	1	13	19	80	2	49	2	5	–	1	3	17	4	7
Apoplexy	10	15	31	26	4	84	79	282	7	129	15	15	1	5	16	22	20	17
Paralysis	17	52	30	33	17	102	99	268	17	239	27	18	14	4	41	40	24	24
Delirium Tremens	1	1	1	1	1	3	3	18	2	9	1	–	–	1	–	1	1	–
Chorea	–	–	–	–	–	1	–	3	–	1	–	–	–	–	–	–	–	–
Epilepsy	–	3	3	10	3	10	9	45	2	33	2	5	1	1	6	9	5	3
Tetanus	–	3	–	4	–	2	1	11	1	7	–	1	–	–	–	2	–	–
Insanity	1	–	1	–	1	4	3	11	–	10	–	–	2	–	–	1	–	–
Convulsions	9	15	15	8	1	52	34	286	16	85	5	10	4	1	20	13	3	3
Brain Disease	1	20	8	13	2	91	55	235	5	121	4	10	3	6	12	19	11	9
Pericarditis	–	5	3	1	–	3	4	29	–	2	2	1	–	–	2	3	–	–
Aneurism	–	1	–	3	–	2	3	14	–	20	–	5	–	–	–	3	1	–
Heart Disease	19	62	47	44	15	148	139	529	40	352	32	44	9	11	55	68	40	35
Laryngitis	3	4	–	5	1	4	12	58	1	21	–	2	–	–	2	10	–	3
Bronchitis	28	161	62	78	16	334	349	2041	98	649	47	32	15	19	65	89	34	45
Pleurisy	3	1	2	3	–	9	17	38	3	33	1	4	–	1	5	7	7	4
Pneumonia	16	52	22	40	16	125	102	881	35	190	20	17	3	7	29	52	42	26
Asthma	1	11	9	21	1	29	32	123	1	49	3	5	–	1	5	11	3	6
Lung Disease	3	18	1	5	–	21	13	77	2	45	2	4	1	–	3	5	2	7
Teething	7	31	25	12	1	131	60	371	22	85	8	1	2	2	11	18	2	9
Quinsey	2	1	–	–	–	7	6	17	2	6	1	1	–	–	1	2	2	–
Gastritis	–	6	3	3	2	10	24	39	1	11	2	1	1	–	4	6	4	10
Enteritis	1	32	8	16	5	85	70	312	22	68	5	8	4	1	16	37	28	6
Peritonitis	–	8	4	4	1	13	11	88	3	42	3	1	3	2	6	12	6	8
Ascites	1	2	1	1	–	4	8	17	–	6	3	–	–	–	–	1	1	3
Ulceration of Intestines	1	2	6	6	–	3	15	32	2	24	3	4	–	2	2	4	3	5
Hernia	–	–	1	1	–	7	6	18	3	9	2	1	1	–	2	2	–	1
Ileus	1	10	4	2	2	15	15	56	–	23	4	3	3	2	3	5	3	3
Intussusception	–	1	–	2	–	1	3	5	–	1	1	–	–	1	–	2	–	2
Stricture of Intestines	–	1	–	–	1	1	1	4	–	–	–	–	–	–	–	–	1	3
Stomach Disease	3	32	13	20	7	51	55	136	5	82	9	9	3	2	14	26	15	10
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	5	3	1	2	12	9	34	1	10	1	3	1	–	2	6	3	2
Jaundice	2	6	6	6	–	10	14	28	1	25	5	2	–	–	1	4	3	2
Liver Disease	3	23	10	12	6	42	32	107	8	81	7	4	1	1	11	14	7	7
Spleen Disease	–	–	–	–	1	2	1	8	–	4	–	–	–	–	–	–	3	–
Nephritis	–	–	1	–	–	3	5	23	–	7	1	1	–	–	1	5	3	–
Nephria	3	2	1	2	5	12	4	54	3	31	–	1	–	–	2	8	3	8
Ischuria	1	–	–	3	–	3	4	12	3	4	4	1	–	–	1	–	–	1
Diabetes	2	–	1	2	–	2	7	14	–	9	1	2	–	–	2	3	–	2
Stone	2	1	1	3	–	1	2	5	–	4	–	–	–	–	–	2	1	1
Cystitis	–	2	–	3	–	1	2	11	–	6	–	–	–	–	1	1	2	2
Stricture of Urethra	–	–	–	–	–	2	–	5	–	4	–	–	–	–	–	–	–	–
Kidney Disease	1	11	8	5	1	19	17	57	2	44	1	3	1	–	8	6	8	7
Paramenia	–	–	–	1	–	2	3	2	–	2	–	1	–	1	–	4	–	–
Ovarian Dropsy	–	1	–	4	–	7	4	14	1	16	1	–	2	–	4	2	2	1
Childbirth	1	15	7	1	3	29	17	106	7	33	6	3	2	–	5	5	3	4
Organs of Generation	–	2	1	1	–	5	5	13	–	12	2	1	–	–	1	2	1	–
Arthritis	–	1	1	–	2	3	–	9	–	2	–	–	–	–	–	–	–	–
Rheumatism	–	3	3	6	1	16	9	39	2	11	2	1	1	2	3	1	2	–
Joint Disease	1	8	5	7	1	19	15	60	1	40	–	2	–	–	6	6	6	3
Carbuncle	–	–	–	–	–	1	2	5	–	4	1	–	–	–	1	1	–	1
Phlegmon	–	–	–	–	–	–	1	5	1	–	–	–	–	–	–	1	–	–
Skin Disease	–	3	2	2	–	4	2	14	2	1	3	1	–	1	2	3	–	1
Cyanosis	–	–	2	–	–	5	3	5	2	5	1	1	–	–	–	3	3	1
Spina Bifida	–	–	–	1	–	3	3	5	–	1	1	2	–	1	1	–	–	2
Other Malformations	–	2	1	1	–	10	4	14	1	12	–	1	–	1	2	–	3	–
Intemperance	1	–	1	2	1	3	3	19	–	14	–	–	–	–	–	–	1	–
Privation	–	–	–	–	–	–	–	3	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	1	1	4	–	29	–	16	–	–	2	–	1	1	1	1
Neglect	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Cold	–	5	1	–	–	–	–	1	–	1	–	–	–	–	–	–	1	1
Poison	–	1	1	–	–	1	6	10	–	8	1	–	–	–	–	1	–	1
Burns and Scalds	–	13	5	11	1	17	22	89	7	32	2	1	2	1	6	8	1	5
Hanging, etc.	1	–	–	1	–	4	2	12	1	6	1	2	1	–	4	2	–	–
Suffocation	–	2	3	1	–	7	5	29	1	25	2	–	–	–	1	1	3	3
Drowning	2	11	20	32	6	28	24	82	3	30	9	10	2	–	4	10	8	9
Fracture and Contusion	2	27	13	16	1	57	67	260	15	110	5	4	2	1	10	20	11	3
Wounds	–	2	2	1	–	3	7	21	1	16	2	1	–	–	–	2	–	–
Other Violent Causes	–	–	4	9	1	9	6	22	2	20	2	–	1	–	1	1	1	2
Not Specified	43	165	67	218	21	190	177	459	32	91	38	33	13	3	31	96	51	33

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1863.—MALES.

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
ALL CAUSES	35631	201	216	331	184	791	716	85	408	471	2013	329	2531	1255	1422	57
SPECIFIED CAUSES	33911	157	198	296	161	655	589	82	378	430	1924	311	2462	1187	1322	55
I. Zymotic Class	9258	19	18	71	16	143	93	14	98	99	438	88	802	279	386	6
II. Diseases of Uncer. Seat	881	5	6	7	9	22	9	5	17	17	69	8	64	35	49	2
III. Tubercular Class	5392	30	28	34	26	98	81	18	41	63	288	42	346	168	158	11
IV. Brain and Nervous Sys.	2866	9	17	14	11	30	44	5	41	46	202	23	226	126	121	8
V. Organs of Circulation	1348	–	1	11	6	15	12	2	25	11	108	10	112	59	89	1
VI. Respiratory Organs	4674	12	14	41	21	55	78	10	27	47	223	38	318	131	148	6
VII. Organs of Digestion	2547	13	23	23	11	28	58	5	30	40	163	35	163	103	86	8
VIII. Urinary Organs	621	–	8	9	2	11	15	3	11	12	73	11	43	21	25	1
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	245	1	1	5	–	4	4	–	2	6	19	3	16	6	6	–
XI. Skin, etc.	67	1	–	–	–	1	1	–	2	2	12	2	1	4	4	–
XII. Malformation	98	–	–	–	1	–	–	–	–	1	8	3	11	4	5	–
XIII. Premature Debility	1628	2	6	20	1	18	18	6	14	28	88	8	135	55	47	2
XIV. Atrophy	264	1	1	1	–	3	6	–	–	1	7	2	9	5	8	–
XV. Age	2276	54	54	43	43	155	126	12	42	41	152	27	109	122	123	7
XVI. Sudden Deaths	66	–	–	–	3	1	1	–	1	–	4	1	5	5	7	1
XVII. Violent Deaths	1680	10	21	17	11	71	43	2	27	16	70	10	102	64	60	2
I. Small Pox	870	–	–	–	–	5	10	–	36	18	43	7	101	10	63	–
Measles	1093	1	–	8	–	21	3	2	2	7	33	15	70	13	67	2
Scarlatina	1764	2	2	7	–	5	–	2	7	3	4	14	226	37	12	1
Diphtheria	818	–	–	19	5	15	13	–	10	11	95	7	57	53	72	2
Hooping Cough	717	–	–	–	1	–	3	1	1	1	19	8	47	18	22	–
Croup	998	3	2	8	5	53	20	3	10	11	35	4	84	28	38	–
Thrush	21	–	–	–	–	–	–	–	–	–	1	–	5	–	1	–
Diarrhœa	592	–	1	2	–	6	3	–	7	9	32	3	39	19	21	–
Dysentery	126	–	1	–	–	1	2	–	1	1	11	1	7	4	8	–
Cholera	62	–	–	–	–	–	–	–	1	1	1	–	12	–	–	–
Influenza	130	–	1	6	–	6	13	1	1	6	20	5	9	3	6	–
Purpura	26	–	–	–	–	–	–	1	1	–	1	–	3	2	1	–
Ague	7	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Worms	21	–	–	–	–	1	–	–	–	–	1	–	2	3	–	–
Infantile Fever	44	1	–	2	–	–	1	–	–	–	1	1	4	–	1	–
Typhus	1670	9	10	14	3	24	20	2	18	25	113	21	95	73	63	1
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	52	1	1	1	1	4	1	–	1	2	5	–	4	4	5	–
Erysipelas	161	2	–	1	1	1	4	2	2	4	14	1	22	9	5	–
Syphilis	81	–	–	3	–	1	–	–	–	–	9	1	14	2	1	–
Noma	5	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	42	–	–	–	–	1	1	–	1	–	1	–	7	1	–	–
Dropsy	295	3	5	–	3	10	4	–	4	5	16	1	26	7	28	–
Abscess	86	–	–	1	–	2	–	3	2	2	3	–	7	2	3	1
Ulcer	20	1	–	–	–	1	–	–	–	1	3	–	–	1	–	–
Fistula	9	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–
Mortification	48	–	1	–	–	2	–	–	–	1	8	1	8	1	–	–
Cancer	370	–	–	5	6	6	3	2	10	7	36	6	16	21	17	1
Gout	11	1	–	1	–	–	1	–	–	1	1	–	–	2	–	–
III. Scrofula	378	–	4	3	4	5	4	3	3	7	39	2	18	9	8	–
Tabes Mesenterica	421	–	–	2	1	1	1	–	–	5	15	6	13	8	13	1
Phthisis	3583	29	22	26	19	88	74	13	33	39	176	28	228	129	99	10
Hydrocephalus	1010	1	2	3	2	4	2	2	5	12	58	6	87	22	38	–

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1863.—MALES.

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES . .	284	1035	667	816	171	2409	2257	9944	496	3499	327	301	121	85	534	896	390	389
SPECIFIED CAUSES .	261	937	630	710	159	2315	2164	9708	480	3450	305	282	114	83	521	844	368	373
Zymotic Class . .	105	272	189	163	33	674	537	3007	152	854	54	64	41	19	136	231	46	61
Uncertain Seat . .	3	19	13	20	9	40	50	196	11	120	7	18	1	1	12	15	12	10
Tubercular Class .	33	152	127	85	33	431	399	1612	67	523	48	40	6	18	98	149	77	62
Brain, etc. . .	21	57	53	57	13	199	177	704	26	379	25	31	13	7	57	62	28	34
Heart, etc. . .	12	35	27	19	4	87	71	259	26	196	18	25	6	7	21	38	14	21
Respiratory Organs .	30	139	51	78	14	258	305	1729	83	488	39	29	7	11	59	90	48	47
Digestive Organs .	5	78	48	50	9	215	165	654	35	245	28	21	9	6	33	70	45	42
Urinary Organs . .	7	12	8	15	3	32	31	119	7	73	6	8	1	–	10	20	12	12
Generative Organs .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs .	1	6	6	8	3	19	15	65	2	32	–	1	1	1	5	2	3	2
Skin	–	2	1	1	–	1	4	18	2	2	1	–	–	–	2	2	–	1
Malformation . .	–	2	3	1	–	11	5	17	1	11	2	1	–	1	3	2	3	2
Premature Debility .	20	44	31	19	6	125	102	486	19	180	20	14	13	4	29	43	14	11
Atrophy . . .	5	9	2	5	1	31	15	100	4	26	2	1	2	–	4	9	2	2
Age	13	60	26	128	21	85	126	283	19	143	35	17	7	6	32	74	44	47
Sudden Deaths . .	1	3	3	–	1	3	1	19	2	2	1	1	–	–	–	–	–	–
Violent Deaths . .	5	47	42	61	9	104	111	440	24	176	19	11	7	2	20	37	20	19
Small Pox . . .	28	10	20	5	1	123	3	236	1	55	12	11	–	1	3	48	16	4
Measles . . .	5	33	8	11	1	95	86	315	73	159	1	3	–	1	34	22	1	1
Scarlatina . . .	6	67	37	9	9	85	91	886	17	97	12	13	21	2	18	63	3	6
Diphtheria . .	8	27	17	33	4	39	41	169	4	77	1	2	8	–	16	7	1	5
Hooping Cough .	10	20	19	22	–	92	25	315	10	49	4	4	–	1	7	4	4	10
Croup . . .	13	40	25	30	6	69	81	249	13	103	5	12	3	2	8	20	8	7
Thrush . . .	–	–	1	1	–	2	2	4	–	4	–	–	–	–	–	–	–	–
Diarrhœa . . .	2	11	17	7	2	42	61	197	10	74	2	2	2	2	5	9	–	5
Dysentery . . .	1	4	5	5	–	4	14	35	1	13	1	–	1	–	1	3	1	–
Cholera . . .	–	2	–	2	1	3	1	23	–	8	–	5	–	–	1	–	–	1
Influenza . . .	1	9	2	1	1	–	6	15	–	4	3	1	–	–	4	2	1	3
Purpura . . .	–	–	–	1	–	1	2	6	–	3	1	–	–	–	–	2	–	1
Ague	–	–	–	–	–	1	–	4	–	1	–	–	–	–	–	–	–	–
Worms . . .	–	1	–	–	–	1	1	6	–	1	–	1	–	–	2	1	–	–
Infantile Fever . .	3	–	–	2	1	–	4	10	–	6	–	–	–	–	–	1	1	5
Typhus . . .	27	42	30	34	6	108	157	473	18	160	7	10	5	9	33	44	7	9
Metria . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever .	–	–	2	–	–	–	–	7	–	6	3	–	1	–	1	–	1	1
Erysipelas . . .	–	3	4	–	–	4	8	38	3	21	–	–	–	1	3	3	2	3
Syphilis . . .	1	3	2	–	1	3	4	19	1	12	2	–	–	–	–	2	–	–
Noma . . .	–	–	–	–	–	2	–	–	1	1	–	–	–	–	–	–	–	–
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage . .	1	1	1	3	–	3	3	10	–	6	–	1	–	–	1	–	–	–
Dropsy . . .	1	9	5	5	1	18	19	88	3	15	1	5	–	1	4	3	4	1
Abscess . . .	–	1	2	2	2	5	3	25	2	13	1	–	–	–	–	1	1	2
Ulcer	–	–	1	–	2	2	1	4	–	1	–	–	–	–	–	1	–	1
Fistula . . .	–	1	–	–	–	–	3	1	–	1	–	–	–	–	1	–	–	–
Mortification . .	–	1	–	–	1	3	–	10	–	5	–	–	–	–	1	2	3	–
Cancer . . .	1	5	4	10	3	9	21	58	6	77	5	12	1	–	5	8	4	5
Gout . .	–	1	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1
Scrofula . . .	2	10	9	7	1	27	33	108	6	33	–	5	2	1	9	5	5	6
Tabes Mesenterica .	–	13	12	3	1	39	32	149	11	51	3	3	1	1	19	7	8	2
Phthisis . . .	23	95	91	63	25	289	242	1020	30	340	33	22	3	14	61	121	53	45
Hydrocephalus . .	8	34	15	12	6	76	92	335	20	99	12	10	–	2	9	16	11	9

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1863.—MALES. (*Continued.*)

DISEASES.	Scotland.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV. Cephalitis	191	1	2	–	–	3	4	–	1	2	13	1	17	11	4	–
Apoplexy	602	1	3	4	1	1	7	3	8	10	32	11	41	35	30	4
Paralysis	823	4	7	3	6	15	21	1	11	14	52	4	54	51	40	2
Delirium Tremens	56	–	–	–	1	–	1	–	1	–	7	1	2	1	5	–
Chorea	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	111	–	1	1	–	3	4	–	–	2	6	–	11	3	3	1
Tetanus	30	1	–	–	–	2	1	–	–	1	2	1	1	1	2	–
Insanity	19	–	–	–	–	–	1	–	1	1	5	–	1	2	–	–
Convulsions	498	1	1	1	1	2	1	–	9	6	37	1	66	9	17	–
Brain Disease	531	1	3	5	2	4	4	1	10	10	48	4	33	13	20	1
V. Pericarditis	43	–	–	–	–	1	–	–	–	–	3	–	3	–	3	–
Aneurism	46	–	–	1	–	1	–	–	1	–	6	–	4	2	2	–
Heart Disease	1259	–	1	10	6	13	12	2	24	11	99	10	105	57	84	1
VI. Laryngitis	95	–	–	–	–	1	–	–	–	3	4	–	8	3	3	–
Bronchitis	2750	4	6	18	13	25	28	5	13	25	128	24	170	82	93	2
Pleurisy	139	–	1	–	1	3	19	–	1	2	9	3	12	4	7	–
Pneumonia	1250	1	4	16	6	13	16	4	8	15	64	11	77	31	36	2
Asthma	292	7	1	7	1	12	14	–	5	2	10	–	32	9	6	2
Lung Disease	148	–	2	–	–	1	1	1	–	–	8	–	19	2	3	–
VII. Teething	579	3	–	2	2	5	11	–	8	14	40	4	49	11	20	–
Quinsey	47	–	–	1	1	3	–	–	–	–	4	–	3	3	–	–
Gastritis	77	–	–	1	–	1	1	–	1	–	3	1	–	2	5	1
Enteritis	497	–	4	4	–	5	5	–	8	5	17	6	20	12	7	2
Peritonitis	113	1	–	–	2	1	3	–	–	2	5	1	12	5	1	–
Ascites	26	–	1	–	–	–	1	–	–	–	2	1	1	1	–	1
Ulceration of Intestines	97	–	–	–	–	–	–	–	–	3	8	4	11	4	4	1
Hernia	41	–	–	–	–	–	–	–	–	–	4	–	4	4	2	–
Ileus	159	1	5	1	4	–	6	2	4	8	17	2	11	8	6	–
Intussusception	24	–	–	2	–	2	2	–	–	–	3	–	1	1	2	1
Stricture of Intestines	15	–	–	–	–	1	–	–	–	1	4	–	–	1	1	1
Stomach Disease	393	5	6	1	–	5	16	–	10	3	24	8	21	22	20	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	59	–	–	2	–	–	2	–	–	1	1	1	2	5	2	–
Jaundice	112	–	4	3	–	–	2	–	2	1	13	2	8	8	7	–
Liver Disease	289	3	3	6	2	5	9	3	2	2	16	5	20	14	8	–
Spleen Disease	19	–	–	–	–	–	–	–	–	–	2	–	–	2	1	–
VIII. Nephritis	47	–	–	1	–	2	–	–	–	–	1	–	5	–	2	–
Nephria	124	–	1	3	–	1	2	1	1	2	11	4	9	4	5	–
Ischuria	49	–	1	–	–	1	3	1	–	–	9	1	2	1	2	–
Diabetes	48	–	2	1	–	1	–	–	1	2	3	–	5	1	2	–
Stone	56	–	1	3	–	4	2	–	4	1	10	4	2	1	1	–
Cystitis	41	–	–	–	–	–	–	–	–	1	2	1	4	5	–	–
Stricture of Urethra	17	–	1	–	–	–	1	–	–	1	2	–	–	–	–	1
Kidney Disease	239	–	2	1	2	2	7	1	5	5	35	1	16	9	13	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	14	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Rheumatism	81	1	1	4	–	4	4	–	–	3	6	2	4	5	1	–
Joint and Bone Disease	150	–	–	1	–	–	–	–	2	3	13	1	12	–	5	–
XI. Carbuncle	19	1	–	–	–	1	1	–	1	–	1	–	–	2	2	–
Phlegmon	15	–	–	–	–	–	–	–	–	2	2	–	–	1	2	–
Skin Disease	33	–	–	–	–	–	–	–	1	–	9	2	1	1	–	–
XII. Cyanosis	37	–	–	–	–	–	–	–	–	–	2	2	8	3	2	–
Spina Bifida	18	–	–	–	–	–	–	–	–	1	3	–	3	–	1	–
Other Malformations	43	–	–	–	1	–	–	–	–	–	3	1	–	1	2	–
XVII. Intemperance	37	–	–	1	–	–	1	–	–	–	1	1	5	1	1	1
Privation	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	51	–	–	–	–	1	1	–	1	–	3	–	6	3	3	–
Neglect	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	13	–	–	–	–	1	1	–	–	–	2	–	–	1	–	–
Poison	20	–	–	1	–	–	–	–	–	–	1	–	4	–	–	–
Burns and Scalds	167	2	–	1	1	6	2	1	4	1	5	–	10	5	4	–
Hanging, etc.	31	–	–	–	–	–	–	–	1	–	1	–	1	1	2	–
Suffocation	68	–	1	–	–	–	–	–	–	3	8	–	7	–	4	–
Drowning	430	7	18	7	8	53	17	–	4	4	20	3	20	15	9	–
Fracture and Contusion	715	–	1	7	2	8	19	1	13	6	22	5	39	36	29	1
Wounds	66	1	–	–	–	2	1	–	2	1	3	1	6	1	2	–
Other Violent Causes	79	–	1	–	–	–	1	–	2	1	4	–	4	1	6	–
Not Specified	1720	44	18	35	23	136	127	3	30	41	89	18	69	68	100	2

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1863.—MALES. (*Continued.*)

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	–	3	5	2	1	8	12	48	1	35	1	2	–	–	3	6	1	4
Apoplexy	6	7	17	14	2	43	46	163	2	65	4	5	1	2	7	12	7	8
Paralysis	10	27	14	18	6	53	48	141	9	119	9	8	7	2	22	20	12	13
Delirium Tremens	1	1	1	1	1	3	3	15	1	7	1	–	–	1	–	–	1	–
Chorea	–	–	–	–	–	1	–	3	–	1	–	–	–	–	–	–	–	–
Epilepsy	–	1	1	4	2	6	7	19	1	21	2	2	1	–	3	4	1	1
Tetanus	–	–	–	1	–	2	1	6	–	6	–	1	–	–	–	1	–	–
Insanity	–	–	–	–	–	1	1	4	–	2	–	–	–	–	–	–	–	–
Convulsions	3	6	9	6	–	32	24	169	8	54	5	5	1	–	13	8	1	2
Brain Disease	1	12	6	11	1	50	35	136	4	69	3	8	3	2	9	11	5	6
Pericarditis	–	3	1	–	–	3	3	16	–	1	1	1	–	–	1	3	–	–
Aneurism	–	1	–	–	–	2	1	8	–	15	–	1	–	–	–	1	–	–
Heart Disease	12	31	26	19	4	82	67	235	26	180	17	23	6	7	20	34	14	21
Laryngitis	1	3	–	1	1	3	11	34	1	9	–	1	–	–	1	6	–	1
Bronchitis	16	87	31	40	4	158	188	1055	56	318	24	12	5	7	35	43	13	22
Pleurisy	2	1	2	2	–	2	11	24	2	16	1	3	–	–	3	1	6	1
Pneumonia	8	29	12	24	9	69	69	495	22	98	10	9	1	4	16	29	27	15
Asthma	–	9	5	9	–	15	21	75	1	28	3	2	–	–	3	7	1	5
Lung Disease	3	10	1	2	–	11	5	46	1	19	1	2	1	–	1	4	1	3
Teething	2	16	15	6	–	67	31	185	12	42	5	1	–	2	6	12	2	6
Quinsey	–	1	–	–	–	7	3	10	2	4	1	1	–	–	1	1	1	–
Gastritis	–	2	3	2	1	7	13	14	–	7	1	–	–	–	1	1	2	7
Enteritis	–	18	4	11	1	49	37	178	10	33	3	6	3	1	11	21	16	5
Peritonitis	–	3	–	1	–	4	4	31	3	19	1	–	–	–	2	7	2	3
Ascites	–	–	1	1	–	3	1	6	–	3	2	–	–	–	–	–	–	1
Ulceration of Intestines	–	–	2	3	–	3	10	20	1	13	1	3	–	–	–	4	1	1
Hernia	–	–	–	–	–	5	1	9	3	4	–	1	1	–	1	2	–	–
Ileus	–	6	3	2	1	9	9	32	–	12	2	–	2	1	2	1	1	1
Intussusception	–	1	–	1	–	–	1	3	–	1	–	–	–	–	–	1	–	2
Stricture of Intestines	–	1	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	2
Stomach Disease	1	15	6	10	3	24	27	75	1	44	6	5	1	2	5	11	10	5
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	3	3	–	1	6	3	15	–	4	1	–	1	–	–	2	3	1
Jaundice	1	2	4	4	–	7	7	15	–	13	3	2	–	–	1	1	1	1
Liver Disease	1	10	7	9	2	22	17	53	3	43	2	2	1	–	3	6	3	7
Spleen Disease	–	–	–	–	–	1	–	7	–	3	–	–	–	–	–	–	3	–
Nephritis	–	–	–	–	–	3	3	17	–	4	1	1	–	–	1	3	3	–
Nephria	3	1	1	1	2	8	3	29	2	19	–	1	–	–	–	7	–	3
Ischuria	–	–	–	3	–	2	4	8	3	2	3	1	–	–	1	–	–	1
Diabetes	1	–	–	1	–	1	5	9	–	5	1	2	–	–	1	3	–	1
Stone	2	1	1	3	–	1	2	5	–	4	–	–	–	–	–	2	1	1
Cystitis	–	2	–	3	–	–	2	11	–	4	–	–	–	–	1	1	2	2
Stricture of Urethra	–	–	–	–	–	2	–	5	–	4	–	–	–	–	–	–	–	–
Kidney Disease	1	8	6	4	1	15	12	35	2	31	1	3	1	–	6	4	6	4
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	1	1	–	2	2	–	6	–	1	–	–	–	–	–	–	–	–
Rheumatism	–	2	2	3	1	5	6	17	2	5	–	1	1	1	–	–	–	–
Joint Disease	1	3	3	5	–	12	9	42	–	26	–	–	–	–	5	2	3	2
Carbuncle	–	–	–	–	–	–	2	4	–	2	–	–	–	–	1	–	–	1
Phlegmon	–	–	–	–	–	–	1	5	1	–	–	–	–	–	–	1	–	–
Skin Disease	–	2	1	1	–	1	1	9	1	–	1	–	–	–	1	1	–	–
Cyanosis	–	–	2	–	–	4	1	4	1	3	1	–	–	–	–	2	1	1
Spina Bifida	–	–	–	1	–	2	–	2	–	1	1	1	–	–	1	–	–	1
Other Malformations	–	2	1	–	–	5	4	11	–	7	–	–	–	1	2	–	2	–
Intemperance	1	–	1	2	1	2	2	11	–	4	–	–	–	–	–	–	1	–
Privation	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	4	–	18	–	7	–	–	2	–	1	1	–	–
Neglect	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cold	–	4	1	–	–	–	–	–	–	1	–	–	–	–	–	–	1	1
Poison	–	–	1	–	–	1	2	4	–	5	–	–	–	–	–	1	–	–
Burns and Scalds	–	9	4	9	1	10	13	56	2	8	–	–	1	1	4	4	1	2
Hanging, etc.	–	–	–	1	–	2	1	10	1	3	1	1	1	–	3	1	–	–
Suffocation	–	–	2	1	–	5	3	15	1	12	2	–	–	–	–	1	1	2
Drowning	2	9	18	28	6	19	20	67	3	24	9	8	2	–	4	10	7	9
Fracture and Contusion	2	23	10	12	–	51	59	223	15	89	3	2	1	1	7	16	9	3
Wounds	–	2	2	1	–	2	6	17	1	11	2	–	–	–	–	2	–	–
Other Violent Causes	–	–	3	7	1	8	5	16	1	12	2	–	–	–	1	1	–	2
Not Specified	23	98	37	106	12	94	93	236	16	49	22	19	7	2	13	52	22	16

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1863.—FEMALES.

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
ALL CAUSES	35850	245	250	338	202	777	800	96	446	506	2098	312	2638	1316	1588	74
SPECIFIED CAUSES	34290	188	229	312	178	649	685	92	420	478	2038	303	2567	1260	1501	70
I. Zymotic Class	9630	7	18	75	18	158	120	12	117	120	473	105	837	279	399	14
II. Diseases of Uncer. Seat	1427	2	16	15	6	38	24	2	24	30	103	8	114	78	87	4
III. Tubercular Class	5589	37	35	35	20	61	79	10	54	76	310	40	380	188	200	5
IV. Brain and Nervous Sys.	2350	9	17	18	11	28	26	8	39	30	164	23	169	100	108	7
V. Organs of Circulation	1358	1	7	14	2	5	16	3	17	15	109	11	128	61	53	6
VI. Respiratory Organs	4277	10	29	32	11	48	82	8	29	49	244	25	320	127	138	9
VII. Organs of Digestion	2423	12	8	24	10	26	48	9	30	35	154	16	159	117	117	5
VIII. Urinary Organs	261	2	1	2	3	7	1	–	4	7	32	3	19	6	12	1
IX. Organs of Generation	563	1	1	5	2	8	18	5	6	12	37	6	55	9	29	1
X. Organs of Locomotion	210	–	1	4	–	4	9	–	2	6	11	3	13	9	17	3
XI. Skin, etc.	41	–	–	–	–	–	–	–	–	–	3	1	2	5	2	–
XII. Malformation	66	1	1	–	–	4	–	–	1	1	1	1	7	8	2	1
XIII. Premature Debility	1321	2	6	11	1	10	24	1	16	16	85	11	104	28	72	–
XIV. Atrophy	347	2	4	–	1	6	8	1	2	1	7	1	18	9	12	–
XV. Age	3793	97	81	73	85	236	216	30	72	75	264	43	199	212	224	12
XVI. Sudden Deaths	54	2	–	–	–	1	2	–	–	–	2	1	–	1	5	1
XVII. Violent Deaths	580	3	4	4	8	9	12	3	7	5	39	5	43	23	24	1
I. Small Pox	776	–	–	–	–	6	5	–	31	22	32	4	115	12	66	2
Measles	1119	1	–	7	1	29	1	1	2	1	33	15	88	13	60	–
Scarlatina	1649	1	–	2	–	2	4	–	10	5	13	17	215	29	18	–
Diphtheria	927	–	–	19	3	14	6	1	12	20	109	18	64	61	72	2
Hooping Cough	932	–	–	–	1	–	15	–	3	1	19	4	58	37	21	1
Croup	872	–	–	8	3	59	13	2	11	9	31	3	53	30	28	1
Thrush	14	–	–	–	–	–	–	–	1	–	3	1	1	–	–	–
Diarrhœa	600	1	2	6	2	5	13	–	9	9	33	3	47	17	20	1
Dysentery	159	–	1	2	–	2	3	–	1	6	15	1	23	6	4	–
Cholera	52	–	–	–	–	–	–	–	–	–	1	–	13	2	–	–
Influenza	174	–	7	9	1	8	16	1	1	11	27	4	6	6	5	–
Purpura	21	1	–	–	–	–	–	–	1	–	4	–	1	–	–	–
Ague	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	14	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Infantile Fever	41	–	–	2	–	1	–	–	–	–	5	–	1	2	–	–
Typhus	1771	3	5	16	5	27	32	3	26	23	107	23	125	51	79	6
Metria	195	–	–	2	–	2	4	4	4	5	15	9	8	2	9	1
Rheumatic Fever	61	–	1	1	1	1	2	–	1	1	4	1	6	2	3	–
Erysipelas	174	–	1	–	1	2	5	–	4	6	19	1	9	8	8	–
Syphilis	58	–	1	1	–	–	–	–	–	1	3	1	4	–	2	–
Noma	15	–	–	–	–	–	–	–	–	–	–	–	–	1	4	–
Hydrophobia	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	33	–	–	–	–	–	1	–	1	–	2	–	2	1	1	–
Dropsy	401	1	9	4	3	13	11	–	8	3	11	–	34	20	28	4
Abscess	75	–	–	2	1	2	1	–	–	2	9	–	7	4	2	–
Ulcer	38	1	–	1	–	2	–	–	–	–	4	–	3	3	1	–
Fistula	6	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Mortification	79	–	–	2	–	–	–	–	–	5	5	–	8	5	2	–
Cancer	792	–	7	4	2	20	11	2	15	20	72	8	60	44	53	–
Gout	3	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–
III. Scrofula	285	–	5	2	2	2	1	2	4	12	24	–	12	10	10	–
Tabes Mesenterica	452	2	1	3	–	–	2	–	4	4	14	–	7	10	11	–
Phthisis	4031	35	25	23	17	51	72	8	42	57	224	34	290	139	151	3
Hydrocephalus	821	–	4	7	1	8	4	–	4	3	48	6	71	29	28	2

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1863.—FEMALES.

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES	253	1037	606	793	179	2483	2153	9590	448	3393	343	309	141	119	567	916	437	397
SPECIFIED CAUSES	233	970	576	681	170	2387	2069	9367	432	3351	327	295	135	118	549	872	408	380
Zymotic Class	72	303	186	154	35	768	567	2998	156	867	75	51	59	32	156	246	65	88
Uncertain Seat	8	55	18	29	6	80	76	285	11	164	17	18	7	7	24	35	20	16
Tubercular Class	35	149	112	84	32	444	442	1734	67	488	44	29	12	17	88	150	72	60
Brain, etc.	19	55	46	43	17	163	125	535	26	304	31	33	12	12	41	62	40	29
Heart, etc.	7	33	23	29	11	66	75	313	14	178	16	25	3	4	36	36	27	14
Respiratory Organs	24	108	45	74	20	264	220	1489	57	499	34	35	12	17	50	84	40	44
Digestive Organs	17	82	36	36	19	179	165	618	35	232	26	17	10	7	40	69	36	29
Urinary Organs	2	4	4	3	3	11	10	62	1	36	1	–	–	–	5	5	5	9
Generative Organs	1	18	8	7	3	43	29	135	8	63	9	5	4	1	10	13	6	5
Locomotive Organs	–	6	3	5	1	19	9	43	1	21	2	2	–	1	4	5	5	1
Skin	–	1	1	1	–	4	1	6	1	3	3	1	–	1	1	3	–	1
Malformation	–	–	–	1	–	7	5	7	2	7	–	3	–	1	–	1	3	1
Premature Debility	9	37	23	14	2	97	95	402	14	118	16	12	4	11	26	31	14	9
Atrophy	6	9	8	2	2	37	24	130	3	34	5	–	–	1	3	6	1	4
Age	32	94	53	186	17	174	192	456	28	226	41	57	8	5	58	117	66	64
Sudden Deaths	–	2	2	–	–	2	3	15	2	8	2	–	1	1	–	–	1	–
Violent Deaths	1	14	8	13	2	29	31	139	6	103	5	7	3	–	7	9	7	6
Small Pox	27	9	16	2	–	107	–	187	2	44	18	6	7	–	–	33	20	3
Measles	5	44	4	12	–	104	92	294	73	167	4	1	–	5	37	22	3	–
Scarlatina	3	68	42	14	8	68	85	797	22	99	13	7	17	2	15	59	2	12
Diphtheria	3	16	21	27	7	45	46	206	7	85	–	4	7	1	25	9	7	10
Hooping Cough	9	36	30	24	3	127	44	407	7	41	7	1	3	–	2	17	4	10
Croup	5	43	16	24	5	75	72	225	14	74	6	7	7	–	15	15	8	10
Thrush	–	–	–	–	–	–	–	5	–	2	–	1	–	–	–	–	–	–
Diarrhœa	2	16	9	8	1	44	48	186	6	78	5	1	1	5	7	9	1	5
Dysentery	–	4	4	–	1	8	13	38	–	13	2	–	1	1	–	7	2	1
Cholera	–	–	1	–	–	5	3	11	2	6	–	3	–	1	2	1	–	1
Influenza	–	5	–	2	–	4	16	16	–	6	–	1	1	–	5	3	4	9
Purpura	–	3	–	–	–	–	–	7	–	1	–	1	–	–	–	2	–	–
Ague	–	–	–	–	–	1	1	2	–	1	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	1	1	4	–	2	–	–	–	–	2	1	1	1
Infantile Fever	1	2	–	5	–	4	–	3	–	5	–	–	–	–	1	2	2	5
Typhus	14	41	35	31	8	132	126	487	18	185	12	14	8	16	34	54	9	16
Metria	2	4	5	3	–	15	8	48	1	19	3	1	6	–	6	6	–	3
Rheumatic Fever	–	4	1	1	1	3	2	12	–	5	3	1	–	–	1	2	1	–
Erysipelas	1	7	2	1	–	18	9	41	2	15	2	2	1	1	3	3	1	1
Syphilis	–	1	–	–	1	5	1	17	–	18	–	–	–	–	1	1	–	–
Noma	–	–	–	–	–	2	–	5	2	1	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Hæmorrhage	1	1	1	–	–	2	1	9	–	6	–	–	–	1	2	–	1	–
Dropsy	3	16	3	7	–	24	21	112	2	30	7	5	3	–	4	8	4	3
Abscess	–	5	–	1	–	5	1	17	–	12	–	–	–	1	1	1	–	1
Ulcer	1	2	–	1	–	1	1	11	–	1	1	–	1	1	2	–	–	–
Fistula	–	–	–	–	–	–	–	3	–	1	–	–	–	–	–	–	–	–
Mortification	–	2	1	2	1	3	3	17	–	13	1	4	–	–	1	2	2	–
Cancer	3	29	13	18	5	45	49	116	9	101	8	9	3	4	14	24	12	12
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Scrofula	3	10	1	4	2	15	26	86	4	31	–	–	1	–	3	8	4	1
Tabes Mesenterica	2	16	12	4	3	39	36	157	11	65	4	1	2	1	22	15	2	2
Phthisis	25	92	81	65	25	325	328	1221	33	308	36	24	7	12	52	115	57	54
Hydrocephalus	5	31	18	11	2	65	52	270	19	84	4	4	2	4	11	12	9	3

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1863.—FEMALES. (*Continued.*)

	DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV.	Cephalitis	132	–	2	2	–	2	2	1	3	3	9	2	8	3	5	–
	Apoplexy	553	2	3	5	1	1	5	2	6	3	48	9	47	26	26	2
	Paralysis	809	3	6	5	5	16	9	4	13	14	45	9	54	48	46	4
	Delirium Tremens	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Chorea	4	–	–	–	–	1	–	–	–	–	1	–	–	1	1	–
	Epilepsy	101	–	–	3	1	4	2	–	7	1	1	–	2	4	2	–
	Tetanus	19	–	–	–	–	–	2	–	–	–	2	–	–	–	1	–
	Insanity	41	–	–	–	–	–	2	–	–	–	4	–	3	4	2	–
	Convulsions	326	2	1	1	1	1	1	1	6	5	24	2	33	6	8	–
	Brain Disease	358	2	5	2	3	3	3	–	4	4	30	1	22	8	17	1
V.	Pericarditis	28	–	–	–	–	1	–	–	–	–	2	–	1	1	1	–
	Aneurism	29	–	–	–	–	–	1	1	–	1	1	–	1	1	–	–
	Heart Disease	1301	1	7	14	2	4	15	2	17	14	106	11	126	59	52	6
VI.	Laryngitis	78	–	–	2	–	2	–	–	–	1	6	1	7	2	4	–
	Bronchitis	2734	4	15	20	3	17	29	3	16	27	166	17	196	78	89	6
	Pleurisy	113	–	–	1	–	3	23	1	–	2	3	1	9	7	2	–
	Pneumonia	962	–	3	6	1	6	11	3	4	11	52	6	73	22	32	3
	Asthma	255	5	10	1	6	20	18	1	7	5	9	–	25	11	10	–
	Lung Disease	135	1	1	2	1	–	1	–	2	3	8	–	10	7	1	–
VII.	Teething	553	2	–	–	–	1	11	2	6	7	36	3	51	20	24	2
	Quinsey	31	–	–	1	1	1	4	–	1	–	3	–	3	1	–	–
	Gastritis	87	–	1	4	–	–	2	–	–	–	4	1	3	2	4	–
	Enteritis	405	1	3	3	1	3	8	–	3	4	15	2	13	18	14	–
	Peritonitis	198	–	1	3	2	2	1	2	3	4	17	–	13	8	7	–
	Ascites	47	–	–	1	–	1	2	1	1	1	2	–	3	3	2	–
	Ulceration of Intestines	80	–	–	–	–	–	–	1	3	2	8	1	5	1	7	–
	Hernia	45	1	–	–	–	–	–	–	1	–	6	–	3	2	4	1
	Ileus	109	1	–	–	2	3	3	–	1	3	15	1	2	5	2	1
	Intussusception	13	–	–	–	–	–	1	–	–	–	–	–	1	1	1	–
	Stricture of Intestines	7	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
	Stomach Disease	381	3	3	4	1	6	5	–	3	7	27	3	32	22	24	–
	Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Hepatitis	73	1	–	3	–	–	–	–	–	–	–	1	4	8	3	–
	Jaundice	88	–	–	2	1	4	6	1	1	1	5	2	6	3	3	–
	Liver Disease	300	3	–	3	2	5	5	2	7	6	16	2	19	23	21	1
	Spleen Disease	6	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
VIII.	Nephritis	21	–	–	–	–	1	1	–	–	–	1	–	3	–	1	–
	Nephria	86	–	–	–	–	2	–	–	1	1	5	2	9	4	3	–
	Ischuria	12	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–
	Diabetes	26	1	–	–	2	–	–	–	2	–	1	–	2	–	–	1
	Stone	5	–	1	–	–	2	–	–	–	–	1	–	–	–	1	–
	Cystitis	4	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Kidney Disease	107	1	–	2	1	2	–	–	1	6	21	1	5	2	6	–
IX.	Paramenia	22	–	–	–	1	–	1	–	–	3	–	–	1	–	–	–
	Ovarian Dropsy	92	–	–	–	–	1	3	–	2	3	10	2	6	–	5	1
	Childbirth	376	1	1	4	1	5	13	5	4	5	16	4	41	7	22	–
	Organs of Generation	73	–	–	1	–	2	1	–	–	1	11	–	7	2	2	–
X.	Arthritis	8	–	–	–	–	–	–	–	–	–	1	–	–	2	–	–
	Rheumatism	101	–	1	4	–	3	8	–	2	2	6	1	5	4	9	–
	Joint and Bone Disease	101	–	–	–	–	1	1	–	–	4	4	2	8	3	8	3
XI.	Carbuncle	10	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–
	Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Skin Disease	30	–	–	–	–	–	–	–	–	–	3	1	1	3	–	–
XII.	Cyanosis	19	–	–	–	–	–	–	–	–	–	1	–	3	3	–	1
	Spina Bifida	17	–	–	–	–	4	–	–	–	1	–	1	–	–	1	–
	Other Malformations	30	1	1	–	–	–	–	–	1	–	–	–	4	5	1	–
XVII.	Intemperance	22	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–
	Privation	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Want of Breast Milk	32	–	–	–	–	–	–	–	–	–	4	–	1	2	–	1
	Neglect	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	Cold	4	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	Poison	23	–	–	–	–	1	–	–	–	–	1	–	4	1	–	–
	Burns and Scalds	162	2	3	1	3	3	2	–	3	–	20	1	10	7	9	–
	Hanging, etc.	18	–	–	–	–	–	–	–	–	–	1	–	2	2	1	–
	Suffocation	48	–	–	1	–	–	–	–	1	1	–	–	6	–	1	–
	Drowning	76	–	1	–	5	3	5	1	1	1	2	–	3	6	3	–
	Fracture and Contusion	141	–	–	1	–	2	4	1	1	2	9	4	11	5	3	–
	Wounds	14	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–
	Other Violent Causes	37	–	–	–	–	–	1	1	1	1	2	–	3	–	6	–
	Not Specified	1560	57	21	26	24	128	115	4	26	28	60	9	71	56	87	4

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1863.—FEMALES. (*Continued.*)

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	1	–	5	3	–	5	7	32	1	14	1	3	–	1	–	11	3	3
Apoplexy	4	8	14	12	2	41	33	119	5	64	11	10	–	3	9	10	13	9
Paralysis	7	25	16	15	11	49	51	127	8	120	18	10	7	2	19	20	12	11
Delirium Tremens	–	–	–	–	–	–	–	3	1	2	–	–	–	–	–	1	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	2	2	6	1	4	2	26	1	12	–	3	–	1	3	5	4	2
Tetanus	–	3	–	3	–	–	–	5	1	1	–	–	–	–	–	1	–	–
Insanity	1	–	1	–	1	3	2	7	–	8	–	–	2	–	–	1	–	–
Convulsions	6	9	6	2	1	20	10	117	8	31	–	5	3	1	7	5	2	1
Brain Disease	–	8	2	2	1	41	20	99	1	52	1	2	–	4	3	8	6	3
Pericarditis	–	2	2	1	–	–	1	13	–	1	1	–	–	–	1	–	–	–
Aneurism	–	–	–	3	–	–	2	6	–	5	–	4	–	–	–	2	1	–
Heart Disease	7	31	21	25	11	66	72	294	14	172	15	21	3	4	35	34	26	14
Laryngitis	2	1	–	4	–	1	1	24	–	12	–	1	–	–	1	4	–	2
Bronchitis	12	74	31	38	12	176	161	986	42	331	23	20	10	12	30	46	21	23
Pleurisy	1	–	–	1	–	7	6	14	1	17	–	1	–	1	2	6	1	3
Pneumonia	8	23	10	16	7	56	33	386	13	92	10	8	2	3	13	23	15	11
Asthma	1	2	4	12	1	14	11	48	–	21	–	3	–	1	2	4	2	1
Lung Disease	–	8	–	3	–	10	8	31	1	26	1	2	–	–	2	1	1	4
Teething	5	15	10	6	1	64	29	186	10	43	3	–	2	–	5	6	–	3
Quinsey	2	–	–	–	–	–	3	7	–	2	–	–	–	–	–	1	1	–
Gastritis	–	4	–	1	1	3	11	25	1	4	1	1	1	–	3	5	2	3
Enteritis	1	14	4	5	4	36	33	134	12	35	2	2	1	–	5	16	12	1
Peritonitis	–	5	4	3	1	9	7	57	–	23	2	1	3	2	4	5	4	5
Ascites	1	2	–	–	–	1	7	11	–	3	1	–	–	–	–	1	1	2
Ulceration of Intestines	1	2	4	3	–	–	5	12	1	11	2	1	–	2	2	–	2	4
Hernia	–	–	1	1	–	2	5	9	–	5	2	–	–	–	1	–	–	1
Ileus	1	4	1	–	1	6	6	24	–	11	2	3	1	1	1	4	2	2
Intussusception	–	–	–	1	–	1	2	2	–	–	1	–	–	1	–	1	–	–
Stricture of Intestines	–	–	–	–	1	–	–	3	–	–	–	–	–	–	–	–	1	1
Stomach Disease	2	17	7	10	4	27	28	61	4	38	3	4	2	–	9	15	5	5
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	2	–	1	1	6	6	19	1	6	–	3	–	–	2	4	–	1
Jaundice	1	4	2	2	–	3	7	13	1	12	2	–	–	–	–	3	2	1
Liver Disease	2	13	3	3	4	20	15	54	5	38	5	2	–	1	8	8	4	–
Spleen Disease	–	–	–	–	1	1	1	1	–	1	–	–	–	–	–	–	–	–
Nephritis	–	–	1	–	–	–	2	6	–	3	–	–	–	–	–	2	–	–
Nephria	–	1	–	1	3	4	1	25	1	12	–	–	–	–	2	1	3	5
Ischuria	1	–	–	–	–	1	–	4	–	2	1	–	–	–	–	–	–	–
Diabetes	1	–	1	1	–	1	2	5	–	4	–	–	–	–	1	–	–	1
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	3	2	1	–	4	5	22	–	13	–	–	–	–	2	2	2	3
Paramenia	–	–	–	1	–	2	3	2	–	2	–	1	–	1	–	4	–	–
Ovarian Dropsy	–	1	–	4	–	7	4	14	1	16	1	–	2	–	4	2	2	1
Childbirth	1	15	7	1	3	29	17	106	7	33	6	3	2	–	5	5	3	4
Organs of Generation	–	2	1	1	–	5	5	13	–	12	2	1	–	–	1	2	1	–
Arthritis	–	–	–	–	–	1	–	3	–	1	–	–	–	–	–	–	–	–
Rheumatism	–	1	1	3	–	11	3	22	–	6	2	–	–	1	3	1	2	–
Joint Disease	–	5	2	2	1	7	6	18	1	14	–	2	–	–	1	4	3	1
Carbuncle	–	–	–	–	–	1	–	1	–	2	1	–	–	–	–	1	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	1	1	1	–	3	1	5	1	1	2	1	–	1	1	2	–	1
Cyanosis	–	–	–	–	–	1	2	1	1	2	–	1	–	–	–	1	2	–
Spina Bifida	–	–	–	–	–	1	3	3	–	–	–	1	–	1	–	–	–	1
Other Malformations	–	–	–	1	–	5	–	3	1	5	–	1	–	–	–	–	1	–
Intemperance	–	–	–	–	–	1	1	8	–	10	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	1	1	–	–	11	–	9	–	–	–	–	–	–	1	1
Neglect	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cold	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Poison	–	1	–	–	–	–	4	6	–	3	1	–	–	–	–	–	–	1
Burns and Scalds	–	4	1	2	–	7	9	33	5	24	2	1	1	–	2	4	–	3
Hanging, etc.	1	–	–	–	–	2	1	2	–	3	–	1	–	–	1	1	–	–
Suffocation	–	2	1	–	–	2	2	14	–	13	–	–	–	–	1	–	2	1
Drowning	–	2	2	4	–	9	4	15	–	6	–	2	–	–	–	–	1	–
Fracture and Contusion	–	4	3	4	1	6	8	37	–	21	2	2	1	–	3	4	2	–
Wounds	–	–	–	–	–	1	1	4	–	5	–	1	–	–	–	–	–	–
Other Violent Causes	–	–	1	2	–	1	1	6	1	8	–	–	1	–	–	–	1	–
Not Specified	20	67	30	112	9	96	84	223	16	42	16	14	6	1	18	44	29	17

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1863.—BOTH SEXES.

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
ALL CAUSES	13329	817	886	4593	2714	1750	1218	1876	913	652
SPECIFIED CAUSES . . .	13143	769	866	4562	2679	1742	1184	1824	905	632
I. Zymotic Class . . .	4167	218	285	1070	935	415	256	738	297	153
II. Diseases of Uncertain Seat	295	29	19	204	89	67	38	35	31	32
III. Tubercular Class . .	2347	99	164	745	420	278	251	291	116	112
IV. Brain and Nervous System	856	59	57	441	180	185	114	122	82	64
V. Organs of Circulation .	431	11	22	264	107	88	38	56	34	32
VI. Respiratory Organs .	2306	191	119	663	375	235	160	175	132	65
VII. Organs of Digestion .	845	59	74	306	161	140	108	125	81	57
VIII. Urinary Organs . .	119	6	3	79	29	42	6	15	10	6
IX. Organs of Generation .	88	11	8	44	32	13	16	15	6	5
X. Organs of Locomotion .	73	4	4	42	7	11	16	5	7	4
XI. Skin, etc.	15	1	2	5	–	5	–	3	–	1
XII. Malformation . . .	16	–	–	11	3	6	2	9	2	3
XIII. Premature Debility . .	633	28	39	198	145	88	51	89	48	23
XIV. Atrophy	167	2	11	37	13	7	14	38	11	4
XV. Age	412	33	26	246	108	119	81	54	27	46
XVI. Sudden Deaths . .	24	–	–	6	2	1	–	2	1	2
XVII. Violent Deaths . .	349	18	33	201	73	42	33	52	20	23
I. Small Pox . . .	349	15	22	56	119	54	3	210	21	2
Measles	419	27	38	214	92	28	49	83	68	16
Scarlatina . . .	1203	64	51	131	320	3	23	66	16	7
Diphtheria . . .	244	12	24	115	30	45	10	21	27	15
Hooping Cough . .	575	20	45	55	82	35	24	140	5	19
Croup	248	29	42	119	71	27	45	47	28	20
Thrush	5	–	1	3	2	1	1	1	1	–
Diarrhœa	211	25	10	91	49	29	25	30	19	21
Dysentery . . .	46	3	3	13	13	11	6	4	7	2
Cholera	17	–	1	9	16	2	1	2	1	1
Influenza	18	–	1	5	4	10	–	–	–	–
Purpura	8	1	1	2	2	2	1	–	1	1
Ague	5	–	–	1	–	–	1	1	1	1
Worms	5	–	–	3	2	–	2	–	–	–
Infantile Fever . .	9	–	2	9	5	1	–	–	1	–
Typhus	671	19	35	181	104	129	54	105	90	41
Metria	26	1	2	11	3	9	3	7	2	1
Rheumatic Fever . .	15	–	–	7	3	3	1	2	–	–
Erysipelas . . .	58	2	5	24	10	16	3	14	4	5
Syphilis	33	–	1	20	8	10	3	3	5	1
Noma	2	–	1	1	–	–	1	2	–	–
Hydrophobia . . .	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage . . .	16	–	–	8	5	1	1	–	2	–
Dropsy	120	16	5	26	44	10	17	9	8	5
Abscess	30	1	3	16	9	8	4	3	5	3
Ulcer	8	1	2	2	2	4	–	1	–	–
Fistula	1	–	–	2	–	–	–	–	–	–
Mortification . . .	16	4	2	14	6	4	2	3	2	2
Cancer	104	7	7	136	23	39	14	19	13	21
Gout	–	–	–	–	–	1	–	–	1	1
III. Scrofula	115	5	7	48	11	20	11	19	7	9
Tabes Mesenterica . .	202	5	19	79	10	15	25	24	20	13
Phthisis	1588	74	104	468	294	185	179	200	74	66
Hydrocephalus . . .	442	15	34	150	105	58	36	48	15	24

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1863.—BOTH SEXES.

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
ALL CAUSES	274	529	237	381	302	177	377	460	636	379	334	438	553
SPECIFIED CAUSES	269	526	230	373	290	170	374	443	635	349	308	427	545
Zymotic Class	39	173	65	85	83	41	100	136	193	129	101	133	136
Uncertain Seat	9	22	4	14	13	8	12	15	16	11	8	18	19
Tubercular Class	29	63	34	69	48	21	69	72	121	59	54	71	113
Brain, etc.	23	36	22	49	22	18	28	30	44	25	20	12	38
Heart, etc.	3	30	17	25	12	14	26	11	25	14	3	10	19
Respiratory Organs	35	69	27	44	37	16	47	59	108	38	54	71	63
Digestive Organs	44	35	13	25	20	10	37	34	35	18	21	26	46
Urinary Organs	4	6	6	4	4	1	4	2	3	7	2	4	8
Generative Organs	5	2	1	4	6	1	4	2	4	1	4	2	5
Locomotive Organs	5	7	3	3	–	2	3	2	4	2	2	4	1
Skin	–	–	1	–	–	–	1	–	1	–	–	–	–
Malformation	–	4	2	–	1	1	2	2	2	1	–	1	1
Premature Debility	12	30	10	13	15	9	16	28	22	10	11	26	32
Atrophy	5	3	2	3	3	1	3	5	3	–	2	5	5
Age	40	30	19	28	15	21	16	34	35	28	22	14	43
Sudden Deaths	–	2	–	1	1	1	–	–	1	1	–	1	–
Violent Deaths	16	14	4	6	10	5	6	12	18	5	4	29	16
Small Pox	–	26	17	1	16	12	5	1	1	1	1	–	74
Measles	–	6	1	31	31	–	13	3	52	7	10	16	7
Scarlatina	2	60	1	15	3	3	27	15	53	56	21	26	5
Diphtheria	2	8	5	–	–	4	6	17	4	4	3	21	1
Hooping Cough	1	2	2	4	3	1	6	3	6	7	7	8	2
Croup	7	12	6	8	1	5	8	15	24	11	10	19	9
Thrush	–	–	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa	8	6	7	2	5	3	9	10	16	12	23	12	10
Dysentery	1	2	–	3	4	–	1	1	3	3	1	1	2
Cholera	–	4	–	1	–	–	–	–	–	–	1	1	1
Influenza	–	–	1	–	4	2	3	2	1	–	1	–	1
Purpura	–	1	–	–	–	–	1	–	–	2	–	–	2
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	1	–	2	1
Infantile Fever	–	–	–	–	–	–	–	–	1	–	–	–	–
Typhus	13	31	20	12	12	10	16	62	29	22	21	22	18
Metria	1	1	–	2	2	–	1	1	–	1	–	3	1
Rheumatic Fever	2	1	–	1	–	1	–	1	–	1	–	1	–
Erysipelas	2	8	2	4	1	–	3	1	2	–	1	1	1
Syphilis	–	5	2	1	–	–	1	3	1	1	–	–	1
Noma	–	–	–	–	2	–	–	–	–	–	1	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	1	1	1	–	–	–	–	1	–	–	–	–
Dropsy	1	6	–	1	8	1	4	5	1	2	6	10	4
Abscess	1	–	1	–	1	1	1	–	–	3	1	2	1
Ulcer	–	1	–	–	–	–	1	–	1	–	–	2	–
Fistula	–	–	–	–	1	–	–	1	1	–	–	–	–
Mortification	–	3	–	1	–	–	1	–	–	1	–	1	3
Cancer	7	11	2	11	3	6	4	9	12	5	1	3	11
Gout	–	–	–	–	–	–	1	–	–	–	–	–	–
Scrofula	–	2	–	6	1	1	4	8	7	5	3	3	3
Tabes Mesenterica	–	4	–	–	3	–	4	4	9	–	14	13	7
Phthisis	27	45	26	49	28	19	46	53	86	42	30	42	91
Hydrocephalus	2	12	8	14	16	1	15	7	19	12	7	13	12

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1863.—BOTH SEXES. (*Contd.*)

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
IV. Cephalitis	59	4	3	31	12	9	2	2	8	4
Apoplexy	186	18	11	81	30	40	32	26	21	19
Paralysis	172	15	19	148	44	53	33	36	30	16
Delirium Tremens	15	–	–	6	2	4	–	1	2	1
Chorea	–	1	–	–	–	1	–	–	1	–
Epilepsy	25	3	2	18	1	2	1	5	1	–
Tetanus	7	–	–	4	–	4	1	–	1	–
Insanity	6	–	3	3	1	9	1	–	–	6
Convulsions	210	7	12	64	75	39	13	22	11	6
Brain Disease	176	11	7	86	15	24	31	30	7	12
V. Pericarditis	21	1	2	2	1	1	–	1	–	–
Aneurism	11	–	–	13	1	3	1	–	5	–
Heart Disease	399	10	20	249	105	84	37	55	29	32
VI. Laryngitis	36	2	3	13	6	9	–	2	2	2
Bronchitis	1503	82	72	434	212	148	109	115	80	35
Pleurisy	21	10	1	24	11	8	3	2	2	2
Pneumonia	608	88	36	121	92	52	34	43	42	20
Asthma	74	4	5	34	38	10	13	6	5	4
Lung Disease	64	5	2	37	16	8	1	7	1	2
VII. Teething	295	14	26	50	69	46	35	50	19	19
Quinsey	8	3	5	6	1	1	3	1	–	1
Gastritis	15	1	5	6	1	3	2	4	2	–
Enteritis	204	10	12	50	14	4	28	22	13	8
Peritonitis	49	6	2	23	14	11	2	8	7	3
Ascites	9	–	2	5	2	4	2	–	1	–
Ulceration of Intestines	15	2	–	15	5	6	–	1	4	–
Hernia	8	–	1	8	2	3	3	2	1	3
Ileus	33	3	3	17	6	18	2	5	4	3
Intussusception	4	–	–	1	2	1	–	–	–	–
Stricture of Intestines	4	–	–	–	–	–	–	–	–	–
Stomach Disease	88	8	10	59	20	17	12	13	6	5
Pancreas Disease	–	–	–	–	–	–	–	–	–	–
Hepatitis	21	1	2	5	4	–	6	–	3	1
Jaundice	15	1	1	18	7	8	3	3	2	3
Liver Disease	72	10	3	40	13	18	10	15	19	11
Spleen Disease	5	–	2	3	1	–	–	1	–	–
VIII. Nephritis	12	–	1	5	4	2	–	–	1	–
Nephria	42	1	–	24	12	10	3	1	3	4
Ischuria	8	1	–	2	–	3	1	–	–	–
Diabetes	9	–	–	4	3	1	1	–	–	–
Stone	3	–	1	4	–	2	–	–	–	–
Cystitis	4	–	–	5	1	1	–	–	1	–
Stricture of Urethra	3	–	–	4	–	–	–	1	–	–
Kidney Disease	38	4	1	31	9	23	1	13	5	2
IX. Paramenia	1	–	–	1	–	–	–	2	–	–
Ovarian Dropsy	10	–	1	13	3	4	4	1	1	–
Childbirth	67	10	6	23	27	5	10	12	4	4
Organs of Generation	10	1	1	7	2	4	2	–	1	1
X. Arthritis	9	–	–	–	–	–	2	–	1	1
Rheumatism	24	1	3	8	3	5	6	1	1	2
Joint and Bone Disease	40	3	1	34	4	6	8	4	5	1
XI. Carbuncle	4	–	–	4	–	–	–	1	–	1
Phlegmon	2	–	2	–	–	–	–	–	–	–
Skin Disease	9	1	–	1	–	5	–	2	–	–
XII. Cyanosis	3	–	–	3	2	2	–	4	–	2
Spina Bifida	3	–	–	1	1	3	1	–	–	–
Other Malformations	10	–	–	7	–	1	1	5	2	1
XVII. Intemperance	17	–	–	9	1	1	–	2	1	–
Privation	2	–	–	1	–	–	–	–	–	–
Want of Breast Milk	25	–	2	10	7	7	–	3	1	2
Neglect	2	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–
Poison	8	–	1	6	7	2	1	–	1	–
Burns and Scalds	55	1	8	23	11	5	7	6	3	1
Hanging, etc.	6	–	2	3	–	–	3	1	1	–
Suffocation	23	1	–	18	9	5	–	4	3	–
Drowning	57	4	7	14	9	9	8	6	4	4
Fracture and Contusion	128	10	10	85	24	9	14	24	6	15
Wounds	13	1	3	15	1	1	–	1	–	1
Other Violent Causes	12	1	–	17	4	3	–	5	–	–
Not Specified	186	48	20	31	35	8	34	52	8	20

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1863.—BOTH SEXES. (*Contd.*)

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
Cephalitis	1	7	1	2	1	3	–	2	4	–	1	–	–
Apoplexy	6	7	7	16	7	3	4	8	10	4	7	1	8
Paralysis	11	5	5	14	5	4	11	16	14	11	4	–	13
Delirium Tremens	–	–	–	–	–	–	–	–	–	1	–	–	1
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	1	2	4	–	–	1	–	1	1	1	1	2
Tetanus	–	–	–	–	–	–	–	–	–	–	–	1	1
Insanity	2	–	–	2	–	2	–	–	–	–	–	–	1
Convulsions	1	8	3	2	6	1	3	2	5	4	6	9	4
Brain Disease	1	8	4	9	3	5	9	2	10	4	1	–	8
Pericarditis	–	–	–	1	–	–	1	–	–	1	–	1	1
Aneurism	–	1	–	–	–	1	–	–	–	–	–	–	1
Heart Disease	3	29	17	24	12	13	25	11	25	13	3	9	17
Laryngitis	–	1	–	1	–	1	3	1	1	1	3	–	3
Bronchitis	16	44	17	28	20	11	27	38	89	26	33	44	27
Pleurisy	–	–	–	3	–	–	–	3	1	2	1	1	2
Pneumonia	12	16	8	9	14	2	9	12	12	6	12	23	23
Asthma	7	6	1	2	2	2	3	3	4	3	5	3	3
Lung Disease	–	2	1	1	1	–	5	2	1	–	–	–	5
Teething	13	10	–	6	7	2	6	9	6	–	5	5	7
Quinsey	–	1	–	–	–	–	–	–	–	–	1	–	1
Gastritis	1	–	–	–	–	1	2	4	–	3	2	5	2
Enteritis	7	11	–	–	5	–	12	4	14	3	–	2	11
Peritonitis	2	1	–	7	–	2	3	2	1	2	1	1	1
Ascites	1	–	–	–	–	–	1	3	–	2	3	–	–
Ulceration of Intestines	–	–	2	4	1	1	–	–	–	2	1	2	2
Hernia	–	1	1	–	–	1	–	1	1	–	–	1	–
Ileus	4	3	–	–	–	–	2	1	1	1	1	1	2
Intussusception	1	–	–	–	–	–	–	1	–	–	–	–	1
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	5	5	6	2	4	1	6	3	3	3	3	6	14
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	1	1	–	2	1	1	2	2
Jaundice	2	1	–	1	2	–	–	2	2	–	1	1	1
Liver Disease	8	2	4	5	1	1	4	4	5	1	2	–	2
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	1	1	–	–	–	–	1	1	1	–	–	1
Nephria	–	2	–	1	–	–	1	–	–	3	–	2	4
Ischuria	–	–	–	–	–	–	–	–	–	1	1	–	–
Diabetes	–	–	–	1	–	1	–	–	–	–	–	1	–
Stone	–	–	–	–	1	–	–	–	–	–	–	–	1
Cystitis	–	1	–	–	–	–	–	–	–	2	–	–	–
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	3	2	5	2	3	–	3	1	2	–	1	1	2
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	1	–	–	2	–	–	–	–	–	–	–	3
Childbirth	3	1	–	4	4	1	4	2	4	1	4	2	2
Organs of Generation	1	–	1	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	5	3	–	1	–	–	–	–	2	1	1	–	–
Joint Disease	–	4	3	2	–	2	3	2	2	1	1	4	1
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	1	–	–	–	1	–	1	–	–	–	–
Cyanosis	–	4	2	–	–	–	–	1	–	–	–	–	1
Spina Bifida	–	–	–	–	1	–	–	1	–	1	–	–	–
Other Malformations	–	–	–	–	–	1	2	–	2	–	–	1	–
Intemperance	–	2	1	–	–	1	–	–	–	–	–	2	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	–	–	–	–	–	–	–	–	–	–	–	2
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	2	–	–	–	–
Burns and Scalds	1	1	–	–	–	–	–	1	4	–	2	4	3
Hanging, etc.	–	–	2	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	2	1	–	–	–	1	–	–	2	–
Drowning	3	2	–	1	–	–	1	5	3	–	–	3	1
Fracture and Contusion	10	7	1	2	3	4	4	3	6	4	2	18	10
Wounds	–	1	–	1	–	–	1	1	1	–	–	–	–
Other Violent Causes	–	1	–	–	6	–	–	2	1	1	–	–	–
Not Specified	5	3	7	8	12	7	3	17	1	30	26	11	8

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1863.—MALES.

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
ALL CAUSES	6788	411	430	2341	1340	825	596	959	444	331
SPECIFIED CAUSES	6691	386	416	2323	1327	823	579	934	438	320
I. Zymotic Class	2107	116	127	521	453	206	124	358	139	84
II. Diseases of Uncertain Seat	112	13	11	81	33	23	11	11	13	8
III. Tubercular Class	1150	52	74	398	195	132	134	138	54	53
IV. Brain and Nervous System	494	34	36	251	108	102	56	71	47	34
V. Organs of Circulation	187	5	7	139	55	38	21	33	21	17
VI. Respiratory Organs	1212	89	56	341	185	105	79	94	57	37
VII. Organs of Digestion	430	31	38	149	87	71	55	74	37	24
VIII. Urinary Organs	72	3	3	53	18	25	6	12	6	4
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	44	2	1	28	4	6	8	5	2	1
XI. Skin, etc.	11	–	2	2	–	4	–	1	–	–
XII. Malformation	12	–	–	7	3	6	–	5	1	1
XIII. Premature Debility	350	14	26	122	83	44	30	49	28	14
XIV. Atrophy	80	1	4	10	6	2	4	22	8	1
XV. Age	166	12	8	94	40	30	29	18	11	19
XVI. Sudden Deaths	13	–	–	2	2	1	–	2	–	2
XVII. Violent Deaths	251	14	23	125	55	28	22	41	14	21
I. Small Pox	199	8	10	34	56	28	2	114	9	1
Measles	218	19	18	105	36	15	30	36	30	6
Scarlatina	643	34	23	64	156	–	12	35	5	4
Diphtheria	109	7	10	50	17	22	2	16	14	8
Hooping Cough	255	5	16	27	38	19	9	61	2	11
Croup	123	20	23	68	39	17	24	24	16	12
Thrush	1	–	–	2	2	–	1	1	–	–
Diarrhœa	111	11	5	46	25	16	12	14	9	12
Dysentery	25	1	2	5	1	5	2	1	4	1
Cholera	10	–	–	7	8	1	–	2	–	–
Influenza	10	–	–	2	3	4	–	–	–	–
Purpura	4	–	–	2	2	1	1	–	–	1
Ague	3	–	–	–	–	–	1	–	1	1
Worms	3	–	–	1	2	–	1	–	–	–
Infantile Fever	6	–	2	5	4	–	–	–	1	–
Typhus	337	10	16	80	46	65	24	51	43	25
Metria	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	5	–	–	3	2	1	–	–	–	–
Erysipelas	29	1	1	13	10	5	1	3	3	1
Syphilis	16	–	1	7	6	7	1	–	2	1
Noma	–	–	–	–	–	–	1	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	7	–	–	4	4	–	–	–	1	–
Dropsy	46	10	3	7	19	7	7	3	3	1
Abscess	19	–	2	9	4	2	2	1	1	–
Ulcer	3	–	–	1	–	2	–	1	–	–
Fistula	–	–	–	1	–	–	–	–	–	–
Mortification	6	–	2	3	2	2	–	2	–	–
Cancer	31	3	4	56	4	9	2	4	7	6
Gout	–	–	–	–	–	1	–	–	1	1
III. Scrofula	58	3	3	27	5	12	5	12	2	5
Tabes Mesenterica	106	2	9	34	6	11	13	9	10	7
Phthisis	735	38	47	254	127	76	93	91	34	34
Hydrcephalus	251	9	15	83	57	33	23	26	8	7

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1863.—MALES.

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
ALL CAUSES	132	271	99	166	136	89	185	240	321	184	162	237	295
SPECIFIED CAUSES	128	269	95	163	132	85	183	234	321	172	147	233	292
Zymotic Class	14	93	23	43	42	26	45	75	95	63	52	58	65
Uncertain Seat	2	9	2	2	7	3	6	6	5	5	3	9	5
Tubercular Class	14	33	17	26	20	11	39	36	53	27	22	35	58
Brain, etc.	14	25	9	25	9	8	16	17	28	13	10	7	21
Heart, etc.	1	14	7	12	6	9	17	5	15	8	2	7	8
Respiratory Organs	20	36	10	23	21	11	18	42	62	21	29	55	41
Digestive Organs	20	15	7	9	5	3	14	13	16	7	13	11	28
Urinary Organs	4	6	2	4	2	1	3	1	3	4	2	2	7
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	2	3	2	2	–	1	–	2	3	1	1	1	–
Skin	–	–	1	–	–	–	–	–	–	–	–	–	–
Malformation	–	2	2	–	1	–	2	–	2	–	–	1	1
Premature Debility	4	18	4	6	1	4	11	18	11	7	2	12	24
Atrophy	2	–	–	–	2	–	2	1	2	–	–	1	3
Age	18	6	6	9	7	4	6	8	14	10	8	6	18
Sudden Deaths	–	2	–	1	1	–	–	–	–	1	–	1	–
Violent Deaths	13	7	3	1	8	4	4	10	12	5	3	27	13
Small Pox	–	14	5	1	11	6	1	1	1	1	–	–	44
Measles	–	5	–	16	16	–	5	3	24	2	4	7	2
Scarlatina	–	36	1	10	2	2	18	9	26	27	11	12	–
Diphtheria	2	4	1	–	–	3	3	6	3	–	–	7	–
Hooping Cough	–	–	–	1	3	–	1	2	2	5	3	4	–
Croup	5	8	3	5	–	4	3	8	10	8	3	9	5
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	2	2	–	3	3	2	7	11	4	14	7	6
Dysentery	1	1	–	–	3	–	1	1	2	3	–	–	–
Cholera	–	2	–	–	–	–	–	–	–	–	1	1	–
Influenza	–	–	1	–	1	1	2	1	–	–	–	–	–
Purpura	–	1	–	–	–	–	–	–	–	1	–	–	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	1	–	1	1
Infantile Fever	–	–	–	–	–	–	–	–	1	–	–	–	–
Typhus	4	13	8	6	3	6	8	34	14	10	15	9	5
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	–	1	–	–	–	–	–	1	–
Erysipelas	1	3	1	3	–	–	–	1	–	–	1	–	–
Syphilis	–	4	1	1	–	–	1	2	1	1	–	–	1
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	1	1	1	–	–	–	–	1	–	–	–	–
Dropsy	–	2	–	1	4	1	2	2	–	1	2	7	1
Abscess	–	–	1	–	1	1	1	–	–	2	–	1	1
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	1	–	–	1	1	–	–	–	–
Mortification	–	2	–	–	–	–	1	–	–	1	–	–	2
Cancer	2	4	–	–	1	1	1	3	3	1	1	1	1
Gout	–	–	–	–	–	–	1	–	–	–	–	–	–
Scrofula	–	2	–	1	–	1	1	4	4	2	2	2	2
Tabes Mesenterica	–	3	–	–	2	–	2	2	4	–	3	10	4
Phthisis	14	21	11	17	8	9	27	25	34	17	14	15	46
Hydrocephalus	–	7	6	8	10	1	9	5	11	8	3	8	6

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1863.—MALES. (*Contd.*)

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
IV. Cephalitis	37	2	2	22	11	5	1	1	7	3
Apoplexy	108	13	7	38	14	15	13	16	11	11
Paralysis	92	4	15	76	22	29	17	20	13	7
Delirium Tremens	13	–	–	5	2	4	–	1	2	1
Chorea	–	1	–	–	–	–	–	–	1	–
Epilepsy	10	1	–	12	1	2	1	2	1	–
Tetanus	5	–	–	3	–	2	1	–	1	–
Insanity	2	–	2	1	–	5	1	–	–	2
Convulsions	127	4	7	45	47	24	6	14	6	3
Brain Disease	100	9	3	49	11	16	16	17	5	7
V. Pericarditis	9	1	1	1	1	–	–	1	–	–
Aneurism	7	–	–	11	1	2	1	–	4	–
Heart Disease	171	4	6	127	53	36	20	32	17	17
VI. Laryngitis	20	1	1	6	4	3	–	2	2	1
Bronchitis	757	35	34	226	96	64	51	60	31	19
Pleurisy	13	5	1	13	7	6	–	1	–	–
Pneumonia	343	42	17	61	48	24	19	27	22	13
Asthma	41	3	2	20	21	5	8	1	2	3
Lung Disease	38	3	1	15	9	3	1	3	–	1
VII. Teething	150	6	12	21	39	23	15	29	10	5
Quinsey	3	3	3	4	–	–	3	1	–	1
Gastritis	4	1	3	4	–	1	1	4	1	–
Enteritis	116	4	4	25	11	1	14	12	5	5
Peritonitis	17	3	1	9	8	2	–	4	3	1
Ascites	4	–	1	3	1	2	1	–	–	–
Ulceration of Intestines	8	2	–	7	2	5	–	1	3	–
Hernia	5	–	1	4	1	1	2	2	–	2
Ileus	19	2	1	9	5	9	2	2	2	1
Intussusception	2	–	–	1	1	1	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–
Stomach Disease	42	6	8	29	7	10	7	10	3	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–
Hepatitis	10	1	–	2	1	–	4	–	2	1
Jaundice	8	–	1	7	3	6	2	2	1	2
Liver Disease	37	3	1	21	8	10	4	7	7	4
Spleen Disease	4	–	2	3	–	–	–	–	–	–
VIII. Nephritis	9	–	1	2	2	1	–	–	1	–
Nephria	21	1	–	15	5	8	3	1	1	3
Ischuria	5	–	–	1	–	3	1	–	–	–
Diabetes	5	–	–	3	3	1	1	–	–	–
Stone	3	–	1	4	–	2	–	–	–	–
Cystitis	4	–	–	4	1	1	–	–	–	–
Stricture of Urethra	3	–	–	4	–	–	–	1	–	–
Kidney Disease	22	2	1	20	7	9	1	10	4	1
IX. Paramenia	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–
X. Arthritis	6	–	–	–	–	–	1	–	–	–
Rheumatism	8	–	1	4	1	2	3	1	–	1
Joint and Bone Disease	30	2	–	24	3	4	4	4	2	–
XI. Carbuncle	3	–	–	2	–	–	–	–	–	–
Phlegmon	2	–	2	–	–	–	–	–	–	–
Skin Disease	6	–	–	–	–	4	–	1	–	–
XII. Cyanosis	2	–	–	2	2	2	–	3	–	1
Spina Bifida	1	–	–	1	1	3	–	–	–	–
Other Malformations	9	–	–	4	–	1	–	2	1	–
XVII. Intemperance	9	–	–	2	1	1	–	1	1	–
Privation	2	–	–	–	–	–	–	–	–	–
Want of Breast Milk	16	–	1	4	6	3	–	3	–	2
Neglect	1	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–
Poison	4	–	–	4	3	1	1	–	–	–
Burns and Scalds	35	–	4	7	7	1	2	4	1	–
Hanging, etc.	5	–	2	1	–	–	1	1	1	–
Suffocation	11	–	–	9	4	5	–	2	2	–
Drowning	45	4	6	11	8	9	5	2	3	4
Fracture and Contusion	104	8	8	67	23	6	13	22	6	14
Wounds	10	1	2	10	1	1	–	1	–	1
Other Violent Causes	9	1	–	10	2	1	–	5	–	–
Not Specified	97	25	14	18	13	2	17	25	6	11

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1863.—MALES. (*Contd.*)

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
Cephalitis	1	5	–	–	–	1	–	1	3	–	–	–	–
Apoplexy	3	5	2	5	4	2	3	7	7	2	4	1	2
Paralysis	9	4	2	8	2	1	5	6	7	6	1	–	8
Delirium Tremens	–	–	–	–	–	–	–	–	–	1	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	1	2	4	–	–	–	–	1	–	1	1	1
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	1	–	–	–	–	–	–	–	–	–
Convulsions	–	5	2	1	3	–	2	2	4	1	3	5	3
Brain Disease	–	5	1	6	–	4	6	1	6	3	1	–	7
Pericarditis	–	–	–	1	–	–	1	–	–	1	–	1	1
Aneurism	–	1	–	–	–	1	–	–	–	–	–	–	1
Heart Disease	1	13	7	11	6	8	16	5	15	7	2	6	6
Laryngitis	–	–	–	1	–	1	2	1	1	1	3	–	2
Bronchitis	8	20	9	12	12	7	10	25	50	12	13	31	15
Pleurisy	–	–	–	–	–	–	–	3	1	2	–	1	1
Pneumonia	9	9	–	8	9	1	3	9	7	4	9	20	18
Asthma	3	5	1	1	–	2	2	3	3	2	4	3	1
Lung Disease	–	2	–	1	–	–	1	1	–	–	–	–	4
Teething	5	2	–	1	3	1	4	6	2	–	3	1	4
Quinsey	–	1	–	–	–	–	–	–	–	–	1	–	1
Gastritis	–	–	–	–	–	1	2	2	–	1	–	2	–
Enteritis	2	4	–	–	1	–	6	–	7	1	–	–	9
Peritonitis	1	–	–	3	–	–	–	–	1	2	–	1	1
Ascites	–	–	–	–	–	–	–	–	–	–	1	–	–
Ulceration of Intestines	–	–	2	3	–	–	–	–	–	1	1	1	1
Hernia	–	1	–	–	–	–	–	–	–	–	–	1	–
Ileus	4	2	–	–	–	–	1	1	1	1	1	1	1
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	1
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	3	3	3	–	–	–	–	–	2	1	3	3	7
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	1	–	–	–	–	1	1	2
Jaundice	1	1	–	1	1	–	–	1	–	–	1	–	–
Liver Disease	4	1	2	1	–	–	1	3	3	–	1	–	1
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	1	–	–	–	–	–	–	1	–	–	–	1
Nephria	–	2	–	1	–	–	1	–	–	1	–	1	3
Ischuria	–	–	–	–	–	–	–	–	–	1	1	–	–
Diabetes	–	–	–	1	–	1	–	–	–	–	–	1	–
Stone	–	–	–	–	1	–	–	–	–	–	–	–	1
Cystitis	–	1	–	–	–	–	–	–	–	2	–	–	–
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	3	2	2	2	1	–	2	1	2	–	1	–	2
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	2	2	–	1	–	–	–	–	2	1	1	–	–
Joint Disease	–	1	2	1	–	1	–	2	1	–	–	1	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	1	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	2	2	–	–	–	–	–	–	–	–	–	1
Spina Bifida	–	–	–	–	1	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	2	–	2	–	–	1	–
Intemperance	–	1	1	–	–	–	–	–	–	–	–	2	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	–	–	–	–	–	–	–	–	–	–	–	1
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	1	–	–	–	–
Burns and Scalds	1	–	–	–	–	–	–	–	3	–	1	4	2
Hanging, etc.	–	–	1	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	1	1	–	–	–	1	–	–	1	–
Drowning	3	2	–	–	–	–	1	4	2	–	–	3	1
Fracture and Contusion	7	2	1	–	3	4	2	3	3	4	2	17	9
Wounds	–	1	–	–	–	–	1	1	1	–	–	–	–
Other Violent Causes	–	1	–	–	4	–	–	2	1	1	–	–	–
Not Specified	4	2	4	3	4	4	2	6	–	12	15	4	3

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1863.—FEMALES.

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
ALL CAUSES	6541	406	456	2252	1374	925	622	917	469	321
SPECIFIED CAUSES	6452	383	450	2239	1352	919	605	890	467	312
I. Zymotic Class	2060	102	158	549	482	209	132	380	158	69
II. Diseases of Uncertain Seat	183	16	8	123	56	44	27	24	18	24
III. Tubercular Class	1197	47	90	347	225	146	117	153	62	59
IV. Brain and Nervous System	362	25	21	190	72	83	58	51	35	30
V. Organs of Circulation	244	6	15	125	52	50	17	23	13	15
VI. Respiratory Organs	1094	102	63	322	190	130	81	81	75	28
VII. Organs of Digestion	415	28	36	157	74	69	53	51	44	33
VIII. Urinary Organs	47	3	–	26	11	17	–	3	4	2
IX. Organs of Generation	88	11	8	44	32	13	16	15	6	5
X. Organs of Locomotion	29	2	3	14	3	5	8	–	5	3
XI. Skin, etc.	4	1	–	3	–	1	–	2	–	1
XII. Malformation	4	–	–	4	–	–	2	4	1	2
XIII. Premature Debility	283	14	13	76	62	44	21	40	20	9
XIV. Atrophy	87	1	7	27	7	5	10	16	3	3
XV. Age	246	21	18	152	68	89	52	36	16	27
XVI. Sudden Deaths	11	–	–	4	–	–	–	–	1	–
XVII. Violent Deaths	98	4	10	76	18	14	11	11	6	2
I. Small Pox	150	7	12	22	63	26	1	96	12	1
Measles	201	8	20	109	56	13	19	47	38	10
Scarlatina	560	30	28	67	164	3	11	31	11	3
Diphtheria	135	5	14	65	13	23	8	5	13	7
Hooping Cough	320	15	29	28	44	16	15	79	3	8
Croup	125	9	19	51	32	10	21	23	12	8
Thrush	4	–	1	1	–	1	–	–	1	–
Diarrhœa	100	14	5	45	24	13	13	16	10	9
Dysentery	21	2	1	8	12	6	4	3	3	1
Cholera	7	–	1	2	8	1	1	–	1	1
Influenza	8	–	1	3	1	6	–	–	–	–
Purpura	4	1	1	–	–	1	–	–	1	–
Ague	2	–	–	1	–	–	–	1	–	–
Worms	2	–	–	2	–	–	1	–	–	–
Infantile Fever	3	–	–	4	1	1	–	–	–	–
Typhus	334	9	19	101	58	64	30	54	47	16
Metria	26	1	2	11	3	9	3	7	2	1
Rheumatic Fever	10	–	–	4	1	2	1	2	–	–
Erysipelas	29	1	4	11	–	11	2	11	1	4
Syphilis	17	–	–	13	2	3	2	3	3	–
Noma	2	–	1	1	–	–	–	2	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	9	–	–	4	1	1	1	–	1	–
Dropsy	74	6	2	19	25	3	10	6	5	4
Abscess	11	1	1	7	5	6	2	2	4	3
Ulcer	5	1	2	1	2	2	–	–	–	–
Fistula	1	–	–	1	–	–	–	–	–	–
Mortification	10	4	–	11	4	2	2	1	2	2
Cancer	73	4	3	80	19	30	12	15	6	15
Gout	–	–	–	–	–	–	–	–	–	–
III. Scrofula	57	2	4	21	6	8	6	7	5	4
Tabes Mesenterica	96	3	10	45	4	4	12	15	10	6
Phthisis	853	36	57	214	167	109	86	109	40	32
Hydrocephalus	191	6	19	67	48	25	13	22	7	17

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1863.—FEMALES.

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
ALL CAUSES	142	258	138	215	166	88	192	220	315	195	172	201	258
SPECIFIED CAUSES	141	257	135	210	158	85	191	209	314	177	161	194	253
Zymotic Class	25	80	42	42	41	15	55	61	98	66	49	75	71
Uncertain Seat	7	13	2	12	6	5	6	9	11	6	5	9	14
Tubercular Class	15	30	17	43	28	10	30	36	68	32	32	36	55
Brain, etc.	9	11	13	24	13	10	12	13	16	12	10	5	17
Heart, etc.	2	16	10	13	6	5	9	6	10	6	1	3	11
Respiratory Organs	15	33	17	21	16	5	29	17	46	17	25	16	22
Digestive Organs	24	20	6	16	15	7	23	21	19	11	8	15	18
Urinary Organs	–	–	4	–	2	–	1	1	–	3	–	2	1
Generative Organs	5	2	1	4	6	1	4	2	4	1	4	2	5
Locomotive Organs	3	4	1	1	–	1	3	–	1	1	1	3	1
Skin	–	–	–	–	–	–	1	–	1	–	–	–	–
Malformation	–	2	–	–	–	1	–	2	–	1	–	–	–
Premature Debility	8	12	6	7	14	5	5	10	11	3	9	14	8
Atrophy	3	3	2	3	1	1	1	3	1	–	2	4	2
Age	22	24	13	19	8	17	10	26	21	18	14	8	25
Sudden Deaths	–	–	–	–	–	1	–	–	1	–	–	–	–
Violent Deaths	3	7	1	5	2	1	2	2	6	–	1	2	3
Small Pox	–	12	12	–	5	6	4	–	–	–	1	–	30
Measles	–	1	1	15	15	–	8	–	28	5	6	9	5
Scarlatina	2	24	–	5	1	1	9	6	27	29	10	14	5
Diphtheria	–	4	4	–	–	1	3	11	1	4	3	14	1
Hooping Cough	1	2	2	3	–	1	5	1	4	2	4	4	2
Croup	2	4	3	3	1	1	5	7	14	3	7	10	4
Thrush	–	–	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa	8	4	5	2	2	–	7	3	5	8	9	5	4
Dysentery	–	1	–	3	1	–	–	–	1	–	1	1	2
Cholera	–	2	–	1	–	–	–	–	–	–	–	–	1
Influenza	–	–	–	–	3	1	1	1	1	–	1	–	1
Purpura	–	–	–	–	–	–	1	–	–	1	–	–	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	1	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	9	18	12	6	8	4	8	29	15	12	6	13	13
Metria	1	1	–	2	2	–	1	1	–	1	–	3	1
Rheumatic Fever	1	1	–	1	–	–	–	1	–	1	–	–	–
Erysipelas	1	5	1	1	1	–	3	–	2	–	–	1	1
Syphilis	–	1	1	–	–	–	–	1	–	–	–	–	–
Noma	–	–	–	–	2	–	–	–	–	–	1	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	1	4	–	–	4	–	2	3	1	1	4	3	3
Abscess	1	–	–	–	–	–	–	–	–	1	1	1	–
Ulcer	–	1	–	–	–	–	1	–	1	–	–	2	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	1	–	1	–	–	–	–	–	–	–	1	1
Cancer	5	7	2	11	2	5	3	6	9	4	–	2	10
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	5	1	–	3	4	3	3	1	1	1
Tabes Mesenterica	–	1	–	–	1	–	2	2	5	–	11	3	3
Phthisis	13	24	15	32	20	10	19	28	52	25	16	27	45
Hydrocephalus	2	5	2	6	6	–	6	2	8	4	4	5	6

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1863.—FEMALES. (*Contd.*)

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
IV. Cephalitis	22	2	1	9	1	4	1	1	1	1
Apoplexy	78	5	4	43	16	25	19	10	10	8
Paralysis	80	11	4	72	22	24	16	16	17	9
Delirium Tremens	2	–	–	1	–	–	–	–	–	–
Chorea	–	–	–	–	–	1	–	–	–	–
Epilepsy	15	2	2	6	–	–	–	3	–	–
Tetanus	2	–	–	1	–	2	–	–	–	–
Insanity	4	–	1	2	1	4	–	–	–	4
Convulsions	83	3	5	19	28	15	7	8	5	3
Brain Disease	76	2	4	37	4	8	15	13	2	5
V. Pericarditis	12	–	1	1	–	1	–	–	–	–
Aneurism	4	–	–	2	–	1	–	–	1	–
Heart Disease	228	6	14	122	52	48	17	23	12	15
VI. Laryngitis	16	1	2	7	2	6	–	–	–	1
Bronchitis	746	47	38	208	116	84	58	55	49	16
Pleurisy	8	5	–	11	4	2	3	1	2	2
Pneumonia	265	46	19	60	44	28	15	16	20	7
Asthma	33	1	3	14	17	5	5	5	3	1
Lung Disease	26	2	1	22	7	5	–	4	1	1
VII. Teething	145	8	14	29	30	23	20	21	9	14
Quinsey	5	–	2	2	1	1	–	–	–	–
Gastritis	11	–	2	2	1	2	1	–	1	–
Enteritis	88	6	8	25	3	3	14	10	8	3
Peritonitis	32	3	1	14	6	9	2	4	4	2
Ascites	5	–	1	2	1	2	1	–	1	–
Ulceration of Intestines	7	–	–	8	3	1	–	–	1	–
Hernia	3	–	–	4	1	2	1	–	1	1
Ileus	14	1	2	8	1	9	–	3	2	2
Intussusception	2	–	–	–	1	–	–	–	–	–
Stricture of Intestines	3	–	–	–	–	–	–	–	–	–
Stomach Disease	46	2	2	30	13	7	5	3	3	3
Pancreas Disease	–	–	–	–	–	–	–	–	–	–
Hepatitis	11	–	2	3	3	–	2	–	1	–
Jaundice	7	1	–	11	4	2	1	1	1	1
Liver Disease	35	7	2	19	5	8	6	8	12	7
Spleen Disease	1	–	–	–	1	–	–	1	–	–
VIII. Nephritis	3	–	–	3	2	1	–	–	–	–
Nephria	21	–	–	9	7	2	–	–	2	1
Ischuria	3	1	–	1	–	–	–	–	–	–
Diabetes	4	–	–	1	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	1	–	–	–	–	1	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–
Kidney Disease	16	2	–	11	2	14	–	3	1	1
IX. Paramenia	1	–	–	1	–	–	–	2	–	–
Ovarian Dropsy	10	–	1	13	3	4	4	1	1	–
Childbirth	67	10	6	23	27	5	10	12	4	4
Organs of Generation	10	1	1	7	2	4	2	–	1	1
X. Arthritis	3	–	–	–	–	–	1	–	1	1
Rheumatism	16	1	2	4	2	3	3	–	1	1
Joint and Bone Disease	10	1	1	10	1	2	4	–	3	1
XI. Carbuncle	1	–	–	2	–	–	–	1	–	1
Phlegmon	–	–	–	–	–	–	–	–	–	–
Skin Disease	3	1	–	1	–	1	–	1	–	–
XII. Cyanosis	1	–	–	1	–	–	–	1	–	1
Spina Bifida	2	–	–	–	–	–	1	–	–	–
Other Malformations	1	–	–	3	–	–	1	3	1	1
XVII. Intemperance	8	–	–	7	–	–	–	1	–	–
Privation	–	–	–	1	–	–	–	–	–	–
Want of Breast Milk	9	–	1	6	1	4	–	–	1	–
Neglect	1	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–
Poison	4	–	1	2	4	1	–	–	1	–
Burns and Scalds	20	1	4	16	4	4	5	2	2	1
Hanging, etc.	1	–	–	2	–	–	2	–	–	–
Suffocation	12	1	–	9	5	–	–	2	1	–
Drowning	12	–	1	3	1	–	3	4	1	–
Fracture and Contusion	24	2	2	18	1	3	1	2	–	1
Wounds	3	–	1	5	–	–	–	–	–	–
Other Violent Causes	3	–	–	7	2	2	–	–	–	–
Not Specified	89	23	6	13	22	6	17	27	2	9

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1863.—FEMALES. (*Contd.*)

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
Cephalitis	–	2	1	2	1	2	–	1	1	–	1	–	–
Apoplexy	3	2	5	11	3	1	1	1	3	2	3	–	6
Paralysis	2	1	3	6	3	3	6	10	7	5	3	–	5
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	1
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	–	–	1	–	–	1	–	–	1
Tetanus	–	–	–	–	–	–	–	–	–	–	–	1	1
Insanity	1	–	–	1	–	2	–	–	–	–	–	–	1
Convulsions	1	3	1	1	3	1	1	–	1	3	3	4	1
Brain Disease	1	3	3	3	3	1	3	1	4	1	–	–	1
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	2	16	10	13	6	5	9	6	10	6	1	3	11
Laryngitis	–	1	–	–	–	–	1	–	–	–	–	–	1
Bronchitis	8	24	8	16	8	4	17	13	39	14	20	13	12
Pleurisy	–	–	–	3	–	–	–	–	–	–	1	–	1
Pneumonia	3	7	8	1	5	1	6	3	5	2	3	3	5
Asthma	4	1	–	1	2	–	1	–	1	1	1	–	2
Lung Disease	–	–	1	–	1	–	4	1	1	–	–	–	1
Teething	8	8	–	5	4	1	2	3	4	–	2	4	3
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	2	–	2	2	3	2
Enteritis	5	7	–	–	4	–	6	4	7	2	–	2	2
Peritonitis	1	1	–	4	–	2	3	2	–	–	1	–	–
Ascites	1	–	–	–	–	–	1	3	–	2	2	–	–
Ulceration of Intestines	–	–	–	1	1	1	–	–	–	1	–	1	1
Hernia	–	–	1	–	–	1	–	1	1	–	–	–	–
Ileus	–	1	–	–	–	–	1	–	–	–	–	–	1
Intussusception	1	–	–	–	–	–	–	1	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	2	2	3	2	4	1	6	3	1	2	–	3	7
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	1	–	2	1	–	1	–
Jaundice	1	–	–	–	1	–	–	1	2	–	–	1	1
Liver Disease	4	1	2	4	1	1	3	1	2	1	1	–	1
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	1	–	–	–	–	1	–	1	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	2	–	1	1
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	3	–	2	–	1	–	–	–	–	1	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	1	–	–	2	–	–	–	–	–	–	–	3
Childbirth	3	1	–	4	4	1	4	2	4	1	4	2	2
Organs of Generation	1	–	1	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	3	1	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	3	1	1	–	1	3	–	1	1	1	3	1
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	1	–	1	–	–	–	–
Cyanosis	–	2	–	–	–	–	–	1	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	1	–	1	–	–	–
Other Malformations	–	–	–	–	–	1	–	–	–	–	–	–	–
Intemperance	–	1	–	–	–	1	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	1
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	1	–	–	–	–
Burns and Scalds	–	1	–	–	–	–	–	1	1	–	1	–	1
Hanging, etc.	–	–	1	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	1	–	–	–	–	–	–	–	1	–
Drowning	–	–	–	1	–	–	–	1	1	–	–	–	–
Fracture and Contusion	3	5	–	2	–	–	2	–	3	–	–	1	1
Wounds	–	–	–	1	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	2	–	–	–	–	–	–	–	–
Not Specified	1	1	3	5	8	3	1	11	1	18	11	7	5

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1863.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	71481	6227	2218	4680	7385	3975	2751	1815	4185	1890	2258	2634	2452
Specified Causes	68201	5315	1970	4430	7033	3804	2660	1746	4034	1811	2166	2530	2382
I. Zymotic Class	18888	738	580	1684	3402	2254	1723	1147	2441	662	537	503	413
II. Diseases of Uncertain Seat	2308	45	14	27	42	27	27	17	48	37	33	41	56
III. Tubercular Class	10981	145	276	638	1056	502	320	212	705	589	1027	1198	1079
IV. Brain and Nervous System	5216	368	138	233	219	197	74	59	190	123	86	114	98
V. Organs of Circulation	2706	16	3	5	10	6	10	9	32	57	67	78	109
VI. Respiratory Organs	8951	582	496	1017	1282	550	305	166	270	75	102	160	154
VII. Organs of Digestion	4970	481	220	605	741	168	60	39	116	73	79	112	130
VIII. Urinary Organs	882	8	1	4	11	7	15	14	36	17	41	38	34
IX. Organs of Generation	563	–	–	–	–	–	–	–	–	–	17	74	107
X. Organs of Locomotion	455	2	1	–	3	4	6	3	41	41	31	39	25
XI. Skin, etc.	108	16	14	12	11	8	3	–	4	1	1	2	3
XII. Malformation	164	140	5	9	5	1	–	1	2	–	1	–	–
XIII. Premature Debility	2949	2603	188	158	–	–	–	–	–	–	–	–	–
XIV. Atrophy	611	–	–	–	165	85	42	24	43	16	10	14	9
XV. Age	6069	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	120	14	6	2	2	1	3	–	5	1	3	–	6
XVII. Violent Deaths	2260	157	28	36	84	84	72	55	101	119	131	157	159
I. Small Pox	1646	137	111	188	265	153	122	60	183	49	57	88	75
Measles	2212	18	32	296	852	404	250	113	177	16	12	9	10
Scarlatina	3413	15	37	202	513	535	493	423	889	176	51	36	13
Diphtheria	1745	37	37	106	272	240	232	157	392	111	54	29	16
Hooping Cough	1649	96	101	346	519	267	148	75	94	3	–	–	–
Croup	1870	59	28	214	548	397	266	170	180	8	–	–	–
Thrush	35	19	6	5	3	1	1	–	–	–	–	–	–
Diarrhœa	1192	173	118	170	196	56	29	13	24	12	12	9	12
Dysentery	285	5	11	15	19	13	5	5	6	4	5	–	12
Cholera	114	8	9	22	14	3	4	3	10	3	2	2	2
Influenza	304	12	6	8	15	10	2	5	6	5	3	7	5
Purpura	47	3	–	1	6	2	–	1	5	3	3	3	3
Ague	12	–	1	–	–	–	5	2	1	1	1	–	–
Worms	35	1	1	–	2	12	7	1	8	3	–	–	–
Infantile Fever	85	15	9	15	20	8	7	3	7	1	–	–	–
Typhus	3441	10	18	59	133	143	145	105	437	248	296	262	196
Metria	195	–	–	–	–	–	–	–	–	–	13	36	42
Rheumatic Fever	113	2	–	–	2	–	1	2	10	12	16	8	8
Erysipelas	335	80	25	20	11	5	4	6	7	7	12	9	15
Syphilis	139	47	30	17	9	1	–	1	–	–	–	5	4
Noma	20	1	–	–	3	3	2	2	5	–	–	–	–
Hydrophobia	1	–	–	–	–	1	–	–	–	–	–	–	–
II. Hæmorrhage	75	13	2	2	1	–	1	1	2	3	2	6	1
Dropsy	696	–	–	5	18	19	18	12	35	17	12	13	21
Abscess	161	14	7	10	12	4	2	3	6	12	5	8	11
Ulcer	58	4	3	1	5	1	–	1	–	–	3	2	1
Fistula	15	–	–	1	–	–	–	–	–	–	–	3	–
Mortification	127	13	2	4	5	3	3	–	1	2	2	2	2
Cancer	1162	1	–	4	1	–	3	–	4	3	9	7	20
Gout	14	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	663	11	18	34	59	35	23	23	74	70	78	60	40
Tabes Mesenterica	873	49	47	97	261	123	61	33	88	50	18	7	10
Phthisis	7614	21	60	104	231	144	96	75	338	411	920	1126	1029
Hydrocephalus	1831	64	151	403	505	200	140	81	205	58	11	5	–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1863.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	2105	2034	2035	2043	2131	2122	2980	2757	3251	2916	2532	1369	454	137	36	109
Specified Causes	2038	1970	1959	1971	2018	2034	2826	2756	3251	2915	2532	1369	454	137	36	54
Zymotic Class	347	313	274	286	233	214	289	220	248	201	103	50	13	5	1	7
Uncertain Seat	55	85	131	170	214	209	276	225	228	165	88	35	10	2	1	–
Tubercular Class	782	593	518	431	325	235	202	83	38	17	5	2	–	–	–	3
Brain, etc.	124	141	184	189	257	313	437	463	490	423	269	86	24	3	–	4
Heart, etc.	115	134	171	189	190	216	349	292	305	189	111	34	3	–	–	6
Respiratory Organs	158	206	224	275	331	374	545	466	483	376	229	97	21	4	1	2
Digestive Organs	134	161	185	180	194	199	287	284	265	152	70	25	6	–	–	4
Urinary Organs	40	48	49	41	54	56	63	80	80	82	47	15	1	–	–	–
Generative Organs	96	109	56	29	20	14	12	14	8	4	2	1	–	–	–	–
Locomotive Organs	23	21	15	17	28	22	30	31	37	20	9	5	1	–	–	–
Skin	1	1	2	3	3	3	6	2	6	3	1	2	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	10	17	21	30	51	73	–	–	–	–	–	–	–	–	–	1
Age	–	–	–	–	–	–	204	527	1002	1238	1572	1003	369	122	32	–
Sudden Deaths	7	9	4	4	9	10	11	10	9	3	–	1	–	–	–	–
Violent Deaths	146	132	125	127	109	96	115	59	52	42	26	13	6	1	1	27
Small Pox	33	29	23	24	20	15	8	1	3	1	–	–	–	–	–	1
Measles	11	3	3	4	1	–	1	–	–	–	–	–	–	–	–	–
Scarlatina	9	8	4	3	4	–	–	–	1	–	–	–	–	–	–	1
Diphtheria	11	6	7	6	3	9	6	5	6	1	2	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	9	17	18	17	23	15	42	41	61	58	33	22	8	4	–	–
Dysentery	8	7	9	13	12	9	26	16	32	30	17	5	1	–	–	–
Cholera	1	1	4	3	3	5	4	8	2	–	1	–	–	–	–	–
Influenza	1	4	2	7	8	13	30	32	35	47	22	13	4	1	1	–
Purpura	1	2	1	1	1	2	6	2	–	1	–	–	–	–	–	–
Ague	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	193	166	166	183	139	127	151	99	87	48	21	4	–	–	–	5
Metria	44	44	14	2	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	7	8	8	6	4	5	4	4	–	3	1	2	–	–	–	–
Erysipelas	16	9	10	12	14	11	10	12	19	11	6	4	–	–	–	–
Syphilis	3	8	5	4	1	3	–	–	1	–	–	–	–	–	–	–
Noma	–	1	–	–	–	–	1	–	1	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	3	3	5	6	3	5	7	1	5	2	1	–	–	–	–	–
Dropsy	18	24	28	29	42	46	74	68	82	64	35	11	5	–	–	–
Abscess	9	3	6	7	2	9	14	4	7	2	4	–	–	–	–	–
Ulcer	2	–	2	2	1	5	5	2	10	5	–	2	1	–	–	–
Fistula	–	1	1	3	–	1	1	2	1	–	1	–	–	–	–	–
Mortification	2	4	5	1	6	5	9	8	8	18	12	7	2	–	1	–
Cancer	20	49	83	121	160	137	165	139	111	72	34	15	2	2	–	–
Gout	1	1	1	1	–	1	1	1	4	2	1	–	–	–	–	–
Scrofula	29	17	24	22	12	8	10	5	6	4	–	1	–	–	–	–
Tabes Mesenterica	5	6	5	4	4	1	1	–	1	1	1	–	–	–	–	–
Phthisis	745	569	487	405	309	226	189	78	31	12	4	1	–	–	–	3
Hydrocephalus	3	1	2	–	–	–	2	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1863.—Both Sexes. (*Contd.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	323	10	6	32	32	21	10	10	39	25	25	27	10
Apoplexy	1155	12	5	25	16	9	10	6	27	14	13	13	16
Paralysis	1632	–	–	3	–	2	1	1	4	4	2	7	14
Delirium Tremens	63	–	–	–	–	–	–	–	–	–	–	1	6
Chorea	9	–	–	2	–	–	–	–	4	–	–	1	–
Epilepsy	212	–	–	–	–	–	–	1	8	19	18	18	18
Tetanus	49	17	1	4	1	2	2	1	2	4	1	1	2
Insanity	60	–	–	–	–	–	–	–	–	–	1	–	1
Convulsions	824	316	106	130	129	53	34	20	34	–	–	1	–
Brain Disease	889	13	20	37	41	20	17	20	72	57	26	45	31
V. Pericarditis	71	1	–	1	1	1	–	1	4	7	6	6	8
Aneurism	75	2	–	–	–	–	–	–	1	1	2	1	1
Heart Disease	2560	13	3	4	9	5	10	8	27	49	59	71	100
VI. Laryngitis	173	4	5	22	37	22	17	9	11	6	7	–	3
Bronchitis	5484	411	384	755	879	374	198	99	153	29	35	42	58
Pleurisy	252	10	4	6	19	5	5	3	12	2	5	14	9
Pneumonia	2212	142	100	221	333	137	70	47	79	29	42	83	65
Asthma	547	–	–	1	1	–	2	–	–	–	2	4	9
Lung Disease	283	15	3	12	13	12	13	8	15	9	11	17	10
VII. Teething	1132	4	50	416	567	85	6	4	–	–	–	–	–
Quinsey	78	8	4	5	9	7	7	2	11	4	2	1	3
Gastritis	164	7	3	10	8	5	1	1	5	3	2	8	8
Enteritis	902	249	96	90	93	36	19	15	29	16	22	21	19
Peritonitis	311	18	6	11	10	7	4	–	13	13	14	22	26
Ascites	73	2	–	–	1	–	2	–	1	3	2	4	4
Ulceration of Intestines	177	1	2	4	7	3	3	1	1	5	6	14	8
Hernia	86	6	3	1	2	–	–	–	–	–	–	1	1
Ileus	268	41	10	7	1	2	2	2	10	2	6	7	7
Intussusception	37	3	4	3	1	–	2	–	2	2	1	–	2
Stricture of Intestines	22	–	–	–	–	–	–	–	–	–	1	–	–
Stomach Disease	774	56	35	48	31	15	8	8	23	10	6	15	20
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	132	5	1	–	–	1	1	–	6	6	2	3	5
Jaundice	200	72	2	2	4	2	2	1	2	1	4	2	4
Liver Disease	589	9	4	8	2	4	3	5	13	8	11	13	22
Spleen Disease	25	–	–	–	5	1	–	–	–	–	–	1	1
VIII. Nephritis	68	2	–	1	1	2	6	2	9	1	5	3	1
Nephria	210	–	–	2	1	3	1	1	12	4	13	11	13
Ischuria	61	3	1	1	1	–	1	–	1	–	1	1	1
Diabetes	74	–	–	–	3	–	1	2	1	1	7	10	6
Stone	61	–	–	–	1	–	1	1	2	1	–	1	1
Cystitis	45	1	–	–	–	–	–	1	1	1	1	2	1
Stricture of Urethra	17	–	–	–	–	–	–	1	–	–	–	–	–
Kidney Disease	346	2	–	–	4	2	5	6	10	9	14	10	11
IX. Paramenia	22	–	–	–	–	–	–	–	–	–	8	4	1
Ovarian Dropsy	92	–	–	–	–	–	–	–	–	–	1	4	6
Childbirth	376	–	–	–	–	–	–	–	–	–	8	63	93
Organs of Generation	73	–	–	–	–	–	–	–	–	–	–	3	7
X. Arthritis	22	–	–	–	–	–	1	–	4	3	–	1	2
Rheumatism	182	–	–	–	–	–	–	–	1	4	8	6	3
Joint and Bone Disease	251	2	1	–	3	4	5	3	36	34	23	32	20
XI. Carbuncle	29	1	1	1	1	2	1	–	–	1	–	1	–
Phlegmon	16	1	2	2	2	–	–	–	2	–	1	–	1
Skin Disease	63	14	11	9	8	6	2	–	2	–	–	1	2
XII. Cyanosis	56	48	3	2	3	–	–	–	–	–	–	–	–
Spina Bifida	35	30	–	3	–	–	–	–	1	–	1	–	–
Other Malformations	73	62	2	4	2	1	–	1	1	–	–	–	–
XVII. Intemperance	59	–	–	–	–	–	–	–	–	–	1	4	4
Privation	4	–	–	–	–	–	–	–	–	–	1	–	1
Want of Breast Milk	83	65	8	9	1	–	–	–	–	–	–	–	–
Neglect	2	–	–	–	1	1	–	–	–	–	–	–	–
Cold	17	1	–	–	–	–	–	–	–	–	–	–	1
Poison	43	8	2	1	3	–	1	1	2	1	2	1	2
Burns and Scalds	329	–	–	13	52	55	44	29	28	11	10	7	6
Hanging, etc.	49	–	–	–	–	–	–	–	–	–	1	1	4
Suffocation	116	47	17	7	4	–	1	–	3	3	1	4	4
Drowning	506	2	1	3	12	15	12	10	18	33	46	53	50
Fracture and Contusion	856	4	–	3	11	10	12	11	42	60	55	72	73
Wounds	80	–	–	–	–	2	2	2	4	5	5	7	8
Other Violent Causes	116	30	–	–	–	1	–	2	4	6	9	8	6
Not Specified	3280	912	248	250	352	171	91	69	151	79	92	104	70

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1863.—Both Sexes. (*Contd.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	14	8	10	8	10	6	5	6	5	–	3	1	–	–	–	–
Apoplexy	20	37	53	57	78	109	133	121	154	113	79	24	10	–	–	1
Paralysis	26	31	49	53	85	119	205	257	268	256	167	59	13	3	–	3
Delirium Tremens	5	17	14	6	8	4	1	1	–	–	–	–	–	–	–	–
Chorea	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	16	6	19	20	13	13	12	14	8	3	6	–	–	–	–	–
Tetanus	3	3	–	3	–	1	1	–	–	–	–	–	–	–	–	–
Insanity	1	5	3	4	6	11	11	6	5	4	2	–	–	–	–	–
Convulsions	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	38	33	35	38	57	50	69	58	50	47	12	2	1	–	–	–
Pericarditis	4	–	4	3	4	3	5	5	3	2	1	–	–	–	–	1
Aneurism	8	11	9	9	6	5	6	4	5	3	–	–	–	–	–	1
Heart Disease	103	123	158	177	180	208	338	283	297	184	110	34	3	–	–	4
Laryngitis	3	1	6	3	6	4	3	1	1	–	2	–	–	–	–	–
Bronchitis	58	69	89	122	160	178	295	260	318	247	175	71	19	4	–	2
Pleurisy	12	14	14	2	23	18	25	20	15	10	4	1	–	–	–	–
Pneumonia	62	82	85	87	81	102	108	86	72	57	25	15	1	–	1	–
Asthma	6	29	23	44	43	60	90	84	63	54	21	10	1	–	–	–
Lung Disease	17	11	7	17	18	12	24	15	14	8	2	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	2	2	1	1	1	2	2	1	1	2	–	–	–	–	–	–
Gastritis	7	8	11	11	5	6	18	15	11	5	4	2	–	–	–	–
Enteritis	19	16	21	21	8	15	20	22	28	15	8	3	1	–	–	–
Peritonitis	28	32	16	10	14	8	11	17	14	12	5	–	–	–	–	–
Ascites	1	2	4	4	11	4	9	6	3	6	4	–	–	–	–	–
Ulceration of Intestines	8	8	17	14	12	13	13	15	17	3	1	–	1	–	–	–
Hernia	1	3	3	6	7	5	11	10	9	10	3	4	–	–	–	–
Ileus	7	13	16	10	11	16	24	26	16	20	8	3	1	–	–	–
Intussusception	–	–	1	3	2	–	3	2	2	2	1	–	1	–	–	–
Stricture of Intestines	–	–	1	1	2	3	4	2	7	1	–	–	–	–	–	–
Stomach Disease	21	32	31	34	47	44	83	81	67	35	15	6	1	–	–	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	4	6	9	16	12	14	11	13	10	3	2	–	1	–	–	1
Jaundice	6	3	6	4	6	2	20	11	19	14	7	4	–	–	–	–
Liver Disease	29	34	42	42	55	66	57	62	60	24	12	3	–	–	–	1
Spleen Disease	1	2	6	3	1	1	1	1	1	–	–	–	–	–	–	–
Nephritis	4	1	2	2	2	6	2	5	4	7	–	–	–	–	–	–
Nephria	14	22	20	12	22	18	8	12	12	5	3	1	–	–	–	–
Ischuria	3	–	3	1	1	1	7	6	9	13	5	1	–	–	–	–
Diabetes	4	4	9	7	3	2	3	6	1	3	–	1	–	–	–	–
Stone	–	–	–	–	1	3	7	10	8	13	9	2	–	–	–	–
Cystitis	2	1	1	–	3	–	2	2	9	9	6	2	–	–	–	–
Stricture of Urethra	1	–	3	2	2	1	2	2	2	1	–	–	–	–	–	–
Kidney Disease	12	20	11	17	20	25	32	37	35	31	24	8	1	–	–	–
Paramenia	4	2	2	–	1	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	7	9	6	14	14	7	6	10	5	2	–	1	–	–	–	–
Childbirth	76	90	40	6	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	9	8	8	9	5	7	6	4	3	2	2	–	–	–	–	–
Arthritis	–	–	1	4	3	1	–	1	1	–	–	–	–	–	–	–
Rheumatism	10	10	6	6	15	13	19	25	28	13	9	5	1	–	–	–
Joint Disease	13	11	8	7	10	8	11	5	8	7	–	–	–	–	–	–
Carbuncle	–	1	1	2	1	1	4	2	4	3	–	1	–	–	–	–
Phlegmon	–	–	1	–	1	2	–	–	1	–	–	–	–	–	–	–
Skin Disease	1	–	–	1	1	–	2	–	1	–	1	1	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	7	7	8	8	7	4	6	1	2	–	–	–	–	–	–	–
Privation	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	1	1	6	–	4	2	–	–	–	–	–	1
Poison	2	2	4	2	1	2	3	3	–	–	–	–	–	–	–	–
Burns and Scalds	7	2	2	10	6	6	10	7	3	8	5	6	1	1	–	–
Hanging, etc.	4	4	4	5	4	9	7	–	2	3	–	–	–	–	–	1
Suffocation	1	4	6	1	2	1	5	2	2	–	–	–	–	–	–	1
Drowning	43	40	39	31	32	10	21	7	8	3	1	–	–	–	–	16
Fracture and Contusion	72	58	53	58	48	52	44	29	28	23	19	7	4	–	1	7
Wounds	6	7	4	5	4	6	5	6	–	–	1	–	1	–	–	–
Other Violent Causes	4	8	5	6	4	5	8	3	3	3	–	–	–	–	–	1
Not Specified	67	64	76	72	113	88	154	1	–	1	–	–	–	–	–	55

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1863.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	35631	3554	1203	2518	3835	2017	1374	880	2159	932	1138	1388	1135
SPECIFIED CAUSES	33911	3030	1076	2392	3655	1930	1331	843	2074	893	1093	1333	1094
I. Zymotic Class	9258	399	289	854	1724	1132	849	541	1241	284	244	258	188
II. Diseases of Uncertain Seat	881	20	6	11	17	11	16	12	27	26	17	21	18
III. Tubercular Class	5392	78	145	346	562	253	173	109	357	277	497	612	481
IV. Brain and Nervous System	2866	226	81	151	130	59	38	28	107	63	49	69	56
V. Organs of Circulation	1348	11	2	1	4	5	7	7	12	19	34	39	43
VI. Respiratory Organs	4674	348	285	577	686	282	140	74	125	40	39	101	82
VII. Organs of Digestion	2547	305	135	324	378	95	27	20	51	41	44	45	51
VIII. Urinary Organs	621	6	1	4	6	6	9	10	20	12	26	19	15
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	245	2	–	–	2	1	3	–	26	22	22	23	16
XI. Skin, etc.	67	6	11	10	7	2	2	–	4	–	1	2	–
XII. Malformation	98	85	4	4	2	–	–	–	2	–	1	–	–
XIII. Premature Debility	1628	1444	96	88	–	–	–	–	–	–	–	–	–
XIV. Atrophy	264	–	–	–	87	41	20	9	27	7	5	8	1
XV. Age	2276	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	66	8	3	2	1	–	1	–	4	1	2	–	4
XVII. Violent Deaths	1680	92	18	20	49	43	46	33	71	101	112	136	139
I. Small Pox	870	71	53	87	129	79	65	30	105	29	36	57	37
Measles	1093	10	20	159	419	202	114	52	91	4	6	3	4
Scarlatina	1764	10	15	114	263	294	248	204	465	85	29	18	7
Diphtheria	818	24	17	56	121	112	122	75	176	49	21	12	6
Hooping Cough	717	37	48	152	237	110	64	27	40	2	–	–	–
Croup	998	38	16	107	322	201	134	83	93	4	–	–	–
Thrush	21	12	3	2	2	1	1	–	–	–	–	–	–
Diarrhœa	592	94	60	92	116	25	18	8	12	2	4	4	5
Dysentery	126	3	6	7	13	7	4	1	1	2	1	–	5
Cholera	62	5	5	15	8	1	2	2	3	1	1	–	2
Influenza	130	6	2	1	8	6	2	4	4	2	1	1	2
Purpura	26	2	–	–	4	–	–	–	4	1	2	2	–
Ague	7	–	–	–	–	–	3	1	–	1	1	–	–
Worms	21	–	1	–	–	7	5	–	6	2	–	–	–
Infantile Fever	44	7	5	9	12	5	2	1	2	1	–	–	–
Typhus	1670	8	9	34	61	79	63	49	231	90	127	153	109
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	52	2	–	–	1	–	1	–	1	5	12	3	6
Erysipelas	161	41	11	10	1	2	1	3	6	4	3	4	1
Syphilis	81	29	18	9	5	1	–	1	–	–	–	1	4
Noma	5	–	–	–	2	–	–	–	1	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	42	5	2	1	–	–	–	–	1	1	1	5	1
Dropsy	295	–	–	1	9	8	12	9	20	12	6	4	5
Abscess	86	8	4	7	5	3	2	2	3	10	2	5	6
Ulcer	20	–	–	–	2	–	–	1	–	–	1	1	–
Fistula	9	–	–	1	–	–	–	–	–	–	–	1	–
Mortification	48	7	–	–	1	–	–	–	–	1	1	2	–
Cancer	370	–	–	1	–	–	2	–	3	2	6	3	6
Gout	11	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	378	2	11	21	28	22	11	12	46	41	55	37	20
Tabes Mesenterica	421	29	21	48	114	54	37	17	47	27	6	6	–
Phthisis	3583	13	32	52	119	75	54	36	154	176	431	567	461
Hydrocephalus	1010	34	81	225	301	102	71	44	110	33	5	2	–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1863.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	983	943	990	1048	1085	1071	1443	1290	1496	1292	1054	520	158	43	15	67
SPECIFIED CAUSES	954	913	961	1013	1025	1024	1372	1289	1496	1292	1054	520	158	43	15	38
Zymotic Class	142	125	131	139	125	100	134	98	110	79	39	22	6	2	–	3
Uncertain Seat	19	21	41	57	65	76	101	92	91	67	28	15	6	–	–	–
Tubercular Class	357	256	242	200	152	131	93	39	19	8	2	1	–	–	–	2
Brain, etc.	76	94	89	110	148	162	230	243	261	195	149	41	8	1	–	2
Heart, etc.	56	68	87	94	103	104	175	154	151	112	44	12	–	–	–	4
Respiratory Organs	77	108	117	163	187	186	288	213	230	184	97	32	10	1	1	1
Digestive Organs	61	69	95	102	96	101	127	139	126	68	30	12	2	–	–	3
Urinary Organs	26	29	26	25	31	44	54	57	70	67	44	13	1	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	11	12	11	7	10	13	15	14	20	10	2	2	1	–	–	–
Skin	–	1	1	2	3	3	3	1	3	2	1	2	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	5	6	7	16	23	–	–	–	–	–	–	–	–	–	1
Age	–	–	–	–	–	–	69	199	381	478	608	367	122	39	13	–
Sudden Deaths	4	4	4	3	4	8	4	3	5	1	–	–	–	–	–	–
Violent Deaths	124	121	111	104	85	73	79	37	29	21	10	1	2	–	1	22
Small Pox	17	15	13	13	13	11	7	–	1	1	–	–	–	–	–	1
Measles	4	2	1	1	–	–	1	–	–	–	–	–	–	–	–	–
Scarlatina	2	4	1	2	2	–	–	–	1	–	–	–	–	–	–	–
Diphtheria	5	2	4	3	2	4	2	1	3	–	1	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	5	8	4	8	14	9	18	21	21	19	12	8	4	1	–	–
Dysentery	4	6	5	8	6	3	8	5	14	9	4	3	1	–	–	–
Cholera	1	1	3	3	1	3	–	5	–	–	–	–	–	–	–	–
Influenza	–	1	1	5	3	5	13	12	16	20	8	5	1	1	–	–
Purpura	1	2	1	–	1	2	3	1	–	–	–	–	–	–	–	–
Ague	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	90	70	87	85	73	52	75	49	39	20	11	4	–	–	–	2
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	5	6	–	1	2	2	1	1	–	3	–	–	–	–	–	–
Erysipelas	8	4	7	7	8	7	6	3	13	6	3	2	–	–	–	–
Syphilis	–	4	4	2	–	2	–	–	1	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	2	4	3	1	3	6	1	4	1	–	–	–	–	–	–
Dropsy	10	4	8	9	15	15	28	34	34	26	16	6	4	–	–	–
Abscess	3	1	2	6	1	4	5	2	3	1	1	–	–	–	–	–
Ulcer	–	–	1	1	1	3	2	1	4	2	–	–	–	–	–	–
Fistula	–	–	1	3	–	1	1	1	–	–	–	–	–	–	–	–
Mortification	1	2	–	1	2	3	3	4	3	7	5	4	1	–	–	–
Cancer	5	12	25	33	45	46	55	48	39	28	5	5	1	–	–	–
Gout	–	–	–	1	–	1	1	1	4	2	1	–	–	–	–	–
Scrofula	16	8	15	15	4	5	2	4	3	–	–	–	–	–	–	–
Tabes Mesenterica	2	4	3	3	1	1	1	–	–	–	–	–	–	–	–	–
Phthisis	338	244	223	182	147	125	90	35	16	8	2	1	–	–	–	2
Hydrocephalus	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1863.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	191	6	2	14	19	16	4	5	23	13	17	15	5
Apoplexy	602	7	3	19	8	6	3	2	15	8	8	9	5
Paralysis	823	–	–	3	–	1	–	–	4	3	–	3	9
Delirium Tremens	56	–	–	–	–	–	–	–	–	–	–	1	6
Chorea	5	–	–	1	–	–	–	–	2	–	–	–	–
Epilepsy	111	–	–	–	–	–	–	1	6	8	8	11	9
Tetanus	30	10	1	3	–	1	1	–	2	3	1	1	1
Insanity	19	–	–	–	–	–	–	–	–	–	–	–	1
Convulsions	498	197	63	88	78	25	19	7	19	–	–	1	–
Brain Disease	531	6	12	23	25	10	11	13	36	28	15	28	20
V. Pericarditis	43	1	–	–	1	1	–	1	2	1	4	6	6
Aneurism	46	1	–	–	–	–	–	–	–	–	–	–	1
Heart Disease	1259	9	2	1	3	4	7	6	10	18	30	33	36
VI. Laryngitis	95	2	4	19	19	12	10	4	5	2	1	–	2
Bronchitis	2750	240	218	432	474	184	80	47	76	16	11	22	25
Pleurisy	139	4	3	2	9	2	4	1	7	–	3	8	6
Pneumonia	1250	88	58	117	179	75	36	20	33	16	17	60	38
Asthma	292	–	–	1	1	–	1	–	–	–	2	3	5
Lung Disease	148	14	2	6	4	9	9	2	4	6	5	8	6
VII. Teething	579	1	27	217	283	47	1	3	–	–	–	–	–
Quinsey	47	5	4	4	7	4	5	–	4	1	1	1	2
Gastritis	77	6	1	7	4	2	1	1	1	1	1	2	2
Enteritis	497	155	52	51	48	23	8	7	15	9	16	10	4
Peritonitis	113	8	5	5	5	3	1	–	4	6	5	3	9
Ascites	26	–	–	–	1	–	2	–	1	2	1	1	3
Ulceration of Intestines	97	–	1	4	5	1	2	1	1	3	1	5	2
Hernia	41	4	3	1	2	–	–	–	–	–	–	1	1
Ileus	159	29	8	5	–	1	1	–	5	1	6	5	3
Intussusception	24	1	4	3	–	–	2	–	1	2	1	–	2
Stricture of Intestines	15	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	393	33	23	24	16	8	2	6	12	7	3	6	8
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	59	3	1	–	–	1	–	–	1	3	1	1	1
Jaundice	112	53	2	1	2	1	–	–	1	1	3	1	1
Liver Disease	289	7	4	2	1	3	2	2	5	5	5	8	13
Spleen Disease	19	–	–	–	4	1	–	–	–	–	–	1	–
VIII. Nephritis	47	1	–	1	1	2	5	1	5	–	5	1	–
Nephria	124	–	–	2	1	3	1	1	7	3	7	6	5
Ischuria	49	2	1	1	–	–	–	–	1	–	–	–	–
Diabetes	48	–	–	–	1	–	–	1	–	–	6	6	3
Stone	56	–	–	–	1	–	1	1	2	1	–	1	–
Cystitis	41	1	–	–	–	–	–	1	1	1	1	–	1
Stricture of Urethra	17	–	–	–	–	–	–	1	–	–	–	–	–
Kidney Disease	239	2	–	–	2	1	2	4	4	7	7	5	6
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	14	–	–	–	–	–	–	–	3	2	–	1	2
Rheumatism	81	–	–	–	–	–	–	–	1	1	6	2	1
Joint and Bone Disease	150	2	–	–	2	1	3	–	22	19	16	20	13
XI. Carbuncle	19	–	1	1	1	1	1	–	–	–	–	1	–
Phlegmon	15	1	2	2	2	–	–	–	2	–	1	–	–
Skin Disease	33	5	8	7	4	1	1	–	2	–	–	1	–
XII. Cyanosis	37	33	2	1	1	–	–	–	–	–	–	–	–
Spina Bifida	18	14	–	2	–	–	–	–	1	–	1	–	–
Other Malformations	43	38	2	1	1	–	–	–	1	–	–	–	–
XVII. Intemperance	37	–	–	–	–	–	–	–	–	–	1	3	1
Privation	2	–	–	–	–	–	–	–	–	–	1	–	1
Want of Breast Milk	51	41	6	4	–	–	–	–	–	–	–	–	–
Neglect	1	–	–	–	–	1	–	–	–	–	–	–	–
Cold	13	–	–	–	–	–	–	–	–	–	–	–	1
Poison	20	4	1	1	2	–	1	–	1	–	–	–	2
Burns and Scalds	167	–	–	7	32	26	26	15	12	5	8	3	5
Hanging, etc.	31	–	–	–	–	–	–	–	–	–	–	1	3
Suffocation	68	27	10	4	3	–	–	–	2	3	–	3	2
Drowning	430	2	1	2	5	9	8	9	16	30	43	47	45
Fracture and Contusion	715	1	–	2	7	5	9	7	35	53	49	65	69
Wounds	66	–	–	–	–	2	2	1	3	4	5	6	6
Other Violent Causes	79	17	–	–	–	–	–	1	2	6	5	8	4
Not Specified	1720	524	127	126	180	87	43	37	85	39	45	55	41

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1863.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	7	6	5	7	8	4	3	6	4	–	2	–	–	–	–	–
Apoplexy	11	27	19	35	46	49	65	65	75	50	49	13	4	–	–	1
Paralysis	15	18	20	27	47	66	104	128	138	117	86	28	4	1	–	1
Delirium Tremens	5	15	14	6	5	3	1	–	–	–	–	–	–	–	–	–
Chorea	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	10	2	9	9	6	6	7	9	5	3	2	–	–	–	–	–
Tetanus	1	1	–	2	–	1	1	–	–	–	–	–	–	–	–	–
Insanity	1	1	2	–	1	2	5	1	3	2	–	–	–	–	–	–
Convulsions	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	25	23	19	24	35	31	44	34	36	23	10	–	–	–	–	–
Pericarditis	–	–	3	2	2	1	2	4	2	2	1	–	–	–	–	1
Aneurism	6	7	7	7	5	3	3	3	2	1	–	–	–	–	–	–
Heart Disease	50	61	77	85	96	100	170	147	147	109	43	12	–	–	–	3
Laryngitis	–	–	3	2	6	2	–	1	1	–	–	–	–	–	–	–
Bronchitis	21	32	34	72	75	75	148	111	139	110	76	21	9	1	–	1
Pleurisy	4	9	10	1	14	8	16	12	7	6	2	1	–	–	–	–
Pneumonia	39	48	55	51	54	62	68	44	47	31	9	4	–	–	1	–
Asthma	3	14	11	30	28	31	47	39	28	31	10	6	1	–	–	–
Lung Disease	10	5	4	7	10	8	9	6	8	6	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	2	1	1	–	–	2	1	1	1	–	–	–	–	–	–	–
Gastritis	1	3	4	10	2	–	9	9	4	3	3	–	–	–	–	–
Enteritis	9	12	10	13	4	8	9	9	10	9	3	2	1	–	–	–
Peritonitis	7	5	4	5	7	4	6	7	8	4	2	–	–	–	–	–
Ascites	–	1	2	1	6	2	1	–	–	1	1	–	–	–	–	–
Ulceration of Intestines	4	6	11	8	5	7	6	12	10	1	–	–	1	–	–	–
Hernia	–	3	–	1	3	2	2	7	3	4	2	2	–	–	–	–
Ileus	5	5	9	8	5	9	13	15	10	10	3	3	–	–	–	–
Intussusception	–	–	1	2	1	–	2	1	1	–	–	–	–	–	–	–
Stricture of Intestines	–	–	1	–	1	3	4	2	4	–	–	–	–	–	–	–
Stomach Disease	10	14	17	16	30	22	33	37	36	19	7	3	–	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	3	3	4	8	5	8	3	6	3	2	1	–	–	–	–	1
Jaundice	2	1	6	1	2	–	9	5	8	9	1	2	–	–	–	–
Liver Disease	17	14	20	26	25	33	28	28	27	6	7	–	–	–	–	1
Spleen Disease	1	1	5	3	–	1	1	–	1	–	–	–	–	–	–	–
Nephritis	3	1	2	2	1	4	1	3	4	4	–	–	–	–	–	–
Nephria	7	12	10	7	14	13	4	7	9	1	3	1	–	–	–	–
Ischuria	3	–	2	–	1	1	7	4	8	12	5	1	–	–	–	–
Diabetes	3	3	4	7	2	2	3	5	1	1	–	–	–	–	–	–
Stone	–	–	–	–	–	3	7	8	8	13	8	2	–	–	–	–
Cystitis	2	1	1	–	3	–	2	1	8	9	6	2	–	–	–	–
Stricture of Urethra	1	–	3	2	2	1	2	2	2	1	–	–	–	–	–	–
Kidney Disease	7	12	4	7	8	20	28	27	30	26	22	7	1	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	1	2	1	1	–	1	–	–	–	–	–	–	–	–
Rheumatism	2	2	3	2	4	7	9	11	18	7	2	2	1	–	–	–
Joint Disease	9	10	7	3	5	5	6	2	2	3	–	–	–	–	–	–
Carbuncle	–	1	–	2	1	1	2	1	2	2	–	1	–	–	–	–
Phlegmon	–	–	1	–	1	2	–	–	1	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	1	–	1	–	–	–	1	1	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	6	5	7	4	4	2	2	1	1	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	1	1	5	–	2	2	–	–	–	–	–	1
Poison	–	1	3	–	–	–	2	2	–	–	–	–	–	–	–	–
Burns and Scalds	6	2	2	4	3	2	3	2	1	3	–	–	–	–	–	–
Hanging, etc.	1	4	3	3	3	5	5	–	2	1	–	–	–	–	–	–
Suffocation	1	2	4	1	–	1	2	2	–	–	–	–	–	–	–	1
Drowning	36	38	37	26	26	9	14	4	5	3	1	–	–	–	–	14
Fracture and Contusion	65	56	46	57	41	44	38	21	17	10	8	1	2	–	1	6
Wounds	6	6	4	4	4	6	3	3	–	–	1	–	–	–	–	–
Other Violent Causes	3	7	5	5	3	3	5	2	1	2	–	–	–	–	–	–
Not Specified	29	30	29	35	60	47	71	1	–	–	–	–	–	–	–	29

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1863.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	35850	2673	1015	2162	3550	1958	1377	935	2026	958	1120	1246	1317
SPECIFIED CAUSES	34290	2285	894	2038	3378	1874	1329	903	1960	918	1073	1197	1288
I. Zymotic Class	9630	339	291	830	1678	1122	874	606	1200	378	293	245	225
II. Diseases of Uncertain Seat	1427	25	8	16	25	16	11	5	21	11	16	20	38
III. Tubercular Class	5589	67	131	292	494	249	147	103	348	312	530	586	598
IV. Brain and Nervous System	2350	142	57	82	89	48	36	31	83	60	37	45	42
V. Organs of Circulation	1358	5	1	4	6	1	3	2	20	38	33	39	66
VI. Respiratory Organs	4277	234	211	440	596	268	165	92	145	35	63	59	72
VII. Organs of Digestion	2423	176	85	281	363	73	33	19	65	32	35	67	79
VIII. Urinary Organs	261	2	–	–	5	1	6	4	16	5	15	19	19
IX. Organs of Generation	563	–	–	–	–	–	–	–	–	–	17	74	107
X. Organs of Locomotion	210	–	1	–	1	3	3	3	15	19	9	16	9
XI. Skin, etc.	41	10	3	2	4	6	1	–	–	1	–	–	3
XII. Malformation	66	55	1	5	3	1	–	1	–	–	–	–	–
XIII. Premature Debility	1321	1159	92	70	–	–	–	–	–	–	–	–	–
XIV. Atrophy	347	–	–	–	78	44	22	15	16	9	5	6	8
XV. Age	3793	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	54	6	3	–	1	1	2	–	1	–	1	–	2
XVII. Violent Deaths	580	65	10	16	35	41	26	22	30	18	19	21	20
I. Small Pox	776	66	58	101	136	74	57	30	78	20	21	31	38
Measles	1119	8	12	137	433	202	136	61	86	12	6	6	6
Scarlatina	1649	5	22	88	250	241	245	219	424	91	22	18	6
Diphtheria	927	13	20	50	151	128	110	82	216	62	33	17	10
Hooping Cough	932	59	53	194	282	157	84	48	51	1	–	–	–
Croup	872	21	12	107	226	196	132	87	87	4	–	–	–
Thrush	14	7	3	3	1	–	–	–	–	–	–	–	–
Diarrhœa	600	79	58	78	80	31	11	5	12	10	8	5	7
Dysentery	159	2	5	8	6	6	1	4	5	2	4	–	7
Cholera	52	3	4	7	6	2	2	1	7	2	1	2	–
Influenza	174	6	4	7	7	4	–	1	2	3	2	6	3
Purpura	21	1	–	1	2	2	–	1	1	2	1	1	3
Ague	5	–	1	–	–	–	2	1	1	–	–	–	–
Worms	14	1	–	–	2	5	2	1	2	1	–	–	–
Infantile Fever	41	8	4	6	8	3	5	2	5	–	–	–	–
Typhus	1771	2	9	25	72	64	82	56	206	158	169	109	87
Metria	195	–	–	–	–	–	–	–	–	–	13	36	42
Rheumatic Fever	61	–	–	–	1	–	–	2	9	7	4	5	2
Erysipelas	174	39	14	10	10	3	3	3	1	3	9	5	14
Syphilis	58	18	12	8	4	–	–	–	–	–	–	4	–
Noma	15	1	–	–	1	3	2	2	4	–	–	–	–
Hydrophobia	1	–	–	–	–	1	–	–	–	–	–	–	–
II. Hæmorrhage	33	8	–	1	1	–	1	1	1	2	1	1	–
Dropsy	401	–	–	4	9	11	6	3	15	5	6	9	16
Abscess	75	6	3	3	7	1	–	1	3	2	3	3	5
Ulcer	38	4	3	1	3	1	–	–	–	–	2	1	1
Fistula	6	–	–	–	–	–	–	–	–	–	–	2	–
Mortification	79	6	2	4	4	3	3	–	1	1	1	–	2
Cancer	792	1	–	3	1	–	1	–	1	1	3	4	14
Gout	3	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	285	9	7	13	31	13	12	11	28	29	23	23	20
Tabes Mesenterica	452	20	26	49	147	69	24	16	41	23	12	1	10
Phthisis	4031	8	28	52	112	69	42	39	184	235	489	559	568
Hydrocephalus	821	30	70	178	204	98	69	37	95	25	6	3	–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1863.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	1122	1091	1045	995	1046	1051	1537	1467	1755	1624	1478	849	296	94	21	42
SPECIFIED CAUSES	1084	1057	998	958	993	1010	1454	1467	1755	1623	1478	849	296	94	21	16
Zymotic Class	205	188	143	147	108	114	155	122	138	122	64	28	7	3	1	4
Uncertain Seat	36	64	90	113	149	133	175	133	137	98	60	20	4	2	1	–
Tubercular Class	425	337	276	231	173	104	109	44	19	9	3	1	–	–	–	1
Brain, etc.	48	47	95	79	109	151	207	220	229	228	120	45	16	2	–	2
Heart, etc.	59	66	84	95	87	112	174	138	154	77	67	22	3	–	–	2
Respiratory Organs	81	98	107	112	144	188	257	253	253	192	132	65	11	3	–	1
Digestive Organs	73	92	90	78	98	98	160	145	139	84	40	13	4	–	–	1
Urinary Organs	14	19	23	16	23	12	9	23	10	15	3	2	–	–	–	–
Generative Organs	96	109	56	29	20	14	12	14	8	4	2	1	–	–	–	–
Locomotive Organs	12	9	4	10	18	9	15	17	17	10	7	3	–	–	–	–
Skin	1	–	1	1	–	–	3	1	3	1	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	9	12	15	23	35	50	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	135	328	621	760	964	636	247	83	19	–
Sudden Deaths	3	5	–	1	5	2	7	7	4	2	–	1	–	–	–	–
Violent Deaths	22	11	14	23	24	23	36	22	23	21	16	12	4	1	–	5
Small Pox	16	14	10	11	7	4	1	1	2	–	–	–	–	–	–	–
Measles	7	1	2	3	1	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	7	4	3	1	2	–	–	–	–	–	–	–	–	–	–	1
Diphtheria	6	4	3	3	1	5	4	4	3	1	1	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	4	9	14	9	9	6	24	20	40	39	21	14	4	3	–	–
Dysentery	4	1	4	5	6	6	18	11	18	21	13	2	–	–	–	–
Cholera	–	–	1	–	2	2	4	3	2	–	1	–	–	–	–	–
Influenza	1	3	1	2	5	8	17	20	19	27	14	8	3	–	1	–
Purpura	–	–	–	1	–	–	3	1	–	1	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	103	96	79	98	66	75	76	50	48	28	10	–	–	–	–	3
Metria	44	44	14	2	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	2	2	8	5	2	3	3	3	–	–	1	2	–	–	–	–
Erysipelas	8	5	3	5	6	4	4	9	6	5	3	2	–	–	–	–
Syphilis	3	4	1	2	1	1	–	–	–	–	–	–	–	–	–	–
Noma	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	3	1	1	3	2	2	1	–	1	1	1	–	–	–	–	–
Dropsy	8	20	20	20	27	31	46	34	48	38	19	5	1	–	–	–
Abscess	6	2	4	1	1	5	9	2	4	1	3	–	–	–	–	–
Ulcer	2	–	1	1	–	2	3	1	6	3	–	2	1	–	–	–
Fistula	–	1	–	–	–	–	–	1	1	–	1	–	–	–	–	–
Mortification	1	2	5	–	4	2	6	4	5	11	7	3	1	–	1	–
Cancer	15	37	58	88	115	91	110	91	72	44	29	10	1	2	–	–
Gout	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	13	9	9	7	8	3	8	1	3	4	–	1	–	–	–	–
Tabes Mesenterica	3	2	2	1	3	–	–	–	1	1	1	–	–	–	–	–
Phthisis	407	325	264	223	162	101	99	43	15	4	2	–	–	–	–	1
Hydrocephalus	2	1	1	–	–	–	2	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1863.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	132	4	4	18	13	5	6	5	16	12	8	12	5
Apoplexy	553	5	2	6	8	3	7	4	12	6	5	4	11
Paralysis	809	–	–	–	–	1	1	1	–	1	2	4	5
Delirium Tremens	7	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	4	–	–	1	–	–	–	–	2	–	–	1	–
Epilepsy	101	–	–	–	–	–	–	–	2	11	10	7	9
Tetanus	19	7	–	1	1	1	1	1	–	1	–	–	1
Insanity	41	–	–	–	–	–	–	–	–	–	1	–	–
Convulsions	326	119	43	42	51	28	15	13	15	–	–	–	–
Brain Disease	358	7	8	14	16	10	6	7	36	29	11	17	11
V. Pericarditis	28	–	–	1	–	–	–	–	2	6	2	–	2
Aneurism	29	1	–	–	–	–	–	–	1	1	2	1	–
Heart Disease	1301	4	1	3	6	1	3	2	17	31	29	38	64
VI. Laryngitis	78	2	1	3	18	10	7	5	6	4	6	–	1
Bronchitis	2734	171	166	323	405	190	118	52	77	13	24	20	33
Pleurisy	113	6	1	4	10	3	1	2	5	2	2	6	3
Pneumonia	962	54	42	104	154	62	34	27	46	13	25	23	27
Asthma	255	–	–	–	–	–	1	–	–	–	–	1	4
Lung Disease	135	1	1	6	9	3	4	6	11	3	6	9	4
VII. Teething	553	3	23	199	284	38	5	1	–	–	–	–	–
Quinsey	31	3	–	1	2	3	2	2	7	3	1	–	1
Gastritis	87	1	2	3	4	3	–	–	4	2	1	6	6
Enteritis	405	94	44	39	45	13	11	8	14	7	6	11	15
Peritonitis	198	10	1	6	5	4	3	–	9	7	9	19	17
Ascites	47	2	–	–	–	–	–	–	–	1	1	3	1
Ulceration of Intestines	80	1	1	–	2	2	1	–	–	2	5	9	6
Hernia	45	2	–	–	–	–	–	–	–	–	–	–	–
Ileus	109	12	2	2	1	1	1	2	5	1	–	2	4
Intussusception	13	2	–	–	1	–	–	–	1	–	–	–	–
Stricture of Intestines	7	–	–	–	–	–	–	–	–	–	1	–	–
Stomach Disease	381	23	12	24	15	7	6	2	11	3	3	9	12
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	73	2	–	–	–	–	1	–	5	3	1	2	4
Jaundice	88	19	–	1	2	1	2	1	1	–	1	1	3
Liver Disease	300	2	–	6	1	1	1	3	8	3	6	5	9
Spleen Disease	6	–	–	–	1	–	–	–	–	–	–	–	1
VIII. Nephritis	21	1	–	–	–	–	1	1	4	1	–	2	1
Nephria	86	–	–	–	–	–	–	–	5	1	6	5	8
Ischuria	12	1	–	–	1	–	1	–	–	–	1	1	1
Diabetes	26	–	–	–	2	–	1	1	1	1	1	4	3
Stone	5	–	–	–	–	–	–	–	–	–	–	–	1
Cystitis	4	–	–	–	–	–	–	–	–	–	–	2	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	107	–	–	–	2	1	3	2	6	2	7	5	5
IX. Paramenia	22	–	–	–	–	–	–	–	–	–	8	4	1
Ovarian Dropsy	92	–	–	–	–	–	–	–	–	–	1	4	6
Childbirth	376	–	–	–	–	–	–	–	–	–	8	63	93
Organs of Generation	73	–	–	–	–	–	–	–	–	–	–	3	7
X. Arthritis	8	–	–	–	–	–	1	–	1	1	–	–	–
Rheumatism	101	–	–	–	–	–	–	–	–	3	2	4	2
Joint and Bone Disease	101	–	1	–	1	3	2	3	14	15	7	12	7
XI. Carbuncle	10	1	–	–	–	1	–	–	–	1	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	1
Skin Disease	30	9	3	2	4	5	1	–	–	–	–	–	2
XII. Cyanosis	19	15	1	1	2	–	–	–	–	–	–	–	–
Spina Bifida	17	16	–	1	–	–	–	–	–	–	–	–	–
Other Malformations	30	24	–	3	1	1	–	1	–	–	–	–	–
XVII. Intemperance	22	–	–	–	–	–	–	–	–	–	–	1	3
Privation	2	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	32	24	2	5	1	–	–	–	–	–	–	–	–
Neglect	1	–	–	–	1	–	–	–	–	–	–	–	–
Cold	4	1	–	–	–	–	–	–	–	–	–	–	–
Poison	23	4	1	–	1	–	–	1	1	1	2	1	–
Burns and Scalds	162	–	–	6	20	29	18	14	16	6	2	4	1
Hanging, etc.	18	–	–	–	–	–	–	–	–	–	1	–	1
Suffocation	48	20	7	3	1	–	1	–	1	–	1	1	2
Drowning	76	–	–	1	7	6	4	1	2	3	3	6	5
Fracture and Contusion	141	3	–	1	4	5	3	4	7	7	6	7	4
Wounds	11	–	–	–	–	–	–	1	1	1	–	1	2
Other Violent Causes	37	13	–	–	–	1	–	1	2	–	4	–	2
Not Specified	1560	388	121	124	172	84	48	32	66	40	47	49	29

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1863.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	7	2	5	1	2	2	2	–	1	–	1	1	–	–	–	–
Apoplexy	9	10	34	22	32	60	68	56	79	63	30	11	6	–	–	–
Paralysis	11	13	29	26	38	53	101	129	130	139	81	31	9	2	–	2
Delirium Tremens	–	2	–	–	3	1	–	1	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	6	4	10	11	7	7	5	5	3	–	4	–	–	–	–	–
Tetanus	2	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	4	1	4	5	9	6	5	2	2	2	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	13	10	16	14	22	19	25	24	14	24	2	2	1	–	–	–
Pericarditis	4	–	1	1	2	2	3	1	1	–	–	–	–	–	–	–
Aneurism	2	4	2	2	1	2	3	1	3	2	–	–	–	–	–	1
Heart Disease	53	62	81	92	84	108	168	136	150	75	67	22	3	–	–	1
Laryngitis	3	1	3	1	–	2	3	–	–	–	2	–	–	–	–	–
Bronchitis	37	37	55	50	85	103	147	149	179	137	99	50	10	3	–	1
Pleurisy	8	5	4	1	9	10	9	8	8	4	2	–	–	–	–	–
Pneumonia	23	34	30	36	27	40	40	42	25	26	16	11	1	–	–	–
Asthma	3	15	12	14	15	29	43	45	35	23	11	4	–	–	–	–
Lung Disease	7	6	3	10	8	4	15	9	6	2	2	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	1	–	1	1	–	1	–	–	2	–	–	–	–	–	–
Gastritis	6	5	7	1	3	6	9	6	7	2	1	2	–	–	–	–
Enteritis	10	4	11	8	4	7	11	13	18	6	5	1	–	–	–	–
Peritonitis	21	27	12	5	7	4	5	10	6	8	3	–	–	–	–	–
Ascites	1	1	2	3	5	2	8	6	3	5	3	–	–	–	–	–
Ulceration of Intestines	4	2	6	6	7	6	7	3	7	2	1	–	–	–	–	–
Hernia	1	–	3	5	4	3	9	3	6	6	1	2	–	–	–	–
Ileus	2	8	7	2	6	7	11	11	6	10	5	–	1	–	–	–
Intussusception	–	–	–	1	1	–	1	1	1	2	1	–	1	–	–	–
Stricture of Intestines	–	–	–	1	1	–	–	–	3	1	–	–	–	–	–	–
Stomach Disease	11	18	14	18	17	22	50	44	31	16	8	3	1	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	3	5	8	7	6	8	7	7	1	1	–	1	–	–	–
Jaundice	4	2	–	3	4	2	11	6	11	5	6	2	–	–	–	–
Liver Disease	12	20	22	16	30	33	29	34	35	18	5	3	–	–	–	–
Splean Disease	–	1	1	–	1	–	–	1	–	–	–	–	–	–	–	–
Nephritis	1	–	–	–	1	2	1	2	–	3	–	–	–	–	–	–
Nephria	7	10	10	5	8	5	4	5	3	4	–	–	–	–	–	–
Ischuria	–	–	1	1	–	–	–	2	1	1	–	–	–	–	–	–
Diabetes	1	1	5	–	1	–	–	1	–	2	–	1	–	–	–	–
Stone	–	–	–	–	1	–	–	2	–	–	1	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	5	8	7	10	12	5	4	10	5	5	2	1	–	–	–	–
Paramenia	4	2	2	–	1	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	7	9	6	14	14	7	6	10	5	2	–	1	–	–	–	–
Childbirth	76	90	40	6	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	9	8	8	9	5	7	6	4	3	2	2	–	–	–	–	–
Arthritis	–	–	–	2	2	–	–	–	1	–	–	–	–	–	–	–
Rheumatism	8	8	3	4	11	6	10	14	10	6	7	3	–	–	–	–
Joint Disease	4	1	1	4	5	3	5	3	6	4	–	–	–	–	–	–
Carbuncle	–	–	1	–	–	–	2	1	2	1	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	2	1	4	3	2	4	–	1	–	–	–	–	–	–	–
Privation	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–
Poison	2	1	1	2	1	2	1	1	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	6	3	4	7	5	2	5	5	6	1	1	–	–
Hanging, etc.	3	–	1	2	1	4	2	–	–	2	–	–	–	–	–	1
Suffocation	–	2	2	–	2	–	3	–	2	–	–	–	–	–	–	–
Drowning	7	2	2	5	6	1	7	3	3	–	–	–	–	–	–	2
Fracture and Contusion	7	2	7	1	7	8	6	8	11	13	11	6	2	–	–	1
Wounds	–	1	–	1	–	–	2	3	–	–	–	–	1	–	–	–
Other Violent Causes	1	1	–	1	1	2	3	1	2	1	–	–	–	–	–	1
Not Specified	38	34	47	37	53	41	83	–	–	1	–	–	–	–	–	26

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1863.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	2934	220	45	116	205	126	64	46	104	56	113	133	121
Specified Causes	2454	120	20	81	157	91	50	37	84	42	96	113	108
I. Zymotic Class	495	26	11	42	91	63	26	26	48	15	14	17	12
II. Diseases of Uncertain Seat	73	–	–	–	2	–	–	–	–	–	3	3	2
III. Tubercular Class	350	5	1	12	15	4	11	2	13	14	50	59	48
IV. Brain and Nervous System	137	5	1	6	2	4	1	1	6	4	5	4	3
V. Organs of Circulation	45	–	–	–	1	–	–	–	–	1	–	–	2
VI. Respiratory Organs	257	15	3	16	27	7	4	2	8	1	6	9	10
VII. Organs of Digestion	151	9	2	5	11	2	2	2	6	2	3	3	4
VIII. Urinary Organs	25	–	–	–	–	1	–	–	–	–	2	–	1
IX. Organs of Generation	14	–	–	–	–	–	–	–	–	–	1	–	5
X. Organs of Locomotion	19	–	–	–	–	1	–	–	1	–	2	1	–
XI. Skin, etc.	3	–	–	–	1	–	–	–	–	–	–	–	–
XII. Malformation	2	2	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	56	54	2	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	17	–	–	–	1	4	–	1	–	1	–	1	–
XV. Age	672	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	6	–	–	–	–	–	–	–	–	–	–	–	1
XVII. Violent Deaths	132	4	–	–	6	5	6	3	2	4	10	16	20
I. Small Pox	15	–	1	–	1	1	1	1	1	–	3	2	1
Measles	57	1	–	7	22	8	3	4	6	1	1	1	3
Scarlatina	26	–	1	1	3	4	4	1	7	3	–	1	–
Diphtheria	39	1	3	6	5	11	3	5	5	–	–	–	–
Hooping Cough	50	2	2	6	15	11	5	1	7	1	–	–	–
Croup	127	16	1	17	35	24	10	9	15	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	22	1	1	–	4	–	–	–	1	–	–	–	–
Dysentery	6	–	1	1	–	–	–	–	–	–	–	–	–
Cholera	1	–	–	1	–	–	–	–	–	–	–	–	–
Influenza	42	4	1	2	4	4	–	2	1	3	–	1	–
Purpura	1	–	–	–	–	–	–	–	–	–	–	–	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	–	–	–	1	–	–	–
Infantile Fever	3	1	–	1	1	–	–	–	–	–	–	–	–
Typhus	90	–	–	–	1	–	–	2	5	5	8	11	6
Metria	2	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	5	–	–	–	–	–	–	–	–	1	2	–	–
Erysipelas	5	–	–	–	–	–	–	1	–	–	–	–	–
Syphilis	3	–	–	–	–	–	–	–	–	–	–	1	1
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	–	–	–	–	–	–	–	–	–	–	1	–
Dropsy	36	–	–	–	–	–	–	–	–	–	1	1	–
Abscess	2	–	–	–	1	–	–	–	–	–	–	–	1
Ulcer	4	–	–	–	1	–	–	–	–	–	1	1	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	4	–	–	–	–	–	–	–	–	–	1	–	–
Cancer	23	–	–	–	–	–	–	–	–	–	–	–	1
Gout	2	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	20	4	–	1	3	–	–	–	–	2	3	3	–
Tabes Mesenterica	10	–	–	1	3	1	–	1	2	1	1	–	–
Phthisis	294	–	–	3	4	2	5	–	9	10	45	56	48
Hydrocephalus	26	1	1	7	5	1	6	1	2	1	1	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1863.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	77	69	76	54	101	74	146	143	181	205	219	135	61	15	6	23
Specified Causes	68	58	61	43	80	63	107	143	181	204	219	135	61	15	6	11
Zymotic Class	16	6	6	3	10	12	12	9	12	11	2	2	–	–	–	3
Uncertain Seat	1	1	7	4	7	2	8	8	9	10	5	1	–	–	–	–
Tubercular Class	26	21	17	12	17	9	11	–	1	2	–	–	–	–	–	–
Brain, etc.	5	4	3	2	9	3	18	13	10	15	8	3	–	1	–	1
Heart, etc.	2	2	4	4	1	5	5	8	5	2	2	–	–	–	–	1
Respiratory Organs	3	5	3	6	11	10	18	22	25	29	12	4	–	–	–	1
Digestive Organs	2	5	6	2	16	12	12	15	12	11	3	2	1	–	–	1
Urinary Organs	–	–	2	–	–	1	2	3	3	5	4	1	–	–	–	–
Generative Organs	1	2	1	1	3	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	2	–	–	–	3	1	1	3	1	2	1	–	–	–	–
Skin	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	3	1	3	2	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	16	62	99	115	181	119	60	14	6	–
Sudden Deaths	–	1	–	–	–	1	1	–	–	1	–	1	–	–	–	–
Violent Deaths	12	9	9	7	3	3	2	2	2	2	–	1	–	–	–	4
Small Pox	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	1	2	4	1	3	3	–	1	–	–	–	–
Dysentery	1	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	1	1	–	–	–	1	3	2	5	4	2	1	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	8	4	4	2	6	9	4	5	3	4	–	–	–	–	–	3
Metria	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	1	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Dropsy	1	1	3	3	2	1	3	4	4	7	4	1	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–
Cancer	–	–	4	1	5	–	4	2	4	1	1	–	–	–	–	–
Gout	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Scrofula	–	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	26	19	16	12	16	9	11	–	1	2	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1863.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	8	1	–	–	–	3	–	–	2	1	–	–	–
Apoplexy	20	–	–	–	–	–	1	–	1	–	1	1	1
Paralysis	64	–	–	–	–	–	–	–	–	–	1	1	–
Delirium Tremens	2	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	1	–	–	1	–	–	–	–	–	–	–	–	–
Epilepsy	10	–	–	–	–	–	–	–	–	1	3	–	1
Tetanus	4	1	–	1	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	11	3	1	3	1	1	–	1	1	–	–	–	–
Brain Disease	16	–	–	1	1	–	–	–	2	2	–	2	1
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	44	–	–	–	1	–	–	–	–	1	–	–	2
VI. Laryngitis	2	–	–	1	–	–	–	–	–	–	–	–	–
Bronchitis	102	5	1	9	9	3	–	1	4	1	1	1	6
Pleurisy	45	8	1	1	9	4	3	1	2	–	2	4	–
Pneumonia	50	2	1	5	9	–	1	–	2	–	2	2	4
Asthma	51	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	7	–	–	–	–	–	–	–	–	–	1	2	–
VII. Teething	16	–	1	3	10	2	–	–	–	–	–	–	–
Quinsey	3	–	–	–	–	–	2	–	1	–	–	–	–
Gastritis	4	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	25	3	–	2	–	–	–	1	2	–	–	–	2
Peritonitis	7	–	–	–	–	–	–	–	–	–	2	–	–
Ascites	3	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	3	–	–	–	–	–	–	–	–	–	1	–	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	11	1	–	–	–	–	–	–	–	–	–	1	–
Intussusception	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	39	1	1	–	1	–	–	1	–	–	–	1	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	5	–	–	–	–	–	–	–	1	1	–	–	–
Jaundice	10	4	–	–	–	–	–	–	1	–	–	–	–
Liver Disease	21	–	–	–	–	–	–	–	1	1	–	1	–
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	1
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	6	–	–	–	–	1	–	–	–	–	1	–	–
Ischuria	3	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	3	–	–	–	–	–	–	–	–	–	1	–	–
Stone	5	–	–	–	–	–	–	–	–	–	–	–	1
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	7	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	1	–	–	–	–	–	–	–	–	–	1	–	–
Ovarian Dropsy	3	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	10	–	–	–	–	–	–	–	–	–	–	–	5
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	2	–	–	–	–	–	–	–	1	–	–	1	–
Rheumatism	13	–	–	–	–	–	–	–	–	–	1	–	–
Joint and Bone Disease	4	–	–	–	–	1	–	–	–	–	1	–	–
XI. Carbuncle	3	–	–	–	1	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	2	2	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	2	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	1	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	1	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	17	–	–	–	5	4	4	3	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	92	–	–	–	1	1	–	–	–	3	8	15	19
Fracture and Contusion	13	–	–	–	–	–	2	–	2	1	–	1	1
Wounds	2	–	–	–	–	–	–	–	–	–	1	–	–
Other Violent Causes	3	1	–	–	–	–	–	–	–	–	1	–	–
Not Specified	480	100	25	35	48	35	14	9	20	14	17	20	13

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1863.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Apoplexy	1	–	1	–	1	–	5	–	1	2	2	1	–	–	–	1
Paralysis	1	–	2	1	7	1	10	10	9	12	6	2	–	1	–	–
Delirium Tremens	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	1	–	1	–	–	1	2	–	–	–	–	–	–	–	–
Tetanus	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	2	–	–	1	1	1	–	–	1	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	2	2	4	4	1	5	5	7	5	2	2	–	–	–	–	1
Laryngitis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	2	1	1	4	5	5	4	12	14	9	2	–	–	–	1
Pleurisy	1	–	–	–	1	2	2	3	–	1	–	–	–	–	–	–
Pneumonia	1	2	1	2	1	2	3	3	2	4	–	1	–	–	–	–
Asthma	–	1	–	2	4	1	8	10	11	10	3	1	–	–	–	–
Lung Disease	–	–	–	1	1	–	–	2	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–
Enteritis	–	1	–	–	–	1	1	4	3	3	–	1	1	–	–	–
Peritonitis	–	–	–	–	–	–	1	1	1	1	1	–	–	–	–	–
Ascites	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–
Ulceration of Intestines	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Hernia	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	1	2	1	2	–	2	1	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	1	2	1	6	4	4	6	2	3	1	1	–	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	1	1	1	1	1	–	–	–	–	–	–
Liver Disease	–	3	–	1	6	2	3	–	3	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	1	–	–	–	–	1	1	1	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–
Diabetes	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Stone	–	–	–	–	–	–	1	–	–	1	1	1	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	1	1	1	1	1	2	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–
Childbirth	1	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	2	–	–	–	2	1	–	3	1	2	1	–	–	–	–
Joint Disease	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	12	9	7	6	2	1	2	–	1	1	–	–	–	–	–	4
Fracture and Contusion	–	–	1	1	–	1	–	1	1	1	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified.	9	11	15	11	21	11	39	–	–	1	–	–	–	–	–	12

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1863.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	1427	120	20	61	109	69	24	19	52	26	57	78	74
SPECIFIED CAUSES	1181	64	9	40	82	50	21	16	40	20	49	66	67
I. Zymotic Class	250	17	2	23	46	34	7	13	27	8	10	10	7
II. Diseases of Uncertain Seat	33	–	–	–	2	–	–	–	–	–	2	3	2
III. Tubercular Class	167	1	–	5	8	2	6	1	4	7	24	26	29
IV. Brain and Nervous System	72	2	1	4	1	4	–	–	3	–	1	4	1
V. Organs of Circulation	15	–	–	–	–	–	–	–	–	–	–	–	–
VI. Respiratory Organs	112	10	3	7	10	3	3	1	2	–	2	5	6
VII. Organs of Digestion	85	4	1	1	9	1	1	1	1	1	–	2	3
VIII. Urinary Organs	19	–	–	–	–	1	–	–	–	–	1	–	–
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	8	–	–	–	–	–	–	–	1	–	1	1	–
XI. Skin, etc.	3	–	–	–	1	–	–	–	–	–	–	–	–
XII. Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	30	28	2	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	6	–	–	–	1	2	–	–	–	–	–	1	–
XV. Age	268	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	2	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	111	2	–	–	4	3	4	–	2	4	8	14	19
I. Small Pox	9	–	–	–	–	1	–	–	1	–	3	2	1
Measles	26	–	–	6	8	4	–	2	3	1	1	–	1
Scarlatina	17	–	–	1	2	3	2	1	4	3	–	1	–
Diphtheria	22	1	1	5	2	5	1	3	4	–	–	–	–
Hooping Cough	18	1	–	–	7	4	–	1	4	1	–	–	–
Croup	71	12	1	8	20	14	4	4	8	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	10	–	–	–	3	–	–	–	–	–	–	–	–
Dysentery	4	–	–	1	–	–	–	–	–	–	–	–	–
Cholera	1	–	–	1	–	–	–	–	–	–	–	–	–
Influenza	15	2	–	–	2	3	–	2	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	3	1	–	1	1	–	–	–	–	–	–	–	–
Typhus	49	–	–	–	1	–	–	–	3	3	5	7	4
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	2	–	–	–	–	–	–	–	–	–	1	–	–
Erysipelas	2	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	–	–	–	–	–	–	–	–	–	–	–	1
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	–	–	–	–	–	–	–	–	–	–	1	–
Dropsy	17	–	–	–	–	–	–	–	–	–	–	1	–
Abscess	2	–	–	–	1	–	–	–	–	–	–	–	1
Ulcer	3	–	–	–	1	–	–	–	–	–	1	1	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	3	–	–	–	–	–	–	–	–	–	1	–	–
Cancer	4	–	–	–	–	–	–	–	–	–	–	–	1
Gout	2	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	10	1	–	–	2	–	–	–	–	1	2	2	–
Tabes Mesenterica	3	–	–	–	1	–	–	–	1	1	–	–	–
Phthisis	141	–	–	1	2	1	3	–	2	5	22	24	29
Hydrocephalus	13	–	–	4	3	1	3	1	1	–	–	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1863.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	39	31	39	17	50	39	76	66	76	91	85	61	27	4	2	15
SPECIFIED CAUSES	37	28	34	13	39	32	54	66	76	91	85	61	27	4	2	8
Zymotic Class	6	1	4	–	5	6	4	5	8	5	–	1	–	–	–	1
Uncertain Seat	1	–	2	1	1	2	4	3	3	5	1	1	–	–	–	–
Tubercular Class	15	8	11	3	5	5	5	–	1	1	–	–	–	–	–	–
Brain, etc.	2	2	–	–	4	2	12	8	3	9	5	3	–	–	–	1
Heart, etc.	–	1	2	1	–	1	3	3	1	2	1	–	–	–	–	–
Respiratory Organs	1	1	1	1	8	5	8	7	10	12	3	2	–	–	–	1
Digestive Organs	–	4	4	1	12	4	7	9	8	6	2	1	1	–	–	1
Urinary Organs	–	–	1	–	–	1	2	2	2	4	4	1	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	1	–	–	–	1	–	1	1	–	1	–	–	–	–	–
Skin	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	6	26	38	46	68	52	26	4	2	–
Sudden Deaths	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths	12	9	9	5	3	3	2	2	1	1	–	–	–	–	–	4
Small Pox	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	–	1	2	–	3	–	–	1	–	–	–	–
Dysentery	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	1	2	3	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	4	–	3	–	3	5	2	4	2	2	–	–	–	–	–	1
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Dropsy	1	–	1	1	1	1	2	2	1	4	1	1	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Cancer	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–
Gout	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Scrofula	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	15	7	10	3	5	5	5	–	1	1	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1863.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	5	1	–	–	–	3	–	–	–	–	–	–	–
Apoplexy	9	–	–	–	–	–	–	–	1	–	–	1	–
Paralysis	34	–	–	–	–	–	–	–	–	–	–	1	–
Delirium Tremens	2	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	6	–	–	–	–	–	–	–	–	–	1	–	1
Tetanus	2	1	–	1	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	6	–	1	2	1	1	–	–	1	–	–	–	–
Brain Disease	8	–	–	1	–	–	–	–	1	–	–	2	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	15	–	–	–	–	–	–	–	–	–	–	–	–
VI. Laryngitis	1	–	–	1	–	–	–	–	–	–	–	–	–
Bronchitis	43	4	1	5	4	1	–	1	1	–	–	1	3
Pleurisy	20	4	1	–	4	2	3	–	–	–	1	1	–
Pneumonia	26	2	1	1	2	–	–	–	1	–	–	2	3
Asthma	19	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	3	–	–	–	–	–	–	–	–	–	1	1	–
VII. Teething	10	–	1	–	8	1	–	–	–	–	–	–	–
Quinsey	1	–	–	–	–	–	1	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	11	1	–	1	–	–	–	–	–	–	–	–	2
Peritonitis	3	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	2	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	7	1	–	–	–	–	–	–	–	–	–	1	–
Intussusception	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	26	–	–	–	1	–	–	1	–	–	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	3	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	6	2	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	12	–	–	–	–	–	–	–	1	1	–	1	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	3	–	–	–	–	1	–	–	–	–	–	–	–
Ischuria	3	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	2	–	–	–	–	–	–	–	–	–	1	–	–
Stone	4	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	6	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	2	–	–	–	–	–	–	–	1	–	–	1	–
Rheumatism	5	–	–	–	–	–	–	–	–	–	1	–	–
Joint and Bone Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	3	–	–	–	1	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	2	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	8	–	–	–	4	2	2	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	85	–	–	–	–	1	–	–	–	3	7	14	18
Fracture and Contusion	11	–	–	–	–	–	2	–	2	1	–	–	1
Wounds	2	–	–	–	–	–	–	–	–	–	1	–	–
Other Violent Causes	2	1	–	–	–	–	–	–	–	–	–	–	–
Not Specified	246	56	11	21	27	19	3	3	12	6	8	12	7

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1863.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Apoplexy	–	–	–	–	–	–	3	–	–	1	1	1	–	–	–	1
Paralysis	–	–	–	–	4	1	6	5	3	8	4	2	–	–	–	–
Delirium Tremens	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	1	–	–	–	–	1	2	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	–	1	2	1	–	1	3	3	1	2	1	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	–	–	–	1	2	4	1	5	5	2	1	–	–	–	1
Pleurisy	–	–	–	–	1	1	–	1	–	1	–	–	–	–	–	–
Pneumonia	1	1	1	–	1	1	3	2	2	2	–	–	–	–	–	–
Asthma	–	–	–	1	4	1	1	3	3	4	1	1	–	–	–	–
Lung Disease	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	1	–	–	–	–	1	1	1	1	–	1	1	–	–	–
Peritonitis	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–
Ascites	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Ulceration of Intestines	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	1	1	1	2	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	1	2	–	6	1	3	4	2	2	1	–	–	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	1	1	1	1	–	–	–	–	–	–
Liver Disease	–	2	–	1	3	–	–	–	3	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Stone	–	–	–	–	–	–	1	–	–	1	1	1	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	1	1	–	1	1	2	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	1	–	–	–	1	–	–	1	–	1	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	12	9	7	4	2	1	2	–	–	1	–	–	–	–	–	4
Fracture and Contusion	–	–	1	1	–	1	–	1	1	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	2	3	5	4	11	7	22	–	–	–	–	–	–	–	–	7

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1863.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	1507	100	25	55	96	57	40	27	52	30	56	55	47
SPECIFIED CAUSES	1273	56	11	41	75	41	29	21	44	22	47	47	41
I. Zymotic Class	245	9	9	19	45	29	19	13	21	7	4	7	5
II. Diseases of Uncertain Seat	40	–	–	–	–	–	–	–	–	–	1	–	–
III. Tubercular Class	183	4	1	7	7	2	5	1	9	7	26	33	19
IV. Brain and Nervous System	65	3	–	2	1	–	1	1	3	4	4	–	2
V. Organs of Circulation	30	–	–	–	1	–	–	–	–	1	–	–	2
VI. Respiratory Organs	145	5	–	9	17	4	1	1	6	1	4	4	4
VII. Organs of Digestion	66	5	1	4	2	1	1	1	5	1	3	1	1
VIII. Urinary Organs	6	–	–	–	–	–	–	–	–	–	1	–	1
IX. Organs of Generation	14	–	–	–	–	–	–	–	–	–	1	–	5
X. Organs of Locomotion	11	–	–	–	–	1	–	–	–	–	1	–	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	2	2	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	26	26	–	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	11	–	–	–	–	2	–	1	–	1	–	–	–
XV. Age	404	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	4	–	–	–	–	–	–	–	–	–	–	–	1
XVII. Violent Deaths	21	2	–	–	2	2	2	3	–	–	2	2	1
I. Small Pox	6	–	1	–	1	–	1	1	–	–	–	–	–
Measles	31	1	–	1	14	4	3	2	3	–	–	1	2
Scarlatina	9	–	1	–	1	1	2	–	3	–	–	–	–
Diphtheria	17	–	2	1	3	6	2	2	1	–	–	–	–
Hooping Cough	32	1	2	6	8	7	5	–	3	–	–	–	–
Croup	56	4	–	9	15	10	6	5	7	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	12	1	1	–	1	–	–	–	1	–	–	–	–
Dysentery	2	–	1	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	27	2	1	2	2	1	–	–	1	3	–	1	–
Purpura	1	–	–	–	–	–	–	–	–	–	–	–	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	–	–	–	1	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	41	–	–	–	–	–	–	2	2	2	3	4	2
Metria	2	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	3	–	–	–	–	–	–	–	–	1	1	–	–
Erysipelas	3	–	–	–	–	–	–	1	–	–	–	–	–
Syphilis	2	–	–	–	–	–	–	–	–	–	–	1	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	19	–	–	–	–	–	–	–	–	–	1	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	19	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	10	3	–	1	1	–	–	–	–	1	1	1	–
Tabes Mesenterica	7	–	–	1	2	1	–	1	1	–	1	–	–
Phthisis	153	–	–	2	2	1	2	–	7	5	23	32	19
Hydrocephalus	13	1	1	3	2	–	3	–	1	1	1	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1863.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	38	38	37	37	51	35	70	77	105	114	134	74	34	11	4	8
SPECIFIED CAUSES	31	30	27	30	41	31	53	77	105	113	134	74	34	11	4	3
Zymotic Class	10	5	2	3	5	6	8	4	4	6	2	1	–	–	–	2
Uncertain Seat	–	1	5	3	6	–	4	5	6	5	4	–	–	–	–	–
Tubercular Class	11	13	6	9	12	4	6	–	–	1	–	–	–	–	–	–
Brain, etc.	3	2	3	2	5	1	6	5	7	6	3	–	1	–	–	–
Heart, etc.	2	1	2	3	1	4	2	5	4	–	1	–	–	–	–	1
Respiratory Organs	2	4	2	5	3	5	10	15	15	17	9	2	–	–	–	–
Digestive Organs	2	1	2	1	4	8	5	6	4	5	1	1	–	–	–	–
Urinary Organs	–	–	1	–	–	–	–	1	1	1	–	–	–	–	–	–
Generative Organs	1	2	1	1	3	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	1	–	–	–	2	1	–	2	1	1	1	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	3	1	2	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	10	36	61	69	113	67	34	10	4	–
Sudden Deaths	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–
Violent Deaths	–	–	–	2	–	–	–	–	1	1	–	1	–	–	–	–
Small Pox	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	1	1	2	1	–	3	–	–	–	–	–	–
Dysentery	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	1	1	–	–	–	1	3	1	3	1	2	1	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	4	4	1	2	3	4	2	1	1	2	–	–	–	–	–	2
Metria	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	1	2	2	1	–	1	2	3	3	3	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Cancer	–	–	3	1	5	–	3	2	3	1	1	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	11	12	6	9	11	4	6	–	–	1	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1863.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.													
	ALL AGES.	AGE UNDER												
		MONTHS.												
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	3	–	–	–	–	–	–	–	2	1	–	–	–
Apoplexy	11	–	–	–	–	–	1	–	–	–	1	–	1
Paralysis	30	–	–	–	–	–	–	–	–	–	1	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	1	–	–	1	–	–	–	–	–	–	–	–	–
Epilepsy	4	–	–	–	–	–	–	–	–	1	2	–	–
Tetanus	2	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	5	3	–	1	–	–	–	1	–	–	–	–	–
Brain Disease	8	–	–	–	1	–	–	–	1	2	–	–	1
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	29	–	–	–	1	–	–	–	–	1	–	–	2
VI. Laryngitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	59	1	–	4	5	2	–	–	3	1	1	–	3
Pleurisy	25	4	–	1	5	2	–	1	2	–	1	3	–
Pneumonia	24	–	–	4	7	–	1	–	1	–	2	–	1
Asthma	32	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	4	–	–	–	–	–	–	–	–	–	–	1	–
VII. Teething	6	–	–	3	2	1	–	–	–	–	–	–	–
Quinsey	2	–	–	–	–	–	1	–	1	–	–	–	–
Gastritis	3	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	14	2	–	1	–	–	–	1	2	–	–	–	–
Peritonitis	4	–	–	–	–	–	–	–	–	–	2	–	–
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	1	–	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	4	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	13	1	1	–	–	–	–	–	–	–	–	1	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	–	–	–	–	–	–	–	1	1	–	–	–
Jaundice	4	2	–	–	–	–	–	–	1	–	–	–	–
Liver Disease	9	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	1
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	3	–	–	–	–	–	–	–	–	–	1	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	1	–	–	–	–	–	–	–	–	–	–	–	1
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	1	–	–	–	–	–	–	–	–	–	1	–	–
Ovarian Dropsy	3	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	10	–	–	–	–	–	–	–	–	–	–	–	5
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	8	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	3	–	–	–	–	1	–	–	–	–	1	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	2	2	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	1	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	1	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	9	–	–	–	1	2	2	3	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	7	–	–	–	1	–	–	–	–	–	1	1	1
Fracture and Contusion	2	–	–	–	–	–	–	–	–	–	–	1	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	–	–	–	–	–	–	1	–	–
Not Specified	234	44	14	14	21	16	11	6	8	8	9	8	6

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1863.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	–	1	–	1	–	2	–	1	1	1	–	–	–	–	–
Paralysis	1	–	2	1	3	–	4	5	6	4	2	–	–	1	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	2	1	2	3	1	4	2	4	4	–	1	–	–	–	–	1
Laryngitis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	2	1	1	3	3	1	3	7	9	7	1	–	–	–	–
Pleurisy	1	–	–	–	–	1	2	2	–	–	–	–	–	–	–	–
Pneumonia	–	1	–	2	–	1	–	1	–	2	–	1	–	–	–	–
Asthma	–	1	–	1	–	–	7	7	8	6	2	–	–	–	–	–
Lung Disease	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	1	–	3	2	2	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	1	–	–	–	2	1	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	–	–	1	–	3	1	2	–	1	–	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	1	–	–	3	2	3	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–
Childbirth	1	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	1	–	–	–	1	1	–	2	1	1	1	–	–	–	–
Joint Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	2	–	–	–	–	1	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	7	8	10	7	10	4	17	–	–	1	–	–	–	–	–	5

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1863.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	34722	2996	969	1937	2945	1575	1143	773	2024	1048	1147	1276	1139
Specified Causes	32502	2389	803	1759	2704	1461	1074	724	1913	992	1090	1207	1093
I. Zymotic Class	8445	337	248	702	1360	887	722	498	1189	403	292	237	172
II. Diseases of Uncertain Seat	1227	18	7	11	22	12	8	5	8	18	13	18	27
III. Tubercular Class	4985	70	118	244	440	177	97	72	323	286	486	587	528
IV. Brain and Nervous System	2552	135	56	81	79	32	35	29	89	71	46	59	46
V. Organs of Circulation	1369	9	1	4	3	2	5	4	12	32	42	31	43
VI. Respiratory Organs	3605	236	175	360	397	191	106	54	109	34	39	52	63
VII. Organs of Digestion	2499	235	104	275	278	67	30	18	61	44	44	52	56
VIII. Urinary Organs	487	5	1	–	4	1	7	4	14	8	16	20	15
IX. Organs of Generation	270	–	–	–	–	–	–	–	–	–	11	35	50
X. Organs of Locomotion	225	–	1	–	1	–	3	2	20	19	17	22	8
XI. Skin, etc.	70	12	7	8	8	4	3	–	3	–	1	2	3
XII. Malformation	93	78	2	6	3	1	–	–	2	–	1	–	–
XIII. Premature Debility	1317	1187	73	57	–	–	–	–	–	–	–	–	–
XIV. Atrophy	251	–	–	–	67	37	13	9	21	9	6	5	3
XV. Age	3900	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	68	11	2	–	–	1	2	–	2	1	2	–	3
XVII. Violent Deaths	1139	56	8	11	42	49	43	29	60	67	74	87	76
I. Small Pox	625	71	40	62	74	37	33	18	75	23	25	26	31
Measles	944	12	15	129	340	158	102	59	84	12	5	4	4
Scarlatina	1216	7	14	67	182	177	161	144	311	85	31	18	3
Diphtheria	1088	18	24	49	140	120	121	95	299	99	46	23	9
Hooping Cough	547	39	43	136	152	73	53	25	26	–	–	–	–
Croup	932	19	11	92	269	188	152	95	100	6	–	–	–
Thrush	19	12	2	2	1	1	1	–	–	–	–	–	–
Diarrhœa	537	64	52	81	83	29	15	5	10	7	7	7	3
Dysentery	149	2	4	6	8	9	2	3	4	2	4	–	6
Cholera	55	3	5	15	6	1	1	–	3	2	1	1	–
Influenza	209	8	4	5	9	2	1	1	1	2	1	5	4
Purpura	21	1	–	–	4	1	–	–	–	1	1	1	–
Ague	2	–	1	–	–	–	–	–	–	–	–	–	–
Worms	18	1	1	–	–	9	1	–	5	1	–	–	–
Infantile Fever	54	13	7	9	11	4	2	2	5	1	–	–	–
Typhus	1634	6	7	30	69	75	73	46	255	150	150	119	77
Metria	115	–	–	–	–	–	–	–	–	–	6	24	23
Rheumatic Fever	69	2	–	–	–	–	1	1	5	7	12	4	3
Erysipelas	163	45	9	17	5	2	2	3	5	5	3	2	7
Syphilis	37	13	9	2	4	–	–	–	–	–	–	3	2
Noma	10	1	–	–	3	–	1	1	1	–	–	–	–
Hydrophobia	1	–	–	–	–	1	–	–	–	–	–	–	–
II. Hæmorrhage	36	5	1	1	1	–	–	–	2	3	1	3	–
Dropsy	351	–	–	2	7	9	3	2	4	9	3	7	9
Abscess	65	6	3	5	7	1	1	3	1	3	2	2	8
Ulcer	29	1	2	1	4	–	–	–	–	–	–	–	1
Fistula	9	–	–	1	–	–	–	–	–	–	–	2	–
Mortification	58	5	1	–	3	2	1	–	1	2	–	2	1
Cancer	671	1	–	1	–	–	3	–	–	1	7	2	8
Gout	8	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	348	4	8	16	25	12	7	9	36	27	46	37	27
Tabes Mesenterica	393	28	25	35	110	55	24	13	37	25	10	6	7
Phthisis	3504	8	25	38	95	45	26	22	145	201	423	540	494
Hydrocephalus	740	30	60	155	210	65	40	28	105	33	7	4	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1863.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	942	881	896	921	1002	1067	1500	1573	1972	1828	1709	964	309	97	20	69
Specified Causes	897	841	851	871	925	1002	1395	1572	1972	1828	1709	964	309	97	20	40
Zymotic Class	158	136	108	124	104	103	142	121	155	126	69	33	10	4	1	4
Uncertain Seat	19	36	58	83	97	118	149	149	144	101	66	30	7	2	1	–
Tubercular Class	365	258	234	208	158	120	116	49	29	11	4	2	–	–	–	3
Brain, etc.	63	59	78	85	112	141	185	261	276	267	177	66	21	1	–	2
Heart, etc.	42	50	59	71	98	110	178	154	196	117	75	25	2	–	–	4
Respiratory Organs	52	79	89	105	127	163	244	225	256	212	157	61	15	3	–	1
Digestive Organs	63	80	91	94	95	101	180	179	173	99	53	21	3	–	–	3
Urinary Organs	17	22	29	16	24	32	38	55	53	61	35	9	1	–	–	–
Generative Organs	31	55	30	15	12	9	4	10	5	1	1	1	–	–	–	–
Locomotive Organs	10	7	8	4	13	14	13	19	21	13	6	3	1	–	–	–
Skin	–	–	2	1	2	2	4	1	3	2	–	2	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	5	7	8	12	14	34	–	–	–	–	–	–	–	–	–	1
Age	–	–	–	–	–	–	81	314	623	786	1045	702	245	86	18	–
Sudden Deaths	3	6	1	1	4	5	8	7	8	1	–	–	–	–	–	–
Violent Deaths	69	46	56	52	65	50	53	28	30	31	21	9	4	1	–	22
Small Pox	15	19	19	20	13	13	7	–	3	–	–	–	–	–	–	1
Measles	10	2	2	4	1	–	1	–	–	–	–	–	–	–	–	–
Scarlatina	3	4	3	2	3	–	–	–	–	–	–	–	–	–	–	1
Diphtheria	6	4	4	4	3	9	3	5	5	–	2	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	7	6	6	10	5	18	13	34	34	20	12	5	3	–	–
Dysentery	2	4	3	5	5	5	12	9	18	22	11	2	1	–	–	–
Cholera	–	1	2	1	2	3	2	4	2	–	–	–	–	–	–	–
Influenza	–	3	1	6	6	10	19	27	24	36	16	12	4	1	1	–
Purpura	–	1	–	–	1	2	6	1	–	1	–	–	–	–	–	–
Ague	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	83	56	51	64	48	46	68	54	60	25	16	4	–	–	–	2
Metria	26	26	9	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	5	6	5	4	3	3	2	3	–	1	1	1	–	–	–	–
Erysipelas	7	1	3	5	9	6	3	5	8	6	3	2	–	–	–	–
Syphilis	–	2	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	2	2	4	–	3	3	–	3	1	1	–	–	–	–	–
Dropsy	2	9	12	13	15	25	38	43	58	38	28	10	5	–	–	–
Abscess	2	1	1	2	–	3	5	2	4	1	2	–	–	–	–	–
Ulcer	2	–	–	2	1	–	2	–	7	4	–	1	1	–	–	–
Fistula	–	–	–	2	–	–	–	2	1	–	1	–	–	–	–	–
Mortification	1	2	2	1	2	1	3	3	4	7	7	6	–	–	1	–
Cancer	11	21	40	58	79	86	98	99	64	50	26	13	1	2	–	–
Gout	1	1	1	1	–	–	–	–	3	–	1	–	–	–	–	–
Scrofula	17	10	15	16	9	6	7	5	5	3	–	1	–	–	–	–
Tabes Mesenterica	4	2	2	3	3	1	1	–	1	1	–	–	–	–	–	–
Phthisis	343	246	216	189	146	113	107	44	23	7	4	1	–	–	–	3
Hydrocephalus	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1863.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	159	4	3	13	15	10	6	4	21	14	15	11	4
Apoplexy	583	7	1	5	6	4	4	3	13	7	8	7	7
Paralysis	889	–	–	1	–	–	1	–	3	3	–	5	3
Delirium Tremens	28	–	–	–	–	–	–	–	–	–	–	–	2
Chorea	5	–	–	1	–	–	–	–	2	–	–	1	–
Epilepsy	129	–	–	–	–	–	–	1	5	12	7	9	13
Tetanus	26	6	1	3	1	–	2	–	2	3	–	1	1
Insanity	23	–	–	–	–	–	–	–	–	–	1	–	–
Convulsions	300	114	40	48	40	13	17	12	15	–	–	1	–
Brain Disease	410	4	11	10	17	5	5	9	28	32	15	24	16
V. Pericarditis	36	1	–	1	–	–	–	1	2	3	3	3	3
Aneurism	38	2	–	–	–	–	–	–	1	1	2	–	1
Heart Disease	1295	6	1	3	3	2	5	3	9	28	37	28	39
VI. Laryngitis	81	4	–	8	16	12	10	3	7	5	3	–	2
Bronchitis	2172	161	141	266	284	135	66	37	65	13	15	13	20
Pleurisy	110	2	3	1	6	–	1	1	5	1	1	3	2
Pneumonia	868	62	29	76	86	42	25	13	28	11	13	27	33
Asthma	259	–	–	–	1	–	2	–	–	–	2	1	3
Lung Disease	115	7	2	9	4	2	2	–	4	4	5	8	3
VII. Teething	417	2	26	167	191	28	3	–	–	–	–	–	–
Quinsey	43	3	2	3	5	3	2	1	7	3	2	–	2
Gastritis	101	6	1	6	4	3	1	–	2	2	2	4	4
Enteritis	443	126	41	49	43	19	9	8	12	10	9	13	9
Peritonitis	156	5	1	8	9	2	3	–	10	6	5	11	9
Ascites	35	–	–	–	1	–	1	–	1	1	2	–	1
Ulceration of Intestines	111	–	2	2	4	2	2	–	1	3	3	7	5
Hernia	48	4	1	1	2	–	–	–	–	–	–	–	–
Ileus	147	13	3	5	–	–	2	1	8	1	4	3	2
Intussusception	25	1	1	2	1	–	–	–	2	2	1	–	2
Stricture of Intestines	17	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	436	25	21	27	16	4	4	4	10	6	4	6	10
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	74	3	–	–	–	1	1	–	3	4	1	1	3
Jaundice	116	42	2	2	1	2	1	1	–	1	1	–	2
Liver Disease	318	5	3	3	–	3	1	3	5	5	10	7	7
Spleen Disease	12	–	–	–	1	–	–	–	–	–	–	–	–
VIII. Nephritis	37	2	–	–	1	1	2	–	1	–	4	2	–
Nephria	91	–	–	–	–	–	–	–	7	2	2	5	6
Ischuria	41	1	1	–	–	–	1	–	–	–	1	1	–
Diabetes	50	–	–	–	1	–	1	2	1	1	4	7	3
Stone	44	–	–	–	–	–	1	–	2	1	–	1	–
Cystitis	30	1	–	–	–	–	–	1	–	–	1	–	1
Stricture of Urethra	7	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	187	1	–	–	2	–	2	1	3	4	4	4	5
IX. Paramenia	17	–	–	–	–	–	–	–	–	–	7	4	1
Ovarian Dropsy	45	–	–	–	–	–	–	–	–	–	–	4	3
Childbirth	166	–	–	–	–	–	–	–	–	–	4	25	44
Organs of Generation	42	–	–	–	–	–	–	–	–	–	–	2	2
X. Arthritis	7	–	–	–	–	–	–	–	2	1	–	–	–
Rheumatism	102	–	–	–	–	–	–	–	1	2	6	3	1
Joint and Bone Disease	116	–	1	–	1	–	3	2	17	16	11	19	7
XI. Carbuncle	16	1	1	1	–	1	1	–	–	–	–	1	–
Phlegmon	12	1	1	1	2	–	–	–	1	–	1	–	1
Skin Disease	42	10	5	6	6	3	2	–	2	–	–	1	2
XII. Cyanosis	32	27	1	2	2	–	–	–	–	–	–	–	–
Spina Bifida	23	19	–	2	–	–	–	–	1	–	1	–	–
Other Malformations	38	32	1	2	1	1	–	–	1	–	–	–	–
XVII. Intemperance	20	–	–	–	–	–	–	–	–	–	–	2	2
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	22	20	1	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	14	–	–	–	–	–	–	–	–	–	–	–	1
Poison	15	2	–	–	2	–	–	1	2	–	1	–	–
Burns and Scalds	176	–	–	6	26	32	26	14	17	2	4	6	3
Hanging, etc.	31	–	–	–	–	–	–	–	–	–	1	1	2
Suffocation	46	19	6	3	1	–	–	–	1	1	1	3	1
Drowning	273	–	1	1	7	12	8	8	14	26	28	26	18
Fracture and Contusion	444	1	–	–	6	4	7	3	21	33	32	40	43
Wounds	37	–	–	–	–	1	2	1	3	3	2	4	2
Other Violent Causes	60	14	–	–	–	–	–	2	2	2	5	5	4
Not Specified	2220	607	166	178	241	114	69	49	111	56	57	69	46

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1863.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	7	4	5	4	6	1	1	2	5	–	3	1	–	–	–	–
Apoplexy	13	14	21	21	31	49	57	69	91	70	47	19	9	–	–	–
Paralysis	11	17	18	20	33	54	91	149	147	164	110	45	11	1	–	2
Delirium Tremens	3	5	6	5	5	1	–	1	–	–	–	–	–	–	–	–
Chorea	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	14	2	11	11	9	9	7	7	4	2	6	–	–	–	–	–
Tetanus	2	2	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Insanity	–	2	1	1	4	4	1	3	2	3	1	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	13	13	15	22	24	23	27	30	27	28	10	1	1	–	–	–
Pericarditis	1	–	2	2	3	–	2	3	2	2	1	–	–	–	–	1
Aneurism	5	3	1	3	2	3	3	3	5	2	–	–	–	–	–	1
Heart Disease	36	47	56	66	93	107	173	148	189	113	74	25	2	–	–	2
Laryngitis	–	1	1	1	3	–	3	–	1	–	1	–	–	–	–	–
Bronchitis	16	21	31	40	57	62	123	115	161	139	126	46	15	3	–	1
Pleurisy	5	6	9	1	8	10	11	13	11	5	4	1	–	–	–	–
Pneumonia	23	34	40	33	35	61	52	44	39	36	16	10	–	–	–	–
Asthma	2	11	7	24	18	26	43	45	35	26	9	4	–	–	–	–
Lung Disease	6	6	1	6	6	4	12	8	9	6	1	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	2	1	1	1	1	–	1	1	1	1	–	–	–	–	–	–
Gastritis	2	4	3	6	3	5	13	12	7	5	4	2	–	–	–	–
Enteritis	7	6	5	11	3	10	11	11	18	4	7	2	–	–	–	–
Peritonitis	10	17	8	6	8	3	6	8	9	8	4	–	–	–	–	–
Ascites	–	1	2	1	7	2	4	4	1	2	4	–	–	–	–	–
Ulceration of Intestines	5	5	10	10	5	7	10	10	14	3	1	–	–	–	–	–
Hernia	1	1	2	2	4	3	3	5	6	8	1	4	–	–	–	–
Ileus	5	6	11	5	4	9	15	17	11	15	4	2	1	–	–	–
Intussusception	–	–	1	3	2	–	2	2	–	1	1	–	1	–	–	–
Stricture of Intestines	–	–	1	–	1	3	4	2	5	1	–	–	–	–	–	–
Stomach Disease	9	19	18	19	20	20	56	51	48	22	10	5	1	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	3	2	3	6	9	6	7	7	8	3	2	–	–	–	–	1
Jaundice	2	3	3	3	2	–	13	7	12	8	4	4	–	–	–	–
Liver Disease	16	14	19	19	26	32	34	42	32	18	11	2	–	–	–	1
Spleen Disease	1	1	4	2	–	1	1	–	1	–	–	–	–	–	–	–
Nephritis	2	1	1	1	1	4	1	4	4	5	–	–	–	–	–	–
Nephria	4	10	11	5	10	8	3	7	5	4	2	–	–	–	–	–
Ischuria	–	–	3	1	–	1	7	4	6	10	3	1	–	–	–	–
Diabetes	4	3	5	3	2	2	1	6	1	2	–	1	–	–	–	–
Stone	–	–	–	–	1	2	5	9	5	10	7	–	–	–	–	–
Cystitis	1	–	1	–	1	–	1	2	7	7	4	2	–	–	–	–
Stricture of Urethra	1	–	–	–	1	–	1	1	2	1	–	–	–	–	–	–
Kidney Disease	5	8	8	6	8	15	19	22	23	22	19	5	1	–	–	–
Paramenia	2	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	5	2	7	7	3	2	7	3	–	–	1	–	–	–	–
Childbirth	24	45	22	2	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	4	4	5	6	4	6	2	3	2	1	1	–	–	–	–	–
Arthritis	–	–	–	1	1	1	–	1	–	–	–	–	–	–	–	–
Rheumatism	4	3	4	2	7	8	7	17	18	9	6	3	1	–	–	–
Joint Disease	6	4	4	1	5	5	6	1	3	4	–	–	–	–	–	–
Carbuncle	–	–	1	–	–	1	3	1	1	2	–	1	–	–	–	–
Phlegmon	–	–	1	–	1	1	–	–	1	–	–	–	–	–	–	–
Skin Disease	–	–	–	1	1	–	1	–	1	–	–	1	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	4	–	3	1	3	1	2	1	1	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	1	1	5	–	3	2	–	–	–	–	–	1
Poison	1	–	2	1	–	1	–	2	–	–	–	–	–	–	–	–
Burns and Scalds	2	1	1	5	3	3	3	4	2	7	4	3	1	1	–	–
Hanging, etc.	3	3	2	2	3	5	5	–	2	1	–	–	–	–	–	1
Suffocation	1	1	3	–	1	1	1	–	1	–	–	–	–	–	–	1
Drowning	18	16	19	10	22	4	12	6	3	2	1	–	–	–	–	11
Fracture and Contusion	37	22	21	26	27	29	18	11	15	17	15	6	3	–	–	7
Wounds	3	1	3	3	2	2	2	2	–	–	1	–	–	–	–	–
Other Violent Causes	–	2	2	4	3	3	5	1	3	2	–	–	–	–	–	1
Not Specified	45	40	45	50	77	65	105	1	–	–	–	–	–	–	–	29

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1863.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	17222	1715	537	1033	1535	762	569	380	1054	518	582	686	547
SPECIFIED CAUSES	16039	1356	447	948	1413	706	534	350	995	489	553	648	518
I. Zymotic Class	4079	182	124	344	694	425	359	231	602	176	128	111	72
II. Diseases of Uncertain Seat	468	6	3	6	10	4	4	4	4	11	8	9	7
III. Tubercular Class	2454	37	61	129	232	90	48	38	167	130	232	313	253
IV. Brain and Nervous System	1359	82	33	48	47	18	18	15	51	37	28	36	26
V. Organs of Circulation	699	7	1	1	1	2	3	4	6	10	21	19	18
VI. Respiratory Organs	1918	135	106	215	215	92	50	23	59	18	19	36	36
VII. Organs of Digestion	1305	168	72	153	145	35	12	9	27	24	26	22	18
VIII. Urinary Organs	359	4	1	–	1	1	3	3	8	5	11	9	10
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	118	–	–	–	–	–	3	–	12	11	13	12	4
XI. Skin, etc.	43	5	6	6	4	1	2	–	3	–	1	2	–
XII. Malformation	52	43	1	3	2	–	–	–	2	–	1	–	–
XIII. Premature Debility	716	648	33	35	–	–	–	–	–	–	–	–	–
XIV. Atrophy	107	–	–	–	35	14	5	4	12	5	3	3	1
XV. Age	1461	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	36	7	1	–	–	–	1	–	2	1	1	–	2
XVII. Violent Deaths	865	32	5	8	27	24	26	19	40	61	61	76	71
I. Small Pox	315	34	16	33	33	15	17	6	39	14	16	14	13
Measles	470	8	10	64	170	79	52	29	41	3	2	1	2
Scarlatina	617	5	8	37	81	91	81	66	172	43	17	8	2
Diphtheria	512	13	10	25	67	50	68	49	135	43	16	12	4
Hooping Cough	235	18	22	57	71	25	25	10	7	–	–	–	–
Croup	490	13	7	42	158	97	74	42	54	3	–	–	–
Thrush	14	10	–	1	1	1	1	–	–	–	–	–	–
Diarrhœa	260	29	27	43	52	12	10	2	6	1	2	3	1
Dysentery	63	1	2	2	6	6	1	1	1	2	1	–	1
Cholera	29	1	2	10	3	–	1	–	1	1	–	–	–
Influenza	90	4	1	1	4	–	1	1	1	2	–	–	2
Purpura	12	1	–	–	2	–	–	–	–	–	1	–	–
Ague	1	–	–	–	–	–	–	–	–	–	–	–	–
Worms	11	–	1	–	–	5	–	–	4	1	–	–	–
Infantile Fever	22	6	3	4	5	1	–	1	1	1	–	–	–
Typhus	789	5	3	15	36	43	26	21	134	56	62	68	43
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	36	2	–	–	–	–	1	–	1	3	11	3	1
Erysipelas	82	23	4	9	–	–	1	3	5	3	–	1	1
Syphilis	27	9	8	1	3	–	–	–	–	–	–	1	2
Noma	4	–	–	–	2	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	20	1	1	1	–	–	–	–	1	1	–	2	–
Dropsy	149	–	–	–	5	3	1	2	3	6	3	2	1
Abscess	36	3	2	4	3	1	1	2	–	2	1	2	5
Ulcer	10	–	–	–	1	–	–	–	–	–	–	–	–
Fistula	5	–	–	1	–	–	–	–	–	–	–	1	–
Mortification	22	2	–	–	1	–	–	–	–	1	–	2	–
Cancer	221	–	–	–	–	–	2	–	–	1	4	–	1
Gout	5	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	215	–	6	12	14	8	3	5	27	13	37	23	12
Tabes Mesenterica	181	16	11	16	46	25	11	7	20	13	2	5	–
Phthisis	1655	6	15	17	46	23	12	11	64	88	189	284	241
Hydrocephalus	403	15	29	84	126	34	22	15	56	16	4	1	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at diffe ent Periods of Life, in 1863.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	441	408	416	478	521	549	714	739	936	831	717	364	108	31	8	43
SPECIFIED CAUSES	420	388	400	451	480	511	671	738	936	831	717	364	108	31	8	28
Zymotic Class	59	54	48	61	57	50	69	50	73	56	27	18	5	2	–	2
Uncertain Seat	4	7	17	28	24	48	54	63	61	46	24	12	4	–	–	–
Tubercular Class	163	118	104	94	77	66	57	23	13	4	2	1	–	–	–	2
Brain, etc.	37	40	31	46	63	68	90	130	151	126	100	31	6	–	–	1
Heart, etc.	25	25	29	37	52	52	96	80	103	70	25	9	–	–	–	3
Respiratory Organs	25	41	53	66	79	87	128	109	125	104	68	21	8	–	–	–
Digestive Organs	29	34	45	57	43	53	71	97	85	46	22	10	–	–	–	2
Urinary Organs	10	14	15	10	17	27	33	39	47	51	32	7	1	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	5	4	5	–	4	8	7	8	12	6	1	2	1	–	–	–
Skin	–	–	1	–	2	2	1	1	2	2	–	2	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	3	1	4	4	11	–	–	–	–	–	–	–	–	–	1
Age	–	–	–	–	–	–	25	118	210	302	408	250	81	29	8	–
Sudden Deaths	2	3	1	1	2	3	2	2	4	1	–	–	–	–	–	–
Violent Deaths	60	45	50	47	56	36	38	18	20	17	8	1	2	–	–	17
Small Pox	7	10	11	11	8	10	6	–	1	–	–	–	–	–	–	1
Measles	4	2	1	1	–	–	1	–	–	–	–	–	–	–	–	–
Scarlatina	2	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	4	2	3	1	2	4	–	1	2	–	1	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	2	2	2	6	3	8	5	13	16	5	5	3	1	–	–
Dysentery	–	3	2	3	1	1	3	3	9	8	3	2	1	–	–	–
Cholera	–	1	1	1	1	3	–	3	–	–	–	–	–	–	–	–
Influenza	–	1	–	4	3	5	9	11	12	14	7	5	1	1	–	–
Purpura	–	1	–	–	1	2	3	1	–	–	–	–	–	–	–	–
Ague	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	32	24	26	33	26	19	36	23	31	13	9	4	–	–	–	1
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	4	5	–	–	2	–	1	1	–	1	–	–	–	–	–	–
Erysipelas	5	1	1	2	6	2	2	2	4	3	2	2	–	–	–	–
Syphilis	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	1	2	3	–	2	3	–	2	–	–	–	–	–	–	–
Dropsy	1	1	4	5	4	9	12	24	23	17	14	5	4	–	–	–
Abscess	–	–	–	2	–	2	2	1	2	–	1	–	–	–	–	–
Ulcer	–	–	–	1	1	–	1	–	4	2	–	–	–	–	–	–
Fistula	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–
Mortification	–	–	–	1	1	–	–	2	3	3	3	3	–	–	–	–
Cancer	3	5	11	13	18	35	36	35	24	24	5	4	–	–	–	–
Gout	–	–	–	1	–	–	–	–	3	–	1	–	–	–	–	–
Scrofula	10	5	11	12	4	4	2	4	3	–	–	–	–	–	–	–
Tabes Mesenterica	1	1	2	2	1	1	1	–	–	–	–	–	–	–	–	–
Phthisis	151	112	91	80	72	61	54	19	10	4	2	1	–	–	–	2
Hydrocephalus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1863.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	84	3	1	4	7	8	1	2	12	6	10	5	4
Apoplexy	300	4	–	3	3	3	2	1	6	4	6	6	2
Paralysis	435	–	–	1	–	–	–	–	3	2	–	1	1
Delirium Tremens	25	–	–	–	–	–	–	–	–	–	–	–	2
Chorea	3	–	–	1	–	–	–	–	1	–	–	–	–
Epilepsy	64	–	–	–	–	–	–	1	3	6	4	4	8
Tetanus	16	3	1	2	–	–	1	–	2	2	–	1	–
Insanity	4	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	178	70	23	32	25	4	9	4	10	–	–	1	–
Brain Disease	250	2	8	5	12	3	5	7	14	17	8	18	9
V. Pericarditis	24	1	–	–	–	–	–	1	1	–	2	3	2
Aneurism	17	1	–	–	–	–	–	–	–	–	–	–	1
Heart Disease	658	5	1	1	1	2	3	3	5	10	19	16	15
VI. Laryngitis	42	2	–	8	8	6	4	2	4	2	–	–	2
Bronchitis	1110	88	83	154	160	67	29	15	38	7	6	10	10
Pleurisy	65	–	2	1	2	–	1	1	4	–	–	2	1
Pneumonia	502	39	20	47	42	18	14	5	12	6	8	19	20
Asthma	137	–	–	–	1	–	1	–	–	–	2	1	2
Lung Disease	62	6	1	5	2	1	1	–	1	3	3	4	1
VII. Teething	227	1	18	94	99	14	1	–	–	–	–	–	–
Quinsey	25	2	2	2	4	1	1	–	4	1	1	–	2
Gastritis	49	5	1	4	2	1	1	–	–	–	1	–	2
Enteritis	259	89	24	29	21	14	4	4	7	6	6	8	1
Peritonitis	53	2	1	2	5	–	1	–	1	3	2	2	2
Ascites	11	–	–	–	1	–	1	–	1	–	1	–	1
Ulceration of Intestines	58	–	1	2	2	–	1	–	1	1	1	4	1
Hernia	21	2	1	1	2	–	–	–	–	–	–	–	–
Ileus	87	8	3	4	–	–	1	–	4	1	4	2	1
Intussusception	17	1	1	2	–	–	–	–	1	2	1	–	2
Stricture of Intestines	14	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	218	18	15	12	8	1	1	4	4	4	3	2	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	30	3	–	–	–	1	–	–	1	2	–	–	1
Jaundice	68	34	2	1	–	1	–	–	–	1	1	–	–
Liver Disease	158	3	3	–	–	2	–	1	3	3	5	4	3
Spleen Disease	10	–	–	–	1	–	–	–	–	–	–	–	–
VIII. Nephritis	28	1	–	–	1	1	1	–	–	–	4	1	–
Nephria	54	–	–	–	–	–	–	–	4	1	–	3	4
Ischuria	34	1	1	–	–	–	–	–	–	–	–	–	–
Diabetes	30	–	–	–	–	–	–	1	–	–	3	3	2
Stone	40	–	–	–	–	–	1	–	2	1	–	1	–
Cystitis	28	1	–	–	–	–	–	1	–	–	1	–	1
Stricture of Urethra	7	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	138	1	–	–	–	–	1	1	2	3	3	1	3
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	5	–	–	–	–	–	–	–	2	1	–	–	–
Rheumatism	46	–	–	–	–	–	–	–	1	–	5	1	–
Joint and Bone Disease	67	–	–	–	–	–	3	–	9	10	8	11	4
XI. Carbuncle	11	–	1	1	–	–	1	–	–	–	–	1	–
Phlegmon	11	1	1	1	2	–	–	–	1	–	1	–	–
Skin Disease	21	4	4	4	2	1	1	–	2	–	–	1	–
XII. Cyanosis	20	18	–	1	1	–	–	–	–	–	–	–	–
Spina Bifida	11	7	–	2	–	–	–	–	1	–	1	–	–
Other Malformations	21	18	1	–	1	–	–	–	1	–	–	–	–
XVII. Intemperance	16	–	–	–	–	–	–	–	–	–	–	2	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	14	12	1	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	12	–	–	–	–	–	–	–	–	–	–	–	1
Poison	6	–	–	–	2	–	–	–	1	–	–	–	–
Burns and Scalds	87	–	–	4	16	16	14	7	5	2	2	3	2
Hanging, etc.	19	–	–	–	–	–	–	–	–	–	–	1	1
Suffocation	30	12	3	2	1	–	–	–	1	1	–	2	1
Drowning	232	–	1	1	4	6	6	7	12	23	27	23	16
Fracture and Contusion	376	–	–	–	4	1	4	3	19	31	27	36	43
Wounds	33	–	–	–	–	1	2	1	2	2	2	4	2
Other Violent Causes	40	8	–	–	–	–	–	1	–	2	3	5	4
Not Specified	1183	359	90	85	122	56	35	30	59	29	29	38	29

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1863.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER 35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	2	2	3	4	–	–	2	4	–	2	–	–	–	–	–
Apoplexy	8	12	5	8	16	21	24	42	47	32	32	10	3	–	–	–
Paralysis	6	9	7	12	20	29	43	69	78	74	55	21	3	–	–	1
Delirium Tremens	3	5	6	5	3	1	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	9	1	3	4	5	4	4	2	2	2	2	–	–	–	–	–
Tetanus	1	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Insanity	–	–	1	–	–	1	–	–	–	2	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	8	10	6	13	15	12	18	15	20	16	9	–	–	–	–	–
Pericarditis	–	–	2	2	1	–	1	3	1	2	1	–	–	–	–	1
Aneurism	4	1	1	2	1	1	–	2	2	1	–	–	–	–	–	–
Heart Disease	21	24	26	33	50	51	95	75	100	67	24	9	–	–	–	2
Laryngitis	–	–	–	–	3	–	–	–	1	–	–	–	–	–	–	–
Bronchitis	7	12	16	25	30	32	63	52	65	63	56	14	8	–	–	–
Pleurisy	3	2	8	–	4	6	7	8	7	3	2	1	–	–	–	–
Pneumonia	11	20	24	21	26	36	33	23	29	19	7	3	–	–	–	–
Asthma	1	5	5	17	13	10	21	21	17	14	3	3	–	–	–	–
Lung Disease	3	2	–	3	3	3	4	5	6	5	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	2	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–
Gastritis	–	2	2	6	1	–	5	8	2	3	3	–	–	–	–	–
Enteritis	3	3	4	7	2	5	5	6	7	1	2	1	–	–	–	–
Peritonitis	2	3	2	3	4	2	3	4	6	2	1	–	–	–	–	–
Ascites	–	1	1	–	2	1	–	–	–	–	1	–	–	–	–	–
Ulceration of Intestines	2	4	7	6	1	4	3	7	9	1	–	–	–	–	–	–
Hernia	–	1	–	–	2	1	–	3	2	4	–	2	–	–	–	–
Ileus	3	3	5	5	1	5	7	10	7	9	2	2	–	–	–	–
Intussusception	–	–	1	2	1	–	2	1	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	1	–	1	3	4	2	3	–	–	–	–	–	–	–
Stomach Disease	4	10	8	8	13	13	17	25	26	13	4	3	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	1	–	2	3	2	2	4	2	2	1	–	–	–	–	1
Jaundice	–	1	3	1	1	–	5	4	5	5	1	2	–	–	–	–
Liver Disease	10	5	7	15	11	16	17	22	14	6	7	–	–	–	–	1
Spleen Disease	1	–	3	2	–	1	1	–	1	–	–	–	–	–	–	–
Nephritis	2	1	1	1	1	3	–	2	4	4	–	–	–	–	–	–
Nephria	2	6	5	3	8	6	1	4	4	1	2	–	–	–	–	–
Ischuria	–	–	2	–	–	1	7	3	6	9	3	1	–	–	–	–
Diabetes	3	2	3	3	1	2	1	5	1	–	–	–	–	–	–	–
Stone	–	–	–	–	–	2	5	7	5	10	6	–	–	–	–	–
Cystitis	1	–	1	–	1	–	1	1	6	7	4	2	–	–	–	–
Stricture of Urethra	1	–	–	–	1	–	1	1	2	1	–	–	–	–	–	–
Kidney Disease	1	5	3	3	5	13	17	16	19	19	17	4	1	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Rheumatism	–	–	2	–	1	4	4	7	12	5	1	2	1	–	–	–
Joint Disease	5	4	3	–	3	3	3	–	–	1	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	1	1	1	1	2	–	1	–	–	–	–
Phlegmon	–	–	1	–	1	1	–	–	1	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	4	–	3	1	2	1	1	1	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	1	1	4	–	2	2	–	–	–	–	–	1
Poison	–	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–
Burns and Scalds	2	1	1	3	3	1	1	1	–	3	–	–	–	–	–	–
Hanging, etc.	1	3	1	2	3	1	4	–	2	–	–	–	–	–	–	–
Suffocation	1	1	3	–	–	1	–	–	–	–	–	–	–	–	–	1
Drowning	15	15	18	9	18	4	8	4	3	2	1	–	–	–	–	9
Fracture and Contusion	34	22	17	25	25	24	16	9	12	9	6	1	2	–	–	6
Wounds	3	1	3	3	2	2	1	1	–	–	1	–	–	–	–	–
Other Violent Causes	–	2	2	4	2	1	3	1	1	1	–	–	–	–	–	–
Not Specified	21	20	16	27	41	38	43	1	–	–	–	–	–	–	–	15

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1863.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	17500	1281	432	904	1410	813	574	393	970	530	565	590	592
SPECIFIED CAUSES	16463	1033	356	811	1291	755	540	374	918	503	537	559	575
I. Zymotic Class	4366	155	124	358	666	462	363	267	587	227	164	126	100
II. Diseases of Uncertain Seat	759	12	4	5	12	8	4	1	4	7	5	9	20
III. Tubercular Class	2531	33	57	115	208	87	49	34	156	156	254	274	275
IV. Brain and Nervous System	1193	53	23	33	32	14	17	14	38	34	18	23	20
V. Organs of Circulation	670	2	–	3	2	–	2	–	6	22	21	12	25
VI. Respiratory Organs	1687	101	69	145	182	99	56	31	50	16	20	16	27
VII. Organs of Digestion	1194	67	32	122	133	32	18	9	34	20	18	30	38
VIII. Urinary Organs	128	1	–	–	3	–	4	1	6	3	5	11	5
IX. Organs of Generation	270	–	–	–	–	–	–	–	–	–	11	35	50
X. Organs of Locomotion	107	–	1	–	1	–	–	2	8	8	4	10	4
XI. Skin, etc.	27	7	1	2	4	3	1	–	–	–	–	–	3
XII. Malformation	41	35	1	3	1	1	–	–	–	–	–	–	–
XIII. Premature Debility	601	539	40	22	–	–	–	–	–	–	–	–	–
XIV. Atrophy	144	–	–	–	32	23	8	5	9	4	3	2	2
XV. Age	2439	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	32	4	1	–	–	1	1	–	–	–	1	–	1
XVII. Violent Deaths	274	24	3	3	15	25	17	10	20	6	13	11	5
I. Small Pox	310	37	24	29	41	22	16	12	36	9	9	12	18
Measles	474	4	5	65	170	79	50	30	43	9	3	3	2
Scarlatina	599	2	6	30	101	86	80	78	139	42	14	10	1
Diphtheria	576	5	14	24	73	70	53	46	164	56	30	11	5
Hooping Cough	312	21	21	79	81	48	28	15	19	–	–	–	–
Croup	442	6	4	50	111	91	78	53	46	3	–	–	–
Thrush	5	2	2	1	–	–	–	–	–	–	–	–	–
Diarrhœa	277	35	25	38	31	17	5	3	4	6	5	4	2
Dysentery	86	1	2	4	2	3	1	2	3	–	3	–	5
Cholera	26	2	3	5	3	1	–	–	2	1	1	1	–
Influenza	119	4	3	4	5	2	–	–	–	–	1	5	2
Purpura	9	–	–	–	2	1	–	–	–	1	–	1	–
Ague	1	–	1	–	–	–	–	–	–	–	–	–	–
Worms	7	1	–	–	–	4	1	–	1	–	–	–	–
Infantile Fever	32	7	4	5	6	3	2	1	4	–	–	–	–
Typhus	845	1	4	15	33	32	47	25	121	94	88	51	34
Metria	115	–	–	–	–	–	–	–	–	–	6	24	23
Rheumatic Fever	33	–	–	–	–	–	–	1	4	4	1	1	2
Erysipelas	81	22	5	8	5	2	1	–	–	2	3	1	6
Syphilis	10	4	1	1	1	–	–	–	–	–	–	2	–
Noma	6	1	–	–	1	–	1	1	1	–	–	–	–
Hydrophobia	1	–	–	–	–	1	–	–	–	–	–	–	–
II. Hæmorrhage	16	4	–	–	1	–	–	–	1	2	1	1	–
Dropsy	202	–	–	2	2	6	2	–	1	3	–	5	8
Abscess	29	3	1	1	4	–	–	1	1	1	1	–	3
Ulcer	19	1	2	1	3	–	–	–	–	–	–	–	1
Fistula	4	–	–	–	–	–	–	–	–	–	–	1	–
Mortification	36	3	1	–	2	2	1	–	1	1	–	–	1
Cancer	450	1	–	1	–	–	1	–	–	–	3	2	7
Gout	3	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	133	4	2	4	11	4	4	4	9	14	9	14	15
Tabes Mesenterica	212	12	14	19	64	30	13	6	17	12	8	1	7
Phthisis	1849	2	10	21	49	22	14	11	81	113	234	256	253
Hydrocephalus	337	15	31	71	84	31	18	13	49	17	3	3	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1863.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	501	473	480	443	481	518	786	834	1036	997	992	600	201	66	12	26
SPECIFIED CAUSES	477	453	451	420	445	491	724	834	1036	997	992	600	201	66	12	12
Zymotic Class	99	82	60	63	47	53	73	71	82	70	42	15	5	2	1	2
Uncertain Seat	15	29	41	55	73	70	95	86	83	55	42	18	3	2	1	–
Tubercular Class	202	140	130	114	81	54	59	26	16	7	2	1	–	–	–	1
Brain, etc.	26	19	47	39	49	73	95	131	125	141	77	35	15	1	–	1
Heart, etc.	17	25	30	34	46	58	82	74	93	47	50	16	2	–	–	1
Respiratory Organs	27	38	36	39	48	76	116	116	131	108	89	40	7	3	–	1
Digestive Organs	34	46	46	37	52	48	109	82	88	53	31	11	3	–	–	1
Urinary Organs	7	8	14	6	7	5	5	16	6	10	3	2	–	–	–	–
Generative Organs	31	55	30	15	12	9	4	10	5	1	1	1	–	–	–	–
Locomotive Organs	5	3	3	4	9	6	6	11	9	7	5	1	–	–	–	–
Skin	–	–	1	1	–	–	3	–	1	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	4	4	7	8	10	23	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	56	196	383	484	637	452	164	57	10	–
Sudden Deaths	1	3	–	–	2	2	6	5	4	–	–	–	–	–	–	–
Violent Deaths	9	1	6	5	9	14	15	10	10	14	13	8	2	1	–	5
Small Pox	8	9	8	9	5	3	1	–	2	–	–	–	–	–	–	–
Measles	6	–	1	3	1	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	3	2	1	2	–	–	–	–	–	–	–	–	–	–	1
Diphtheria	2	2	1	3	1	5	3	4	3	–	1	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	5	4	4	4	2	10	8	21	18	15	7	2	2	–	–
Dysentery	2	1	1	2	4	4	9	6	9	14	8	–	–	–	–	–
Cholera	–	–	1	–	1	–	2	1	2	–	–	–	–	–	–	–
Influenza	–	2	1	2	3	5	10	16	12	22	9	7	3	–	1	–
Purpura	–	–	–	–	–	–	3	–	–	1	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	51	32	25	31	22	27	32	31	29	12	7	–	–	–	–	1
Metria	26	26	9	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	1	5	4	1	3	1	2	–	–	1	1	–	–	–	–
Erysipelas	2	–	2	3	3	4	1	3	4	3	1	–	–	–	–	–
Syphilis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	1	–	1	–	1	–	–	1	1	1	–	–	–	–	–
Dropsy	1	8	8	8	11	16	26	19	35	21	14	5	1	–	–	–
Abscess	2	1	1	–	–	1	3	1	2	1	1	–	–	–	–	–
Ulcer	2	–	–	1	–	–	1	–	3	2	–	1	1	–	–	–
Fistula	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–
Mortification	1	2	2	–	1	1	3	1	1	4	4	3	–	–	1	–
Cancer	8	16	29	45	61	51	62	64	40	26	21	9	1	2	–	–
Gout	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	7	5	4	4	5	2	5	1	2	3	–	1	–	–	–	–
Tabes Mesenterica	3	1	–	1	2	–	–	–	1	1	–	–	–	–	–	–
Phthisis	192	134	125	109	74	52	53	25	13	3	2	–	–	–	–	1
Hydrocephalus	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1863.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	75	1	2	9	8	2	5	2	9	8	5	6	–
Apoplexy	283	3	1	2	3	1	2	2	7	3	2	1	5
Paralysis	454	–	–	–	–	–	1	–	–	1	–	4	2
Delirium Tremens	3	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	2	–	–	–	–	–	–	–	1	–	–	1	–
Epilepsy	65	–	–	–	–	–	–	–	2	6	3	5	5
Tetanus	10	3	–	1	1	–	1	–	–	1	–	–	1
Insanity	19	–	–	–	–	–	–	–	–	–	1	–	–
Convulsions	122	44	17	16	15	9	8	8	5	–	–	–	–
Brain Disease	160	2	3	5	5	2	–	2	14	15	7	6	7
V. Pericarditis	12	–	–	1	–	–	–	–	1	3	1	–	1
Aneurism	21	1	–	–	–	–	–	–	1	1	2	–	–
Heart Disease	637	1	–	2	2	–	2	–	4	18	18	12	24
VI. Laryngitis	39	2	–	–	8	6	6	1	3	3	3	–	–
Bronchitis	1062	73	58	112	124	68	37	22	27	6	9	3	10
Pleurisy	45	2	1	–	4	–	–	–	1	1	1	1	1
Pneumonia	366	23	9	29	44	24	11	8	16	5	5	8	13
Asthma	122	–	–	–	–	–	1	–	–	–	–	–	1
Lung Disease	53	1	1	4	2	1	1	–	3	1	2	4	2
VII. Teething	190	1	8	73	92	14	2	–	–	–	–	–	–
Quinsey	18	1	–	1	1	2	1	1	3	2	1	–	–
Gastritis	52	1	–	2	2	2	–	–	2	2	1	4	2
Enteritis	184	37	17	20	22	5	5	4	5	4	3	5	8
Peritonitis	103	3	–	6	4	2	2	–	9	3	3	9	7
Ascites	24	–	–	–	–	–	–	–	–	1	1	–	–
Ulceration of Intestines	53	–	1	–	2	2	1	–	–	2	2	3	4
Hernia	27	2	–	–	–	–	–	–	–	–	–	–	–
Ileus	60	5	–	1	–	–	1	1	4	–	–	1	1
Intussusception	8	–	–	–	1	–	–	–	1	–	–	–	–
Stricture of Intestines	3	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	218	7	6	15	8	3	3	–	6	2	1	4	8
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	44	–	–	–	–	–	1	–	2	2	1	1	2
Jaundice	48	8	–	1	1	1	1	1	–	–	–	–	2
Liver Disease	160	2	–	3	–	1	1	2	2	2	5	3	4
Spleen Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	9	1	–	–	–	–	1	–	1	–	–	1	–
Nephria	37	–	–	–	–	–	–	–	3	1	2	2	2
Ischuria	7	–	–	–	–	–	1	–	–	–	1	1	–
Diabetes	20	–	–	–	1	–	1	1	1	1	1	4	1
Stone	4	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	49	–	–	–	2	–	1	–	1	1	1	3	2
IX. Paramenia	17	–	–	–	–	–	–	–	–	–	7	4	1
Ovarian Dropsy	45	–	–	–	–	–	–	–	–	–	–	4	3
Childbirth	166	–	–	–	–	–	–	–	–	–	4	25	44
Organs of Generation	42	–	–	–	–	–	–	–	–	–	–	2	2
X. Arthritis	2	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	56	–	–	–	–	–	–	–	–	2	1	2	1
Joint and Bone Disease	49	–	1	–	1	–	–	2	8	6	3	8	3
XI. Carbuncle	5	1	–	–	–	1	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	1
Skin Disease	21	6	1	2	4	2	1	–	–	–	–	–	2
XII. Cyanosis	12	9	1	1	1	–	–	–	–	–	–	–	–
Spina Bifida	12	12	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	17	14	–	2	–	1	–	–	–	–	–	–	–
XVII. Intemperance	4	–	–	–	–	–	–	–	–	–	–	–	1
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	8	8	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	2	–	–	–	–	–	–	–	–	–	–	–	–
Poison	9	2	–	–	–	–	–	1	1	–	1	–	–
Burns and Scalds	89	–	–	2	10	16	12	7	12	–	2	3	1
Hanging, etc.	12	–	–	–	–	–	–	–	–	–	1	–	1
Suffocation	16	7	3	1	–	–	–	–	–	–	1	1	–
Drowning	41	–	–	–	3	6	2	1	2	3	1	3	2
Fracture and Contusion	68	1	–	–	2	3	3	–	2	2	5	4	–
Wounds	4	–	–	–	–	–	–	–	1	1	–	–	–
Other Violent Causes	20	6	–	–	–	–	–	1	2	–	2	–	–
Not Specified	1037	248	76	93	119	58	34	19	52	27	28	31	17

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1863.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	5	2	3	1	2	1	1	–	1	–	1	1	–	–	–	–
Apoplexy	5	2	16	13	15	28	33	27	44	38	15	9	6	–	–	–
Paralysis	5	8	11	8	13	25	48	80	69	90	55	24	8	1	–	1
Delirium Tremens	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	5	1	8	7	4	5	3	5	2	–	4	–	–	–	–	–
Tetanus	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	2	–	1	4	3	1	3	2	1	1	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	5	3	9	9	9	11	9	15	7	12	1	1	1	–	–	–
Pericarditis	1	–	–	–	2	–	1	–	1	–	–	–	–	–	–	–
Aneurism	1	2	–	1	1	2	3	1	3	1	–	–	–	–	–	1
Heart Disease	15	23	30	33	43	56	78	73	89	46	50	16	2	–	–	–
Laryngitis	–	1	1	1	–	–	3	–	–	–	1	–	–	–	–	–
Bronchitis	9	9	15	15	27	30	60	63	96	76	70	32	7	3	–	1
Pleurisy	2	4	1	1	4	4	4	5	4	2	2	–	–	–	–	–
Pneumonia	12	14	16	12	9	25	19	21	10	17	9	7	–	–	–	–
Asthma	1	6	2	7	5	16	22	24	18	12	6	1	–	–	–	–
Lung Disease	3	4	1	3	3	1	8	3	3	1	1	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	1	–	1	1	–	1	–	–	1	–	–	–	–	–	–
Gastritis	2	2	1	–	2	5	8	4	5	2	1	2	–	–	–	–
Enteritis	4	3	1	4	1	5	6	5	11	3	5	1	–	–	–	–
Peritonitis	8	14	6	3	4	1	3	4	3	6	3	–	–	–	–	–
Ascites	–	–	1	1	5	1	4	4	1	2	3	–	–	–	–	–
Ulceration of Intestines	3	1	3	4	4	3	7	3	5	2	1	–	–	–	–	–
Hernia	1	–	2	2	2	2	3	2	4	4	1	2	–	–	–	–
Ileus	2	3	6	–	3	4	8	7	4	6	2	–	1	–	–	–
Intussusception	–	–	–	1	1	–	–	1	–	1	1	–	1	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–
Stomach Disease	5	9	10	11	7	7	39	26	22	9	6	2	1	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	1	3	4	6	4	5	3	6	1	1	–	–	–	–	–
Jaundice	2	2	–	2	1	–	8	3	7	3	3	2	–	–	–	–
Liver Disease	6	9	12	4	15	16	17	20	18	12	4	2	–	–	–	–
Spleen Disease	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	1	1	2	–	1	–	–	–	–	–	–
Nephria	2	4	6	2	2	2	2	3	1	3	–	–	–	–	–	–
Ischuria	–	–	1	1	–	–	–	1	–	1	–	–	–	–	–	–
Diabetes	1	1	2	–	1	–	–	1	–	2	–	1	–	–	–	–
Stone	–	–	–	–	1	–	–	2	–	–	1	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	4	3	5	3	3	2	2	6	4	3	2	1	–	–	–	–
Paramenia	2	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	5	2	7	7	3	2	7	3	–	–	1	–	–	–	–
Childbirth	24	45	22	2	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	4	4	5	6	4	6	2	3	2	1	1	–	–	–	–	–
Arthritis	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	4	3	2	2	6	4	3	10	6	4	5	1	–	–	–	–
Joint Disease	1	–	1	–	2	2	3	1	3	3	–	–	–	–	–	–
Carbuncle	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Poison	1	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	2	–	2	2	3	2	4	4	3	1	1	–	–
Hanging, etc.	2	–	1	–	–	4	1	–	–	1	–	–	–	–	–	1
Suffocation	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–
Drowning	3	1	1	1	4	–	4	2	–	–	–	–	–	–	–	2
Fracture and Contusion	3	–	4	1	2	5	2	2	3	8	9	5	1	–	–	1
Wounds	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	1	2	2	–	2	1	–	–	–	–	–	1
Not Specified	24	20	29	23	36	27	62	–	–	–	–	–	–	–	–	14

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1863.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	33825	3011	1204	2627	4235	2274	1544	996	2057	786	998	1225	1192
Specified Causes	33245	2806	1147	2590	4172	2252	1536	985	2037	777	980	1210	1181
I. Zymotic Class	9948	375	321	940	1951	1304	975	623	1204	244	231	249	229
II. Diseases of Uncertain Seat	1008	27	7	16	18	15	19	12	40	19	17	20	27
III. Tubercular Class	5646	70	157	382	601	321	212	138	369	289	491	552	503
IV. Brain and Nervous System	2527	228	81	146	138	71	38	29	95	48	35	51	49
V. Organs of Circulation	1292	7	2	1	6	4	5	5	20	24	25	47	64
VI. Respiratory Organs	5089	331	318	641	858	352	195	110	153	40	57	99	81
VII. Organs of Digestion	2320	237	114	325	452	99	28	19	49	27	32	57	70
VIII. Urinary Organs	370	3	–	4	7	5	8	10	22	9	23	18	18
IX. Organs of Generation	279	–	–	–	–	–	–	–	–	–	5	39	52
X. Organs of Locomotion	211	2	–	–	2	3	3	1	20	22	12	16	17
XI. Skin, etc.	35	4	7	4	2	4	–	–	1	1	–	–	–
XII. Malformation	69	60	3	3	2	–	–	1	–	–	–	–	–
XIII. Premature Debility	1576	1362	113	101	–	–	–	–	–	–	–	–	–
XIV. Atrophy	343	–	–	–	97	44	29	14	22	6	4	8	6
XV. Age	1497	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	46	3	4	2	2	–	1	–	3	–	1	–	2
XVII. Violent Deaths	989	97	20	25	36	30	23	23	39	48	47	54	63
I. Small Pox	1006	66	70	126	190	115	88	41	107	26	29	60	43
Measles	1211	5	17	160	490	238	145	50	87	3	6	4	3
Scarlatina	2171	8	22	134	328	354	328	278	571	88	20	17	10
Diphtheria	618	18	10	51	127	109	108	57	88	12	8	6	7
Hooping Cough	1052	55	56	204	352	183	90	49	61	2	–	–	–
Croup	811	24	16	105	244	185	104	66	65	2	–	–	–
Thrush	16	7	4	3	2	–	–	–	–	–	–	–	–
Diarrhœa	633	108	65	89	109	27	14	8	13	5	5	2	9
Dysentery	130	3	6	8	11	4	3	2	2	2	1	–	6
Cholera	58	5	4	6	8	2	3	3	7	1	1	1	2
Influenza	53	–	1	1	2	4	1	2	4	–	2	1	1
Purpura	25	2	–	1	2	1	–	1	5	2	2	2	2
Ague	10	–	–	–	–	–	5	2	1	1	1	–	–
Worms	16	–	–	–	2	3	6	1	3	1	–	–	–
Infantile Fever	28	1	2	5	8	4	5	1	2	–	–	–	–
Typhus	1717	4	11	29	63	68	72	57	177	93	138	132	113
Metria	78	–	–	–	–	–	–	–	–	–	7	12	19
Rheumatic Fever	39	–	–	–	2	–	–	1	5	4	2	4	5
Erysipelas	167	35	16	3	6	3	2	2	2	2	9	7	8
Syphilis	99	34	21	15	5	1	–	1	–	–	–	1	1
Noma	10	–	–	–	–	3	1	1	4	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	37	8	1	1	–	–	1	1	–	–	1	2	1
Dropsy	309	–	–	3	11	10	15	10	31	8	8	5	12
Abscess	94	8	4	5	4	3	1	–	5	9	3	6	2
Ulcer	25	3	1	–	–	1	–	1	–	–	2	1	–
Fistula	6	–	–	–	–	–	–	–	–	–	–	1	–
Mortification	65	8	1	4	2	1	2	–	–	–	1	–	1
Cancer	468	–	–	3	1	–	–	–	4	2	2	5	11
Gout	4	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	295	3	10	17	31	23	16	14	38	41	29	20	13
Tabes Mesenterica	470	21	22	61	148	67	37	19	49	24	7	1	3
Phthisis	3816	13	35	63	132	97	65	53	184	200	452	530	487
Hydrocephalus	1065	33	90	241	290	134	94	52	98	24	3	1	–

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1863.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	1086	1084	1063	1068	1028	981	1334	1041	1098	883	604	270	84	25	10	17
Specified Causes	1073	1071	1047	1057	1013	969	1324	1041	1098	883	604	270	84	25	10	3
Zymotic Class	173	171	160	159	119	99	135	90	81	64	32	15	3	1	–	–
Uncertain Seat	35	48	66	83	110	89	119	68	75	54	17	4	3	–	–	–
Tubercular Class	391	314	267	211	150	106	75	34	8	4	1	–	–	–	–	–
Brain, etc.	56	78	103	102	136	169	234	189	204	141	84	17	3	1	–	1
Heart, etc.	71	82	108	114	91	101	166	130	104	70	34	9	1	–	–	1
Respiratory Organs	103	122	132	164	193	201	283	219	202	135	60	32	6	1	1	–
Digestive Organs	69	76	88	84	83	86	95	90	80	42	14	2	2	–	–	–
Urinary Organs	23	26	18	25	30	23	23	22	24	16	8	5	–	–	–	–
Generative Organs	64	52	25	13	5	5	8	4	3	3	1	–	–	–	–	–
Locomotive Organs	13	12	7	13	15	5	16	11	13	6	1	1	–	–	–	–
Skin	1	1	–	1	1	1	1	1	3	1	1	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	5	10	10	17	34	37	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	107	151	280	337	346	182	64	22	8	–
Sudden Deaths	4	2	3	3	5	4	2	3	1	1	–	–	–	–	–	–
Violent Deaths	65	77	60	68	41	43	60	29	20	9	5	3	2	–	1	1
Small Pox	16	10	4	4	7	2	1	–	–	1	–	–	–	–	–	–
Measles	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	5	4	1	1	1	–	–	–	1	–	–	–	–	–	–	–
Diphtheria	5	2	3	2	–	–	3	–	1	1	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	8	10	12	11	12	8	20	27	24	21	13	9	3	1	–	–
Dysentery	5	3	6	8	6	4	13	7	13	8	6	3	–	–	–	–
Cholera	1	–	2	2	1	2	2	4	–	–	1	–	–	–	–	–
Influenza	–	–	1	1	2	2	8	3	6	7	4	–	–	–	–	–
Purpura	1	1	1	1	–	–	–	1	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	102	106	111	117	85	72	79	40	24	19	5	–	–	–	–	–
Metria	16	18	5	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	2	1	3	2	–	2	2	1	–	2	–	1	–	–	–	–
Erysipelas	8	8	5	7	4	5	7	7	11	5	3	2	–	–	–	–
Syphilis	3	6	5	2	1	2	–	–	1	–	–	–	–	–	–	–
Noma	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	3	1	3	2	3	2	4	1	1	1	–	–	–	–	–	–
Dropsy	15	14	13	13	25	20	33	21	20	19	3	–	–	–	–	–
Abscess	7	2	5	5	2	6	9	2	3	1	2	–	–	–	–	–
Ulcer	–	–	2	–	–	5	3	2	3	–	–	1	–	–	–	–
Fistula	–	1	1	1	–	1	1	–	–	–	–	–	–	–	–	–
Mortification	1	2	3	–	4	4	5	3	4	11	5	1	2	–	–	–
Cancer	9	28	39	62	76	51	63	38	43	21	7	2	1	–	–	–
Gout	–	–	–	–	–	–	1	1	1	1	–	–	–	–	–	–
Scrofula	12	5	8	6	2	2	3	–	1	1	–	–	–	–	–	–
Tabes Mesenterica	1	4	3	1	1	–	–	–	–	–	1	–	–	–	–	–
Phthisis	376	304	255	204	147	104	71	34	7	3	–	–	–	–	–	–
Hydrocephalus	2	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1863.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	156	5	3	19	17	8	4	6	16	10	10	16	6
Apoplexy	552	5	4	20	10	5	5	3	13	7	4	5	8
Paralysis	679	–	–	2	–	2	–	1	1	1	1	1	11
Delirium Tremens	33	–	–	–	–	–	–	–	–	–	–	1	4
Chorea	3	–	–	–	–	–	–	–	2	–	–	–	–
Epilepsy	73	–	–	–	–	–	–	–	3	6	8	9	4
Tetanus	19	10	–	–	–	2	–	1	–	1	1	–	1
Insanity	36	–	–	–	–	–	–	–	–	–	–	–	1
Convulsions	513	199	65	79	88	39	17	7	18	–	–	–	–
Brain Disease	463	9	9	26	23	15	12	11	42	23	11	19	14
V. Pericarditis	34	–	–	–	1	1	–	–	2	4	3	3	5
Aneurism	37	–	–	–	–	–	–	–	–	–	–	1	–
Heart Disease	1221	7	2	1	5	3	5	5	18	20	22	43	59
VI. Laryngitis	90	–	5	13	21	10	7	6	4	1	4	–	1
Bronchitis	3210	245	242	480	586	236	132	61	84	15	19	28	32
Pleurisy	97	–	–	4	4	1	1	1	5	1	2	7	7
Pneumonia	1294	78	70	140	238	95	44	34	49	18	27	54	28
Asthma	237	–	–	1	–	–	–	–	–	–	–	3	6
Lung Disease	161	8	1	3	9	10	11	8	11	5	5	7	7
VII. Teething	699	2	23	246	366	55	3	4	–	–	–	–	–
Quinsey	32	5	2	2	4	4	3	1	3	1	–	1	1
Gastritis	59	1	2	4	4	2	–	1	3	1	–	4	4
Enteritis	434	120	55	39	50	17	10	6	15	6	13	8	8
Peritonitis	148	13	5	3	1	5	1	–	3	7	7	11	17
Ascites	35	2	–	–	–	–	1	–	–	2	–	4	3
Ulceration of Intestines	63	1	–	2	3	1	1	1	–	2	2	7	3
Hernia	37	2	2	–	–	–	–	–	–	–	–	1	1
Ileus	110	27	7	2	1	2	–	1	2	1	2	3	5
Intussusception	11	2	3	1	–	–	2	–	–	–	–	–	–
Stricture of Intestines	4	–	–	–	–	–	–	–	–	–	1	–	–
Stomach Disease	299	30	13	21	14	11	4	3	13	4	2	8	9
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	53	2	1	–	–	–	–	–	2	1	1	2	2
Jaundice	74	26	–	–	3	–	1	–	1	–	3	2	2
Liver Disease	250	4	1	5	2	1	2	2	7	2	1	5	15
Spleen Disease	12	–	–	–	4	1	–	–	–	–	–	1	–
VIII. Nephritis	31	–	–	1	–	1	4	2	8	1	1	1	1
Nephria	113	–	–	2	1	2	1	1	5	2	10	6	7
Ischuria	17	2	–	1	1	–	–	–	1	–	–	–	1
Diabetes	21	–	–	–	2	–	–	–	–	–	2	3	3
Stone	12	–	–	–	1	–	–	1	–	–	–	–	–
Cystitis	15	–	–	–	–	–	–	–	1	1	–	2	–
Stricture of Urethra	9	–	–	–	–	–	–	1	–	–	–	–	–
Kidney Disease	152	1	–	–	2	2	3	5	7	5	10	6	6
IX. Paramenia	4	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	44	–	–	–	–	–	–	–	–	–	1	–	3
Childbirth	200	–	–	–	–	–	–	–	–	–	4	38	44
Organs of Generation	31	–	–	–	–	–	–	–	–	–	–	1	5
X. Arthritis	13	–	–	–	–	–	1	–	1	2	–	–	2
Rheumatism	67	–	–	–	–	–	–	–	–	2	1	3	2
Joint and Bone Disease	131	2	–	–	2	3	2	1	19	18	11	13	13
XI. Carbuncle	10	–	–	–	–	1	–	–	–	1	–	–	–
Phlegmon	4	–	1	1	–	–	–	–	1	–	–	–	–
Skin Disease	21	4	6	3	2	3	–	–	–	–	–	–	–
XII. Cyanosis	24	21	2	–	1	–	–	–	–	–	–	–	–
Spina Bifida	12	11	–	1	–	–	–	–	–	–	–	–	–
Other Malformations	33	28	1	2	1	–	–	1	–	–	–	–	–
XVII. Intemperance	37	–	–	–	–	–	–	–	–	–	1	2	2
Privation	3	–	–	–	–	–	–	–	–	–	1	–	1
Want of Breast Milk	60	44	7	8	1	–	–	–	–	–	–	–	–
Neglect	2	–	–	–	1	1	–	–	–	–	–	–	–
Cold	2	–	–	–	–	–	–	–	–	–	–	–	–
Poison	28	6	2	1	1	–	1	–	–	1	1	1	2
Burns and Scalds	136	–	–	7	21	19	14	12	11	9	6	1	3
Hanging, etc.	18	–	–	–	–	–	–	–	–	–	–	–	2
Suffocation	69	27	11	4	3	–	1	–	2	2	–	1	3
Drowning	141	2	–	2	4	2	4	2	4	4	10	12	13
Fracture and Contusion	399	3	–	3	5	6	3	8	19	26	23	31	29
Wounds	41	–	–	–	–	1	–	1	1	2	2	3	6
Other Violent Causes	53	15	–	–	–	1	–	–	2	4	3	3	2
Not Specified	580	205	57	37	63	22	8	11	20	9	18	15	11

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1863.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	7	4	5	4	4	5	4	3	–	–	–	–	–	–	–	–
Apoplexy	6	23	31	36	46	60	71	52	62	41	30	4	1	–	–	–
Paralysis	14	14	29	32	45	64	104	98	112	80	51	12	2	1	–	1
Delirium Tremens	1	12	8	1	3	3	–	–	–	–	–	–	–	–	–	–
Chorea	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	3	8	8	4	4	4	5	4	1	–	–	–	–	–	–
Tetanus	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–
Insanity	1	3	2	3	2	6	10	3	3	1	1	–	–	–	–	–
Convulsions	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	24	18	20	16	32	26	41	28	23	18	2	1	–	–	–	–
Pericarditis	3	–	2	1	1	3	3	1	1	–	–	–	–	–	–	–
Aneurism	3	8	8	6	4	2	3	1	–	1	–	–	–	–	–	–
Heart Disease	65	74	98	107	86	96	160	128	103	69	34	9	1	–	–	1
Laryngitis	3	–	4	2	3	4	–	1	–	–	1	–	–	–	–	–
Bronchitis	41	46	57	81	99	111	167	141	145	94	40	23	4	1	–	–
Pleurisy	6	8	5	1	14	6	12	4	4	4	–	–	–	–	–	–
Pneumonia	38	46	44	52	45	39	53	39	31	17	9	4	1	–	1	–
Asthma	4	17	16	18	21	33	39	29	17	18	9	5	1	–	–	–
Lung Disease	11	5	6	10	11	8	12	5	5	2	1	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	1	–	–	–	2	1	–	–	1	–	–	–	–	–	–
Gastritis	4	4	7	5	1	1	5	3	3	–	–	–	–	–	–	–
Enteritis	12	9	16	10	5	4	8	7	7	8	1	–	–	–	–	–
Peritonitis	18	15	8	4	6	5	4	8	4	3	–	–	–	–	–	–
Ascites	1	1	2	3	3	2	4	2	2	3	–	–	–	–	–	–
Ulceration of Intestines	3	3	6	4	7	6	3	4	3	–	–	–	1	–	–	–
Hernia	–	2	–	4	3	2	8	5	3	2	2	–	–	–	–	–
Ileus	2	7	5	5	6	5	8	7	5	3	3	1	–	–	–	–
Intussusception	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–
Stricture of Intestines	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–
Stomach Disease	11	12	11	14	21	20	23	24	17	10	4	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	4	5	10	3	6	4	6	2	–	–	–	1	–	–	–
Jaundice	4	–	3	1	4	1	6	3	6	5	3	–	–	–	–	–
Liver Disease	13	17	23	22	23	32	20	20	25	6	1	1	–	–	–	–
Spleen Disease	–	1	2	1	1	–	–	1	–	–	–	–	–	–	–	–
Nephritis	2	–	1	1	1	2	1	1	–	2	–	–	–	–	–	–
Nephria	10	12	8	7	12	10	5	4	6	–	1	1	–	–	–	–
Ischuria	3	–	–	–	1	–	–	2	2	2	1	–	–	–	–	–
Diabetes	–	1	3	4	1	–	2	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	1	1	1	3	2	1	1	–	–	–	–
Cystitis	1	1	–	–	2	–	1	–	2	2	2	–	–	–	–	–
Stricture of Urethra	–	–	3	2	1	1	1	–	–	–	–	–	–	–	–	–
Kidney Disease	7	12	3	11	12	9	12	14	11	8	3	3	–	–	–	–
Paramenia	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	6	4	4	7	4	4	4	3	2	2	–	–	–	–	–	–
Childbirth	51	43	17	3	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	5	4	3	3	1	1	4	1	1	1	1	–	–	–	–	–
Arthritis	–	–	1	3	2	–	–	–	1	–	–	–	–	–	–	–
Rheumatism	6	5	2	4	8	3	11	8	7	3	1	1	–	–	–	–
Joint Disease	7	7	4	6	5	2	5	3	5	3	–	–	–	–	–	–
Carbuncle	–	1	–	1	1	–	–	1	3	1	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	3	7	5	7	3	2	4	–	1	–	–	–	–	–	–	–
Privation	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Poison	1	2	2	1	1	1	3	1	–	–	–	–	–	–	–	–
Burns and Scalds	5	1	1	5	3	3	7	3	1	1	1	2	–	–	–	–
Hanging, etc.	1	1	2	3	1	4	2	–	–	2	–	–	–	–	–	–
Suffocation	–	3	3	1	1	–	4	2	1	–	–	–	–	–	–	–
Drowning	13	15	13	15	8	5	7	1	4	–	–	–	–	–	–	1
Fracture and Contusions	35	36	31	31	21	22	26	17	12	5	4	1	1	–	1	–
Wounds	3	6	1	2	2	4	3	3	–	–	–	–	1	–	–	–
Other Violent Causes	4	6	2	2	1	2	3	2	–	1	–	–	–	–	–	–
Not Specified	13	13	16	11	15	12	10	–	–	–	–	–	–	–	–	14

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1863.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	16982	1719	646	1424	2191	1186	781	481	1053	388	499	624	514
SPECIFIED CAUSES	16691	1610	620	1404	2160	1174	776	477	1039	384	491	619	509
I. Zymotic Class	4929	200	163	487	984	673	483	297	612	100	106	137	109
II. Diseases of Uncertain Seat	380	14	3	5	5	7	12	8	23	15	7	9	9
III. Tubercular Class	2771	40	84	212	322	161	119	70	186	140	241	273	199
IV. Brain and Nervous System	1435	142	47	99	82	37	20	13	53	26	20	29	29
V. Organs of Circulation	634	4	1	–	3	3	4	3	6	9	13	20	25
VI. Respiratory Organs	2644	203	176	355	461	187	87	50	64	22	18	60	40
VII. Organs of Digestion	1157	133	62	170	224	59	14	10	23	16	18	21	30
VIII. Urinary Organs	243	2	–	4	5	4	6	7	12	7	14	10	5
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	119	2	–	–	2	1	–	–	13	11	8	10	12
XI. Skin, etc.	21	1	5	4	2	1	–	–	1	–	–	–	–
XII. Malformation	46	42	3	1	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	882	768	61	53	–	–	–	–	–	–	–	–	–
XIV. Atrophy	151	–	–	–	51	25	15	5	15	2	2	4	–
XV. Age	547	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	28	1	2	2	1	–	–	–	2	–	1	–	2
XVII. Violent Deaths	704	58	13	12	18	16	16	14	29	36	43	46	49
I. Small Pox	546	37	37	54	96	63	48	24	65	15	17	41	23
Measles	597	2	10	89	241	119	62	21	47	–	3	2	1
Scarlatina	1130	5	7	76	180	200	165	137	289	39	12	9	5
Diphtheria	284	10	6	26	52	57	53	23	37	6	5	–	2
Hooping Cough	464	18	26	95	159	81	39	16	29	1	–	–	–
Croup	437	13	8	57	144	90	56	37	31	1	–	–	–
Thrush	7	2	3	1	1	–	–	–	–	–	–	–	–
Diarrhœa	322	65	33	49	61	13	8	6	6	1	2	1	4
Dysentery	59	2	4	4	7	1	3	–	–	–	–	–	4
Cholera	32	4	3	4	5	1	1	2	2	–	1	–	2
Influenza	25	–	1	–	2	3	1	1	3	–	1	1	–
Purpura	14	1	–	–	2	–	–	–	4	1	1	2	–
Ague	6	–	–	–	–	–	3	1	–	1	1	–	–
Worms	10	–	–	–	–	2	5	–	2	1	–	–	–
Infantile Fever	19	–	2	4	6	4	2	–	1	–	–	–	–
Typhus	832	3	6	19	24	36	37	28	94	31	60	78	62
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	14	–	–	–	1	–	–	–	–	2	–	–	5
Erysipelas	77	18	7	1	1	2	–	–	1	1	3	3	–
Syphilis	53	20	10	8	2	1	–	1	–	–	–	–	1
Noma	1	–	–	–	–	–	–	–	1	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	20	4	1	–	–	–	–	–	–	–	1	2	1
Dropsy	129	–	–	1	4	5	11	7	17	6	3	1	4
Abscess	48	5	2	3	1	2	1	–	3	8	1	3	–
Ulcer	7	–	–	–	–	–	–	1	–	–	–	–	–
Fistula	4	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	23	5	–	–	–	–	–	–	–	–	–	–	–
Cancer	145	–	–	1	–	–	–	–	3	1	2	3	4
Gout	4	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	153	1	5	9	12	14	8	7	19	27	16	12	8
Tabes Mesenterica	237	13	10	32	67	29	26	10	26	13	4	1	–
Phthisis	1787	7	17	34	71	51	39	25	88	83	220	259	191
Hydrocephalus	594	19	52	137	172	67	46	28	53	17	1	1	–

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1863.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	503	504	535	553	514	483	653	485	484	370	252	95	23	8	5	9
SPECIFIED CAUSES	497	497	527	549	506	481	647	485	484	370	252	95	23	8	5	2
Zymotic Class	77	70	79	78	63	44	61	43	29	18	12	3	1	–	–	–
Uncertain Seat	14	14	22	28	40	26	43	26	27	16	3	2	2	–	–	–
Tubercular Class	179	130	127	103	70	60	31	16	5	3	–	–	–	–	–	–
Brain, etc.	37	52	58	64	81	92	128	105	107	60	44	7	2	1	–	–
Heart, etc.	31	42	56	56	51	51	76	71	47	40	18	3	–	–	–	1
Respiratory Organs	51	66	63	96	100	94	152	97	95	68	26	9	2	1	1	–
Digestive Organs	32	31	46	44	41	44	49	33	33	16	6	1	1	–	–	–
Urinary Organs	16	15	10	15	14	16	19	16	21	12	8	5	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	6	7	6	7	6	4	8	5	7	4	–	–	–	–	–	–
Skin	–	1	–	1	1	1	1	–	1	–	1	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	2	5	3	11	11	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	38	55	103	130	132	65	15	6	3	–
Sudden Deaths	2	–	3	2	2	4	2	1	1	–	–	–	–	–	–	–
Violent Deaths	52	67	52	52	26	34	39	17	8	3	2	–	–	–	1	1
Small Pox	9	5	2	2	5	1	1	–	–	1	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	3	–	1	1	–	–	–	1	–	–	–	–	–	–	–
Diphtheria	1	–	1	2	–	–	2	–	1	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	4	6	2	6	8	5	8	16	5	3	7	2	1	–	–	–
Dysentery	3	3	3	5	4	2	5	2	4	1	1	1	–	–	–	–
Cholera	1	–	2	2	–	–	–	2	–	–	–	–	–	–	–	–
Influenza	–	–	1	1	–	–	4	–	2	3	1	–	–	–	–	–
Purpura	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	54	46	58	52	44	28	37	22	6	5	2	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	1	–	2	–	–	–	2	–	–	–	–	–	–
Erysipelas	3	3	5	5	1	5	4	1	9	3	1	–	–	–	–	–
Syphilis	–	3	4	1	–	1	–	–	1	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	1	2	–	1	1	3	1	1	1	–	–	–	–	–	–
Dropsy	8	3	3	3	10	5	14	8	10	5	1	–	–	–	–	–
Abscess	3	1	2	4	1	2	3	1	1	1	–	–	–	–	–	–
Ulcer	–	–	1	–	–	3	1	1	–	–	–	–	–	–	–	–
Fistula	–	–	1	1	–	1	1	–	–	–	–	–	–	–	–	–
Mortification	1	2	–	–	1	3	2	1	–	4	2	2	1	–	–	–
Cancer	2	7	13	20	27	11	18	13	14	4	–	1	1	–	–	–
Gout	–	–	–	–	–	–	1	1	1	1	–	–	–	–	–	–
Scrofula	6	2	3	3	–	1	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	1	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	172	125	122	99	70	59	31	16	5	3	–	–	–	–	–	–
Hydrocephalus	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1863.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	102	2	1	10	12	5	3	3	11	7	7	10	1
Apoplexy	293	3	3	16	5	3	1	1	8	4	2	2	3
Paralysis	354	–	–	2	–	1	–	–	1	1	–	1	8
Delirium Tremens	29	–	–	–	–	–	–	–	–	–	–	1	4
Chorea	2	–	–	–	–	–	–	–	1	–	–	–	–
Epilepsy	41	–	–	–	–	–	–	–	3	2	3	7	–
Tetanus	12	6	–	–	–	1	–	–	–	1	1	–	1
Insanity	15	–	–	–	–	–	–	–	–	–	–	–	1
Convulsions	314	127	39	54	52	20	10	3	8	–	–	–	–
Brain Disease	273	4	4	17	13	7	6	6	21	11	7	8	11
V. Pericarditis	19	–	–	–	1	1	–	–	1	1	2	3	4
Aneurism	29	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	586	4	1	–	2	2	4	3	5	8	11	17	21
VI. Laryngitis	52	–	4	10	11	6	6	2	1	–	1	–	–
Bronchitis	1597	148	134	273	310	116	51	31	37	9	5	11	12
Pleurisy	54	–	–	1	3	–	–	–	3	–	2	5	5
Pneumonia	722	47	37	69	135	57	22	15	20	10	9	39	15
Asthma	136	–	–	1	–	–	–	–	–	–	–	2	3
Lung Disease	83	8	1	1	2	8	8	2	3	3	1	3	5
VII. Teething	342	–	8	123	176	32	–	3	–	–	–	–	–
Quinsey	21	3	2	2	3	3	3	–	–	–	–	1	–
Gastritis	27	1	–	3	2	1	–	1	1	1	–	2	–
Enteritis	227	65	28	21	27	9	4	3	8	3	10	2	1
Peritonitis	57	6	4	3	–	3	–	–	3	3	3	1	7
Ascites	13	–	–	–	–	–	1	–	–	2	–	1	2
Ulceration of Intestines	37	–	–	2	3	1	1	1	–	2	–	1	1
Hernia	20	2	2	–	–	–	–	–	–	–	–	1	1
Ileus	65	20	5	1	–	1	–	–	1	–	2	2	2
Intussusception	6	–	3	1	–	–	2	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	149	15	8	12	7	7	1	1	8	3	–	4	5
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	26	–	1	–	–	–	–	–	–	1	1	1	–
Jaundice	38	17	–	–	2	–	–	–	1	–	2	1	1
Liver Disease	119	4	1	2	1	1	2	1	1	1	–	3	10
Spleen Disease	9	–	–	–	3	1	–	–	–	–	–	1	–
VIII. Nephritis	19	–	–	1	–	1	4	1	5	–	1	–	–
Nephria	67	–	–	2	1	2	1	1	3	2	7	3	1
Ischuria	12	1	–	1	–	–	–	–	1	–	–	–	–
Diabetes	16	–	–	–	1	–	–	–	–	–	2	3	1
Stone	12	–	–	–	1	–	–	1	–	–	–	–	–
Cystitis	13	–	–	–	–	–	–	–	1	1	–	–	–
Stricture of Urethra	9	–	–	–	–	–	–	1	–	–	–	–	–
Kidney Disease	95	1	–	–	2	1	1	3	2	4	4	4	3
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	7	–	–	–	–	–	–	–	–	1	–	–	2
Rheumatism	30	–	–	–	–	–	–	–	–	1	–	1	1
Joint and Bone Disease	82	2	–	–	2	1	–	–	13	9	8	9	9
XI. Carbuncle	5	–	–	–	–	1	–	–	–	–	–	–	–
Phlegmon	4	–	1	1	–	–	–	–	1	–	–	–	–
Skin Disease	12	1	4	3	2	–	–	–	–	–	–	–	–
XII. Cyanosis	17	15	2	–	–	–	–	–	–	–	–	–	–
Spina Bifida	7	7	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	22	20	1	1	–	–	–	–	–	–	–	–	–
XVII. Intemperance	19	–	–	–	–	–	–	–	–	–	1	1	–
Privation	2	–	–	–	–	–	–	–	–	–	1	–	1
Want of Breast Milk	37	29	5	3	–	–	–	–	–	–	–	–	–
Neglect	1	–	–	–	–	1	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–	–	–	–
Poison	14	4	1	1	–	–	1	–	–	–	–	–	2
Burns and Scalds	72	–	–	3	12	8	10	8	7	3	6	–	3
Hanging, etc.	12	–	–	–	–	–	–	–	–	–	–	–	2
Suffocation	37	14	7	2	2	–	–	–	1	2	–	1	1
Drowning	113	2	–	1	1	2	2	2	4	4	9	10	11
Fracture and Contusion	328	1	–	2	3	4	3	4	14	21	22	29	25
Wounds	31	–	–	–	–	1	–	–	1	2	2	2	4
Other Violent Causes	37	8	–	–	–	–	–	–	2	4	2	3	–
Not Specified	291	109	26	20	31	12	5	4	14	4	8	5	5

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1863.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	5	4	3	4	4	4	3	3	–	–	–	–	–	–	–	–
Apoplexy	3	15	14	27	30	28	38	23	28	17	16	2	1	–	–	–
Paralysis	9	9	13	15	23	36	55	54	57	35	27	5	1	1	–	–
Delirium Tremens	1	10	8	1	2	2	–	–	–	–	–	–	–	–	–	–
Chorea	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	6	5	1	2	2	5	3	1	–	–	–	–	–	–
Tetanus	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Insanity	1	1	1	–	1	1	5	1	3	–	–	–	–	–	–	–
Convulsions	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	16	12	13	11	20	18	25	19	16	7	1	–	–	–	–	–
Pericarditis	–	–	1	–	1	1	1	1	1	–	–	–	–	–	–	–
Aneurism	2	6	6	5	4	2	3	1	–	–	–	–	–	–	–	–
Heart Disease	29	36	49	51	46	48	72	69	46	40	18	3	–	–	–	1
Laryngitis	–	–	3	2	3	2	–	1	–	–	–	–	–	–	–	–
Bronchitis	14	20	18	47	44	41	81	58	69	42	18	6	1	1	–	–
Pleurisy	1	7	2	1	9	1	9	3	–	2	–	–	–	–	–	–
Pneumonia	27	27	30	30	27	25	32	19	16	10	2	1	–	–	1	–
Asthma	2	9	6	12	11	20	25	15	8	13	6	2	1	–	–	–
Lung Disease	7	3	4	4	6	5	5	1	2	1	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	1	–	–	–	2	1	–	–	–	–	–	–	–	–	–
Gastritis	1	1	2	4	–	–	4	1	2	–	–	–	–	–	–	–
Enteritis	6	8	6	6	2	3	3	2	2	7	1	–	–	–	–	–
Peritonitis	5	2	2	2	3	2	2	3	2	1	–	–	–	–	–	–
Ascites	–	–	1	1	3	1	1	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	2	2	3	2	4	3	3	4	1	–	–	–	1	–	–	–
Hernia	–	2	–	1	1	1	2	4	1	–	2	–	–	–	–	–
Ileus	2	2	4	3	3	3	5	3	3	1	1	1	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Stomach Disease	6	3	7	8	11	8	13	8	8	4	2	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	2	3	6	2	4	1	2	1	–	–	–	–	–	–	–
Jaundice	2	–	3	–	1	–	3	–	2	3	–	–	–	–	–	–
Liver Disease	7	7	13	10	11	17	11	6	10	–	–	–	–	–	–	–
Spleen Disease	–	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	1	–	1	1	–	1	1	1	–	–	–	–	–	–	–	–
Nephria	5	6	4	4	6	7	3	2	5	–	1	1	–	–	–	–
Ischuria	3	–	–	–	1	–	–	1	1	2	1	–	–	–	–	–
Diabetes	–	1	1	4	1	–	2	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	1	1	1	3	2	1	1	–	–	–	–
Cystitis	1	1	–	–	2	–	1	–	2	2	2	–	–	–	–	–
Stricture of Urethra	–	–	3	2	1	1	1	–	–	–	–	–	–	–	–	–
Kidney Disease	6	7	1	4	3	6	10	11	10	6	3	3	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	1	2	1	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	2	1	1	2	3	2	5	4	5	2	–	–	–	–	–	–
Joint Disease	4	6	4	3	2	2	3	1	2	2	–	–	–	–	–	–
Carbuncle	–	1	–	1	1	–	–	–	1	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	2	5	4	3	1	–	1	–	1	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Poison	–	1	1	–	–	–	2	1	–	–	–	–	–	–	–	–
Burns and Scalds	4	1	1	1	–	1	2	1	1	–	–	–	–	–	–	–
Hanging, etc.	–	1	2	1	–	4	1	–	–	1	–	–	–	–	–	–
Suffocation	–	1	1	1	–	–	2	2	–	–	–	–	–	–	–	–
Drowning	9	14	12	13	6	4	4	–	2	–	–	–	–	–	–	1
Fracture and Contusion	31	34	28	31	16	19	22	11	4	1	2	–	–	–	1	–
Wounds	3	5	1	1	2	4	2	1	–	–	–	–	–	–	–	–
Other Violent Causes	3	5	2	1	1	2	2	1	–	1	–	–	–	–	–	–
Not Specified	6	7	8	4	8	2	6	–	–	–	–	–	–	–	–	7

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1863.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	16843	1292	558	1203	2044	1088	763	515	1004	398	499	601	678
SPECIFIED CAUSES	16554	1196	527	1186	2012	1078	760	508	998	393	489	591	672
I. Zymotic Class	5019	175	158	453	967	631	492	326	592	144	125	112	120
II. Diseases of Uncertain Seat	628	13	4	11	13	8	7	4	17	4	10	11	18
III. Tubercular Class	2875	30	73	170	279	160	93	68	183	149	250	279	304
IV. Brain and Nervous System	1092	86	34	47	56	34	18	16	42	22	15	22	20
V. Organs of Circulation	658	3	1	1	3	1	1	2	14	15	12	27	39
VI. Respiratory Organs	2445	128	142	286	397	165	108	60	89	18	39	39	41
VII. Organs of Digestion	1163	104	52	155	228	40	14	9	26	11	14	36	40
VIII. Urinary Organs	127	1	–	–	2	1	2	3	10	2	9	8	13
IX. Organs of Generation	279	–	–	–	–	–	–	–	–	–	5	39	52
X. Organs of Locomotion	92	–	–	–	–	2	3	1	7	11	4	6	5
XI. Skin, etc.	14	3	2	–	–	3	–	–	–	1	–	–	–
XII. Malformation	23	18	–	2	2	–	–	1	–	–	–	–	–
XIII. Premature Debility	694	594	52	48	–	–	–	–	–	–	–	–	–
XIV. Atrophy	192	–	–	–	46	19	14	9	7	4	2	4	6
XV. Age	950	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	18	2	2	–	1	–	1	–	1	–	–	–	–
XVII. Violent Deaths	285	39	7	13	18	14	7	9	10	12	4	8	14
I. Small Pox	460	29	33	72	94	52	40	17	42	11	12	19	20
Measles	614	3	7	71	249	119	83	29	40	3	3	2	2
Scarlatina	1041	3	15	58	148	154	163	141	282	49	8	8	5
Diphtheria	334	8	4	25	75	52	55	34	51	6	3	6	5
Hooping Cough	588	37	30	109	193	102	51	33	32	1	–	–	–
Croup	374	11	8	48	100	95	48	29	34	1	–	–	–
Thrush	9	5	1	2	1	–	–	–	–	–	–	–	–
Diarrhœa	311	43	32	40	48	14	6	2	7	4	3	1	5
Dysentery	71	1	2	4	4	3	–	2	2	2	1	–	2
Cholera	26	1	1	2	3	1	2	1	5	1	–	1	–
Influenza	28	–	–	1	–	1	–	1	1	–	1	–	1
Purpura	11	1	–	1	–	1	–	1	1	1	1	–	2
Ague	4	–	–	–	–	–	2	1	1	–	–	–	–
Worms	6	–	–	–	2	1	1	1	1	–	–	–	–
Infantile Fever	9	1	–	1	2	–	3	1	1	–	–	–	–
Typhus	885	1	5	10	39	32	35	29	83	62	78	54	51
Metria	78	–	–	–	–	–	–	–	–	–	7	12	19
Rheumatic Fever	25	–	–	–	1	–	–	1	5	2	2	4	–
Erysipelas	90	17	9	2	5	1	2	2	1	1	6	4	8
Syphilis	46	14	11	7	3	–	–	–	–	–	–	1	–
Noma	9	–	–	–	–	3	1	1	3	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	17	4	–	1	–	–	1	1	–	–	–	–	–
Dropsy	180	–	–	2	7	5	4	3	14	2	5	4	8
Abscess	46	3	2	2	3	1	–	–	2	1	2	3	2
Ulcer	18	3	1	–	–	1	–	–	–	–	2	1	–
Fistula	2	–	–	–	–	–	–	–	–	–	–	1	–
Mortification	42	3	1	4	2	1	2	–	–	–	1	–	1
Cancer	323	–	–	2	1	–	–	–	1	1	–	2	7
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	142	2	5	8	19	9	8	7	19	14	13	8	5
Tabes Mesenterica	233	8	12	29	81	38	11	9	23	11	3	–	3
Phthisis	2029	6	18	29	61	46	26	28	96	117	232	271	296
Hydrocephalus	471	14	38	104	118	67	48	24	45	7	2	–	–

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1863.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	583	580	528	515	514	498	681	556	614	513	352	175	61	17	5	8
SPECIFIED CAUSES	576	574	520	508	507	488	677	556	614	513	352	175	61	17	5	1
Zymotic Class	96	101	81	81	56	55	74	47	52	46	20	12	2	1	–	–
Uncertain Seat	21	34	44	55	70	63	76	42	48	38	14	2	1	–	–	–
Tubercular Class	212	184	140	108	80	46	44	18	3	1	1	–	–	–	–	–
Brain, etc.	19	26	45	38	55	77	106	84	97	81	40	10	1	–	–	1
Heart, etc.	40	40	52	58	40	50	90	59	57	30	16	6	1	–	–	–
Respiratory Organs	52	56	69	68	93	107	131	122	107	67	34	23	4	–	–	–
Digestive Organs	37	45	42	40	42	42	46	57	47	26	8	1	1	–	–	–
Urinary Organs	7	11	8	10	16	7	4	6	3	4	–	–	–	–	–	–
Generative Organs	64	52	25	13	5	5	8	4	3	3	1	–	–	–	–	–
Locomotive Organs	7	5	1	6	9	1	8	6	6	2	1	1	–	–	–	–
Skin	1	–	–	–	–	–	–	1	2	1	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	5	8	5	14	23	26	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	69	96	177	207	214	117	49	16	5	–
Sudden Deaths	2	2	–	1	3	–	–	2	–	1	–	–	–	–	–	–
Violent Deaths	13	10	8	16	15	9	21	12	12	6	3	3	2	–	–	–
Small Pox	7	5	2	2	2	1	–	–	–	–	–	–	–	–	–	–
Measles	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	5	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	4	2	2	–	–	–	1	–	–	1	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	4	4	10	5	4	3	12	11	19	18	6	7	2	1	–	–
Dysentery	2	–	3	3	2	2	8	5	9	7	5	2	–	–	–	–
Cholera	–	–	–	–	1	2	2	2	–	–	1	–	–	–	–	–
Influenza	–	–	–	–	2	2	4	3	4	4	3	–	–	–	–	–
Purpura	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	48	60	53	65	41	44	42	18	18	14	3	–	–	–	–	–
Metria	16	18	5	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	1	3	1	–	–	2	1	–	–	–	1	–	–	–	–
Erysipelas	5	5	–	2	3	–	3	6	2	2	2	2	–	–	–	–
Syphilis	3	3	1	1	1	1	–	–	–	–	–	–	–	–	–	–
Noma	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	3	–	1	2	2	1	1	–	–	–	–	–	–	–	–	–
Dropsy	7	11	10	10	15	15	19	13	10	14	2	–	–	–	–	–
Abscess	4	1	3	1	1	4	6	1	2	–	2	–	–	–	–	–
Ulcer	–	–	1	–	–	2	2	1	3	–	–	1	–	–	–	–
Fistula	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	3	–	3	1	3	2	4	7	3	–	1	–	–	–
Cancer	7	21	26	42	49	40	45	25	29	17	7	1	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	6	3	5	3	2	1	3	–	1	1	–	–	–	–	–	–
Tabes Mesenterica	–	1	2	–	1	–	–	–	–	–	1	–	–	–	–	–
Phthisis	204	179	133	105	77	45	40	18	2	–	–	–	–	–	–	–
Hydrocephalus	2	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1863.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	54	3	2	9	5	3	1	3	5	3	3	6	5
Apoplexy	259	2	1	4	5	2	4	2	5	3	2	3	5
Paralysis	325	–	–	–	–	1	–	1	–	–	1	–	3
Delirium Tremens	4	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	1	–	–	–	–	–	–	–	1	–	–	–	–
Epilepsy	32	–	–	–	–	–	–	–	–	4	5	2	4
Tetanus	7	4	–	–	–	1	–	1	–	–	–	–	–
Insanity	21	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	199	72	26	25	36	19	7	4	10	–	–	–	–
Brain Disease	190	5	5	9	10	8	6	5	21	12	4	11	3
V. Pericarditis	15	–	–	–	–	–	–	–	1	3	1	–	1
Aneurism	8	–	–	–	–	–	–	–	–	–	–	1	–
Heart Disease	635	3	1	1	3	1	1	2	13	12	11	26	38
VI. Laryngitis	38	–	1	3	10	4	1	4	3	1	3	–	1
Bronchitis	1613	97	108	207	276	120	81	30	47	6	14	17	20
Pleurisy	43	–	–	3	1	1	1	1	2	1	–	2	2
Pneumonia	572	31	33	71	103	38	22	19	29	8	18	15	13
Asthma	101	–	–	–	–	–	–	–	–	–	–	1	3
Lung Disease	78	–	–	2	7	2	3	6	8	2	4	4	2
VII. Teething	357	2	15	123	190	23	3	1	–	–	–	–	–
Quinsey	11	2	–	–	1	1	–	1	3	1	–	–	1
Gastritis	32	–	2	1	2	1	–	–	2	–	–	2	4
Enteritis	207	55	27	18	23	8	6	3	7	3	3	6	7
Peritonitis	91	7	1	–	1	2	1	–	–	4	4	10	10
Ascites	22	2	–	–	–	–	–	–	–	–	–	3	1
Ulceration of Intestines	26	1	–	–	–	–	–	–	–	–	2	6	2
Hernia	17	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	45	7	2	1	1	1	–	1	1	1	–	1	3
Intussusception	5	2	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	3	–	–	–	–	–	–	–	–	–	1	–	–
Stomach Disease	150	15	5	9	7	4	3	2	5	1	2	4	4
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	27	2	–	–	–	–	–	–	2	–	–	1	2
Jaundice	36	9	–	–	1	–	1	–	–	–	1	1	1
Liver Disease	131	–	–	3	1	–	–	1	6	1	1	2	5
Spleen Disease	3	–	–	–	1	–	–	–	–	–	–	–	–
VIII. Nephritis	12	–	–	–	–	–	–	1	3	1	–	1	1
Nephria	46	–	–	–	–	–	–	–	2	–	3	3	6
Ischuria	5	1	–	–	1	–	–	–	–	–	–	–	1
Diabetes	5	–	–	–	1	–	–	–	–	–	–	–	2
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	2	–	–	–	–	–	–	–	–	–	–	2	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	57	–	–	–	–	1	2	2	5	1	6	2	3
IX. Paramenia	4	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	44	–	–	–	–	–	–	–	–	–	1	–	3
Childbirth	200	–	–	–	–	–	–	–	–	–	4	38	44
Organs of Generation	31	–	–	–	–	–	–	–	–	–	–	1	5
X. Arthritis	6	–	–	–	–	–	1	–	1	1	–	–	–
Rheumatism	37	–	–	–	–	–	–	–	–	1	1	2	1
Joint and Bone Disease	49	–	–	–	–	2	2	1	6	9	3	4	4
XI. Carbuncle	5	–	–	–	–	–	–	–	–	1	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	9	3	2	–	–	3	–	–	–	–	–	–	–
XII. Cyanosis	7	6	–	–	1	–	–	–	–	–	–	–	–
Spina Bifida	5	4	–	1	–	–	–	–	–	–	–	–	–
Other Malformations	11	8	–	1	1	–	–	1	–	–	–	–	–
XVII. Intemperance	18	–	–	–	–	–	–	–	–	–	–	1	2
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	23	15	2	5	1	–	–	–	–	–	–	–	–
Neglect	1	–	–	–	1	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–	–	–	–
Poison	14	2	1	–	1	–	–	–	–	1	1	1	–
Burns and Scalds	64	–	–	4	9	11	4	4	4	6	–	1	–
Hanging, etc.	6	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	32	13	4	2	1	–	1	–	1	–	–	–	2
Drowning	28	–	–	1	3	–	2	–	–	–	1	2	2
Fracture and Contusion	71	2	–	1	2	2	–	4	5	5	1	2	4
Wounds	10	–	–	–	–	–	–	1	–	–	–	1	2
Other Violent Causes	16	7	–	–	–	1	–	–	–	–	1	–	2
Not Specified	289	96	31	17	32	10	3	7	6	5	10	10	6

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1863.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER 35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	–	2	–	–	1	1	–	–	–	–	–	–	–	–	–
Apoplexy	3	8	17	9	16	32	33	29	34	24	14	2	–	–	–	–
Paralysis	5	5	16	17	22	28	49	44	55	45	24	7	1	–	–	1
Delirium Tremens	–	2	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	3	2	3	3	2	2	–	1	–	–	–	–	–	–	–
Tetanus	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	2	1	3	1	5	5	2	–	1	1	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	8	6	7	5	12	8	16	9	7	11	1	1	–	–	–	–
Pericarditis	3	–	1	1	–	2	2	–	–	–	–	–	–	–	–	–
Aneurism	1	2	2	1	–	–	–	–	–	1	–	–	–	–	–	–
Heart Disease	36	38	49	56	40	48	88	59	57	29	16	6	1	–	–	–
Laryngitis	3	–	1	–	–	2	–	–	–	–	1	–	–	–	–	–
Bronchitis	27	26	39	34	55	70	86	83	76	52	22	17	3	–	–	–
Pleurisy	5	1	3	–	5	5	3	1	4	2	–	–	–	–	–	–
Pneumonia	11	19	14	22	18	14	21	20	15	7	7	3	1	–	–	–
Asthma	2	8	10	6	10	13	14	14	9	5	3	3	–	–	–	–
Lung Disease	4	2	2	6	5	3	7	4	3	1	1	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Gastritis	3	3	5	1	1	1	1	2	1	–	–	–	–	–	–	–
Enteritis	6	1	10	4	3	1	5	5	5	1	–	–	–	–	–	–
Peritonitis	13	13	6	2	3	3	2	5	2	2	–	–	–	–	–	–
Ascites	1	1	1	2	–	1	3	2	2	3	–	–	–	–	–	–
Ulceration of Intestines	1	1	3	2	3	3	–	–	2	–	–	–	–	–	–	–
Hernia	–	–	–	3	2	1	6	1	2	2	–	–	–	–	–	–
Ileus	–	5	1	2	3	2	3	4	2	2	2	–	–	–	–	–
Intussusception	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–
Stricture of Intestines	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Stomach Disease	5	9	4	6	10	12	10	16	9	6	2	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	2	2	4	1	2	3	4	1	–	–	–	1	–	–	–
Jaundice	2	–	–	1	3	1	3	3	4	2	3	–	–	–	–	–
Liver Disease	6	10	10	12	12	15	9	14	15	6	1	1	–	–	–	–
Spleen Disease	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Nephritis	1	–	–	–	1	1	–	–	–	2	–	–	–	–	–	–
Nephria	5	6	4	3	6	3	2	2	1	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Diabetes	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	5	2	7	9	3	2	3	1	2	–	–	–	–	–	–
Paramenia	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	6	4	4	7	4	4	4	3	2	2	–	–	–	–	–	–
Childbirth	51	43	17	3	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	5	4	3	3	1	1	4	1	1	1	1	–	–	–	–	–
Arthritis	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–
Rheumatism	4	4	1	2	5	1	6	4	2	1	1	1	–	–	–	–
Joint Disease	3	1	–	3	3	–	2	2	3	1	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	1	2	1	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	2	1	4	2	2	3	–	–	–	–	–	–	–	–	–
Privation	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Poison	1	1	1	1	1	1	1	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	4	3	2	5	2	–	1	1	2	–	–	–	–
Hanging, etc.	1	–	–	2	1	–	1	–	–	1	–	–	–	–	–	–
Suffocation	–	2	2	–	1	–	2	–	1	–	–	–	–	–	–	–
Drowning	4	1	1	2	2	1	3	1	2	–	–	–	–	–	–	–
Fracture and Contusion	4	2	3	–	5	3	4	6	8	4	2	1	1	–	–	–
Wounds	–	1	–	1	–	–	1	2	–	–	–	–	1	–	–	–
Other Violent Causes	1	1	–	1	–	–	1	1	–	–	–	–	–	–	–	–
Not Specified	7	6	8	7	7	10	4	–	–	–	–	–	–	–	–	7

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1863.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	13329	1105	482	1187	1925	1053	746	465	957	316	403	441	485
Specified Causes	13143	1042	464	1178	1907	1049	741	461	950	312	394	436	485
I. Zymotic Class	4167	123	119	424	813	576	450	283	543	103	101	94	82
II. Diseases of Uncertain Seat	295	11	3	4	5	8	10	7	21	4	7	11	6
III. Tubercular Class	2347	20	59	165	286	139	99	64	190	115	200	202	210
IV. Brain and Nervous System	856	76	37	60	70	30	24	12	38	18	12	18	27
V. Organs of Circulation	431	3	1	1	2	2	2	1	6	11	8	16	29
VI. Respiratory Organs	2306	128	148	329	458	217	112	61	78	21	22	43	45
VII. Organs of Digestion	845	89	36	137	210	38	13	8	26	12	13	18	28
VIII. Urinary Organs	119	1	–	1	4	–	3	5	11	1	6	6	8
IX. Organs of Generation	88	–	–	–	–	–	–	–	–	–	2	9	14
X. Organs of Locomotion	73	1	–	–	1	2	1	–	8	5	5	4	7
XI. Skin, etc.	15	1	2	2	2	1	–	–	1	1	–	–	–
XII. Malformation	16	14	1	1	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	633	545	46	42	–	–	–	–	–	–	–	–	–
XIV. Atrophy	167	–	–	–	43	20	16	12	12	4	–	4	3
XV. Age	412	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	24	1	2	1	2	–	1	–	1	–	–	–	1
XVII. Violent Deaths	349	29	10	11	11	16	10	8	15	17	18	11	25
I. Small Pox	349	18	23	48	67	37	34	17	36	12	14	19	13
Measles	419	1	6	63	157	85	51	18	32	2	1	2	–
Scarlatina	1203	2	13	85	196	199	187	150	296	48	11	7	4
Diphtheria	244	6	4	24	56	39	51	24	27	5	1	3	2
Hooping Cough	575	30	25	108	181	114	48	30	39	–	–	–	–
Croup	248	6	7	39	75	52	34	17	16	2	–	–	–
Thrush	5	2	2	–	1	–	–	–	–	–	–	–	–
Diarrhœa	211	30	23	32	42	11	8	2	7	3	2	–	2
Dysentery	46	2	4	3	3	2	–	1	–	–	–	–	3
Cholera	17	1	–	2	1	2	1	1	2	–	–	–	1
Influenza	18	–	–	–	1	4	1	1	2	–	–	1	1
Purpura	8	–	–	–	–	–	–	–	1	1	1	1	1
Ague	5	–	–	–	–	–	3	1	–	–	1	–	–
Worms	5	–	–	–	–	2	3	–	–	–	–	–	–
Infantile Fever	9	1	1	2	3	1	–	1	–	–	–	–	–
Typhus	671	1	–	14	23	25	29	20	81	28	62	51	43
Metria	26	–	–	–	–	–	–	–	–	–	3	5	6
Rheumatic Fever	15	–	–	–	2	–	–	–	1	1	2	1	2
Erysipelas	58	11	3	–	4	2	–	–	2	1	3	4	3
Syphilis	33	12	8	4	1	–	–	–	–	–	–	–	1
Noma	2	–	–	–	–	1	–	–	1	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	16	4	–	1	–	–	–	1	–	–	–	1	–
Dropsy	120	–	–	1	3	6	7	6	18	1	5	5	2
Abscess	30	2	2	2	1	1	1	–	1	3	1	2	1
Ulcer	8	–	1	–	–	1	–	–	–	–	–	1	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	1	–
Mortification	16	5	–	–	–	–	2	–	–	–	1	–	–
Cancer	104	–	–	–	1	–	–	–	2	–	–	1	3
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	115	–	3	6	10	8	8	5	19	16	14	10	5
Tabes Mesenterica	202	5	4	22	73	26	20	7	25	10	3	1	1
Phthisis	1588	10	15	28	78	53	31	37	99	80	181	191	204
Hydrocephalus	442	5	37	109	125	52	40	15	47	9	2	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1863.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	438	400	424	423	354	326	423	289	263	206	135	59	15	4	2	3
Specified Causes	430	395	417	418	349	321	421	289	263	206	135	59	15	4	2	–
Zymotic Class	67	55	74	77	38	36	40	24	20	13	8	4	–	–	–	–
Uncertain Seat	15	12	25	27	26	24	26	15	16	9	3	–	–	–	–	–
Tubercular Class	158	129	106	85	46	33	28	10	2	1	–	–	–	–	–	–
Brain, etc.	13	27	36	34	54	55	76	55	36	31	15	1	1	–	–	–
Heart, etc.	35	31	42	42	21	29	52	32	31	19	12	3	–	–	–	–
Respiratory Organs	43	53	50	72	87	78	91	74	54	30	9	2	1	–	–	–
Digestive Organs	29	27	35	23	28	21	15	18	11	7	2	1	–	–	–	–
Urinary Organs	8	8	8	7	9	12	8	3	4	1	3	2	–	–	–	–
Generative Organs	24	22	7	5	1	1	1	–	–	2	–	–	–	–	–	–
Locomotive Organs	4	3	3	7	7	1	7	1	4	2	–	–	–	–	–	–
Skin	1	–	–	1	1	1	–	–	–	–	1	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	2	5	4	11	14	17	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	55	47	76	89	82	45	13	4	1	–
Sudden Deaths	2	1	1	1	4	1	2	3	–	–	–	–	–	–	–	–
Violent Deaths	29	22	26	26	13	12	20	7	9	2	–	1	–	–	1	–
Small Pox	4	3	1	1	1	1	–	–	–	–	–	–	–	–	–	–
Measles	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	4	6	6	3	5	6	6	3	4	3	2	–	–	–	–
Dysentery	2	–	3	2	–	1	4	3	7	2	2	2	–	–	–	–
Cholera	1	–	1	1	–	–	–	2	–	–	1	–	–	–	–	–
Influenza	–	–	1	–	–	1	4	–	–	1	–	–	–	–	–	–
Purpura	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	49	35	51	62	29	25	22	10	7	3	1	–	–	–	–	–
Metria	4	6	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	1	–	–	1	1	1	–	1	–	–	–	–	–	–
Erysipelas	2	4	3	3	3	1	3	1	3	1	1	–	–	–	–	–
Syphilis	1	1	3	–	1	1	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	3	–	–	2	2	–	1	–	1	–	–	–	–	–	–	–
Dropsy	6	4	7	4	6	13	9	4	7	4	2	–	–	–	–	–
Abscess	3	1	2	1	1	1	3	1	–	–	–	–	–	–	–	–
Ulcer	–	–	1	–	–	2	1	–	1	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	2	–	1	1	1	–	–	2	1	–	–	–	–	–
Cancer	3	7	13	20	16	7	11	10	7	3	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	1	3	–	1	1	3	–	1	–	–	–	–	–	–	–
Tabes Mesenterica	1	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	155	125	102	85	45	32	25	10	1	1	–	–	–	–	–	–
Hydrocephalus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1863.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	59	2	3	7	5	5	3	1	8	3	3	4	2
Apoplexy	186	4	1	10	5	1	1	1	7	4	2	2	4
Paralysis	172	–	–	2	–	1	–	–	–	1	1	1	4
Delirium Tremens	15	–	–	–	–	–	–	–	–	–	–	–	3
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	25	–	–	–	–	–	–	–	–	3	3	3	4
Tetanus	7	3	–	–	–	1	–	1	–	–	1	–	1
Insanity	6	–	–	–	–	–	–	–	–	–	–	–	1
Convulsions	210	64	28	33	47	15	12	4	7	–	–	–	–
Brain Disease	176	3	5	8	13	7	8	5	16	7	2	8	8
V. Pericarditis	21	–	–	–	–	1	–	–	1	2	3	1	3
Aneurism	11	–	–	–	–	–	–	–	–	–	–	1	–
Heart Disease	399	3	1	1	2	1	2	1	5	9	5	14	26
VI. Laryngitis	36	–	2	4	9	6	4	3	2	1	1	–	1
Bronchitis	1503	96	108	251	305	145	74	30	49	8	9	15	17
Pleurisy	21	–	–	1	1	–	–	–	1	–	–	–	3
Pneumonia	608	29	38	73	141	61	28	20	20	10	8	26	19
Asthma	74	–	–	–	–	–	–	–	–	–	–	–	3
Lung Disease	64	3	–	–	2	5	6	8	6	2	4	2	2
VII. Teething	295	–	3	101	170	18	3	–	–	–	–	–	–
Quinsey	8	–	–	–	1	2	1	–	2	1	–	–	1
Gastritis	15	–	–	2	1	–	–	–	1	–	–	2	2
Enteritis	204	59	22	16	27	11	2	3	8	5	8	4	4
Peritonitis	49	2	2	2	1	2	1	–	1	3	1	4	7
Ascites	9	–	–	–	–	–	–	–	–	1	–	–	1
Ulceration of Intestines	15	–	–	–	1	–	1	–	–	–	–	2	1
Hernia	8	1	–	–	–	–	–	–	–	–	–	–	–
Ileus	33	12	2	2	1	2	–	1	1	–	–	1	2
Intussusception	4	1	–	–	–	–	2	–	–	–	–	–	–
Stricture of Intestines	4	–	–	–	–	–	–	–	–	–	1	–	–
Stomach Disease	88	9	5	12	4	2	2	2	9	2	1	4	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	21	2	1	–	–	–	–	–	2	–	–	–	1
Jaundice	15	2	–	–	2	–	–	–	–	–	1	–	1
Liver Disease	72	1	1	2	1	–	1	2	2	–	1	1	6
Spleen Disease	5	–	–	–	1	1	–	–	–	–	–	–	–
VIII. Nephritis	12	–	–	–	–	–	2	2	5	–	–	–	1
Nephria	42	–	–	–	–	–	–	1	3	–	3	3	3
Ischuria	8	1	–	1	1	–	–	–	1	–	–	–	–
Diabetes	9	–	–	–	1	–	–	–	–	–	–	1	3
Stone	3	–	–	–	1	–	–	–	–	–	–	–	–
Cystitis	4	–	–	–	–	–	–	–	1	–	–	–	–
Stricture of Urethra	3	–	–	–	–	–	–	1	–	–	–	–	–
Kidney Disease	38	–	–	–	1	–	1	1	1	1	3	2	1
IX. Paramenia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	10	–	–	–	–	–	–	–	–	–	1	–	–
Childbirth	67	–	–	–	–	–	–	–	–	–	1	8	13
Organs of Generation	10	–	–	–	–	–	–	–	–	–	–	1	1
X. Arthritis	9	–	–	–	–	–	1	–	–	1	–	–	2
Rheumatism	24	–	–	–	–	–	–	–	–	–	1	1	1
Joint and Bone Disease	40	1	–	–	1	2	–	–	8	4	4	3	4
XI. Carbuncle	4	–	–	–	–	1	–	–	–	1	–	–	–
Phlegmon	2	–	–	–	–	–	–	–	1	–	–	–	–
Skin Disease	9	1	2	2	2	–	–	–	–	–	–	–	–
XII. Cyanosis	3	3	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	3	3	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	10	8	1	1	–	–	–	–	–	–	–	–	–
XVII. Intemperance	17	–	–	–	–	–	–	–	–	–	–	–	1
Privation	2	–	–	–	–	–	–	–	–	–	1	–	1
Want of Breast Milk	25	15	4	5	1	–	–	–	–	–	–	–	–
Neglect	2	–	–	–	1	1	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–	–	–	–
Poison	8	1	1	1	–	–	1	–	–	1	–	–	–
Burns and Scalds	55	–	–	2	6	9	8	3	7	2	4	–	3
Hanging, etc.	6	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	23	8	5	–	2	–	–	–	–	–	–	1	1
Drowning	57	2	–	2	1	2	–	1	–	2	5	4	8
Fracture and Contusion	128	–	–	1	–	4	1	4	7	9	5	4	10
Wounds	13	–	–	–	–	–	–	–	–	1	2	2	1
Other Violent Causes	12	3	–	–	–	–	–	–	1	2	1	–	–
Not Specified	186	63	18	9	18	4	5	4	7	4	9	5	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1863.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	2	4	2	2	–	–	1	–	–	–	–	–	–	–	–
Apoplexy	1	9	9	17	21	21	24	15	14	7	5	1	–	–	–	–
Paralysis	2	5	8	6	13	21	35	25	16	20	10	–	1	–	–	–
Delirium Tremens	–	3	5	–	3	1	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	1	4	2	1	1	2	1	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	1	1	–	1	–	1	–	1	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	8	7	5	6	14	10	15	12	6	3	–	–	–	–	–	–
Pericarditis	3	–	1	1	1	2	2	–	–	–	–	–	–	–	–	–
Aneurism	1	2	5	–	–	–	1	1	–	–	–	–	–	–	–	–
Heart Disease	31	29	36	41	20	27	49	31	31	19	12	3	–	–	–	–
Laryngitis	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–
Bronchitis	20	28	24	38	49	49	61	54	43	22	6	1	1	–	–	–
Pleurisy	2	4	–	1	5	–	1	1	1	–	–	–	–	–	–	–
Pneumonia	14	13	14	24	18	14	16	9	7	4	2	–	–	–	–	–
Asthma	2	6	8	6	9	13	11	9	1	4	1	1	–	–	–	–
Lung Disease	5	2	4	3	4	1	2	1	2	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	2	2	1	1	–	–	1	–	–	–	–	–	–	–	–
Enteritis	4	5	7	5	2	3	3	1	1	3	1	–	–	–	–	–
Peritonitis	9	3	3	3	3	–	1	1	–	–	–	–	–	–	–	–
Ascites	1	–	2	1	1	1	–	1	–	–	–	–	–	–	–	–
Ulceration of Intestines	2	1	3	1	2	1	–	–	–	–	–	–	–	–	–	–
Hernia	–	2	–	–	2	1	1	–	–	–	1	–	–	–	–	–
Ileus	1	1	2	–	1	1	–	2	–	1	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–
Stomach Disease	3	5	4	2	6	2	3	4	3	2	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	1	–	3	1	3	2	3	1	–	–	–	–	–	–	–
Jaundice	2	–	–	–	1	–	2	1	2	1	–	–	–	–	–	–
Liver Disease	6	6	11	6	7	9	2	4	2	–	–	1	–	–	–	–
Spleen Disease	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Nephria	4	3	4	1	5	8	2	1	1	–	–	–	–	–	–	–
Ischuria	3	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Diabetes	–	–	2	1	–	–	1	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Cystitis	–	1	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Stricture of Urethra	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	4	1	4	3	3	4	2	1	1	1	2	–	–	–	–
Paramenia	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	2	2	1	2	–	1	–	–	–	1	–	–	–	–	–	–
Childbirth	22	17	4	2	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	2	2	1	1	–	1	–	–	1	–	–	–	–	–	–
Arthritis	–	–	1	2	2	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	3	2	1	2	3	1	5	1	2	1	–	–	–	–	–	–
Joint Disease	1	1	1	3	2	–	2	–	2	1	–	–	–	–	–	–
Carbuncle	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	1	4	6	1	1	1	–	1	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Poison	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	–	1	3	1	1	1	–	1	–	–	1	–	–	–	–
Hanging, etc.	–	–	1	–	–	2	2	–	–	1	–	–	–	–	–	–
Suffocation	–	1	1	–	1	–	3	–	–	–	–	–	–	–	–	–
Drowning	9	2	9	3	–	1	3	–	3	–	–	–	–	–	–	–
Fracture and Contusion	13	16	9	13	8	5	7	7	3	1	–	–	–	–	1	–
Wounds	1	2	–	–	1	2	1	–	–	–	–	–	–	–	–	–
Other Violent Causes	3	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Not Specified	8	5	7	5	5	5	2	–	–	–	–	–	–	–	–	3

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1863.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	6788	616	262	654	1016	572	379	226	512	151	199	206	211
SPECIFIED CAUSES	6691	583	252	649	1005	570	376	224	507	148	194	205	211
I. Zymotic Class	2107	53	59	228	408	312	219	136	290	44	52	50	39
II. Diseases of Uncertain Seat	112	6	1	1	1	4	5	5	13	3	3	3	1
III. Tubercular Class	1150	12	29	93	154	69	57	36	101	53	94	93	83
IV. Brain and Nervous System	494	47	19	39	44	16	13	4	21	9	6	11	15
V. Organs of Circulation	187	1	1	–	–	2	2	1	1	4	4	5	12
VI. Respiratory Organs	1212	82	83	181	256	118	54	27	36	10	6	23	23
VII. Organs of Digestion	430	50	25	76	109	24	6	2	13	6	6	2	11
VIII. Urinary Organs	72	–	–	1	2	–	2	3	9	–	2	4	2
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	44	1	–	–	1	1	–	–	5	4	4	2	6
XI. Skin, etc.	11	–	1	2	2	1	–	–	1	–	–	–	–
XII. Malformation	12	10	1	1	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	350	304	25	21	–	–	–	–	–	–	–	–	–
XIV. Atrophy	80	–	–	–	23	13	10	4	8	1	–	3	–
XV. Age	166	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	13	–	1	1	1	–	–	–	–	–	–	–	1
XVII. Violent Deaths	251	17	7	5	4	10	8	6	9	14	17	9	18
I. Small Pox	199	8	11	23	34	23	22	9	24	9	10	15	6
Measles	218	–	3	34	85	47	19	8	21	–	–	1	–
Scarlatina	643	1	3	54	104	114	95	79	153	22	7	4	3
Diphtheria	109	1	2	13	20	22	25	12	9	3	1	–	1
Hooping Cough	255	11	12	50	81	50	22	10	19	–	–	–	–
Croup	123	2	2	18	41	28	15	4	12	1	–	–	–
Thrush	1	–	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa	111	16	16	20	24	5	2	2	3	1	–	–	1
Dysentery	25	2	3	3	2	–	–	–	–	–	–	–	2
Cholera	10	1	–	–	–	1	1	1	–	–	–	–	1
Influenza	10	–	–	–	1	3	1	–	2	–	–	1	–
Purpura	4	–	–	–	–	–	–	–	1	1	–	1	–
Ague	3	–	–	–	–	–	2	–	–	–	1	–	–
Worms	3	–	–	–	–	1	2	–	–	–	–	–	–
Infantile Fever	6	–	1	2	2	1	–	–	–	–	–	–	–
Typhus	337	–	–	10	12	16	13	11	45	7	31	27	22
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	5	–	–	–	1	–	–	–	–	–	–	–	2
Erysipelas	29	6	1	–	1	1	–	–	1	–	2	1	–
Syphilis	16	5	4	1	–	–	–	–	–	–	–	–	1
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	7	3	–	–	–	–	–	–	–	–	–	1	–
Dropsy	46	–	–	–	1	3	4	5	10	–	2	1	–
Abscess	19	1	1	1	–	1	1	–	1	3	1	1	–
Ulcer	3	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	6	2	–	–	–	–	–	–	–	–	–	–	–
Cancer	31	–	–	–	–	–	–	–	2	–	–	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	58	–	1	2	4	7	4	3	10	12	5	6	3
Tabes Mesenterica	106	4	1	13	34	10	14	5	13	5	2	1	–
Phthisis	735	5	6	13	40	29	19	19	51	29	87	86	80
Hydrocephalus	251	3	21	65	76	23	20	9	27	7	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1863.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	203	178	204	211	189	162	192	142	117	100	56	21	6	1	1	1
SPECIFIED CAUSES	200	176	200	211	186	160	190	142	117	100	56	21	6	1	1	–
Zymotic Class	31	22	41	34	23	16	19	17	9	4	1	–	–	–	–	–
Uncertain Seat	7	3	5	8	11	6	10	6	7	2	1	–	–	–	–	–
Tubercular Class	74	58	46	44	24	18	7	3	1	1	–	–	–	–	–	–
Brain, etc.	8	17	21	24	35	31	39	37	15	15	7	–	1	–	–	–
Heart, etc.	13	13	16	20	11	16	20	17	10	12	5	1	–	–	–	–
Respiratory Organs	22	24	21	38	44	34	45	30	31	17	4	2	1	–	–	–
Digestive Organs	13	13	17	11	13	14	3	5	4	5	2	–	–	–	–	–
Urinary Organs	6	4	3	5	4	8	6	2	3	1	3	2	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	1	1	2	4	3	1	5	1	1	1	–	–	–	–	–	–
Skin	–	–	–	1	1	1	–	–	–	–	1	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	3	3	6	5	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	23	19	30	41	32	16	4	1	–	–
Sudden Deaths	2	–	1	–	2	1	2	1	–	–	–	–	–	–	–	–
Violent Deaths	23	20	24	19	9	9	11	4	6	1	–	–	–	–	1	–
Small Pox	2	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	3	1	3	3	3	3	3	1	–	1	–	–	–	–	–
Dysentery	1	–	2	1	–	1	2	2	3	1	–	–	–	–	–	–
Cholera	1	–	1	1	–	–	–	2	–	–	–	–	–	–	–	–
Influenza	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Purpura	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	26	13	29	26	17	9	10	9	2	2	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Erysipelas	1	1	3	2	1	1	3	1	3	–	–	–	–	–	–	–
Syphilis	–	1	3	–	–	1	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–
Dropsy	4	1	2	–	2	2	2	2	4	–	1	–	–	–	–	–
Abscess	2	–	–	1	1	1	2	1	–	–	–	–	–	–	–	–
Ulcer	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	1	1	1	–	–	1	–	–	–	–	–	–
Cancer	1	2	2	7	6	1	3	3	2	1	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	73	55	46	44	24	17	7	3	1	1	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1863.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	37	–	1	2	4	4	2	1	5	2	2	3	–
Apoplexy	108	3	–	8	3	–	–	–	4	2	1	1	2
Paralysis	92	–	–	2	–	–	–	–	–	1	–	1	3
Delirium Tremens	13	–	–	–	–	–	–	–	–	–	–	–	3
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	10	–	–	–	–	–	–	–	–	1	–	2	–
Tetanus	5	2	–	–	–	1	–	–	–	–	1	–	1
Insanity	2	–	–	–	–	–	–	–	–	–	–	–	1
Convulsions	127	39	17	22	28	8	8	1	4	–	–	–	–
Brain Disease	100	3	1	5	9	3	3	2	8	3	2	4	5
V. Pericarditis	9	–	–	–	–	1	–	–	–	–	2	1	2
Aneurism	7	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	171	1	1	–	–	1	2	1	1	4	2	4	10
VI. Laryngitis	20	–	2	2	5	4	3	1	–	–	1	–	–
Bronchitis	757	61	57	142	169	73	31	16	24	4	2	5	7
Pleurisy	13	–	–	–	1	–	–	–	–	–	–	–	2
Pneumonia	343	18	24	37	81	38	14	8	10	5	2	17	11
Asthma	41	–	–	–	–	–	–	–	–	–	–	–	1
Lung Disease	38	3	–	–	–	3	6	2	2	1	1	1	2
VII. Teething	150	–	2	53	83	12	–	–	–	–	–	–	–
Quinsey	3	–	–	–	–	2	1	–	–	–	–	–	–
Gastritis	4	–	–	2	1	–	–	–	–	–	–	–	–
Enteritis	116	31	13	11	18	5	1	1	6	2	6	1	–
Peritonitis	17	1	2	2	–	2	–	–	1	1	–	–	3
Ascites	4	–	–	–	–	–	–	–	–	1	–	–	1
Ulceration of Intestines	8	–	–	–	1	–	1	–	–	–	–	–	–
Hernia	5	1	–	–	–	–	–	–	–	–	–	–	–
Ileus	19	8	2	1	–	1	–	–	–	–	–	–	1
Intussusception	2	–	–	–	–	–	2	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	42	6	4	6	2	1	–	–	5	2	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	10	–	1	–	–	–	–	–	–	–	–	–	–
Jaundice	8	2	–	–	2	–	–	–	–	–	–	–	–
Liver Disease	37	1	1	1	1	–	1	1	1	–	–	1	5
Spleen Disease	4	–	–	–	1	1	–	–	–	–	–	–	–
VIII. Nephritis	9	–	–	–	–	–	2	1	4	–	–	–	–
Nephria	21	–	–	–	–	–	–	1	2	–	2	1	–
Ischuria	5	–	–	1	–	–	–	–	1	–	–	–	–
Diabetes	5	–	–	–	–	–	–	–	–	–	–	1	1
Stone	3	–	–	–	1	–	–	–	–	–	–	–	–
Cystitis	4	–	–	–	–	–	–	–	1	–	–	–	–
Stricture of Urethra	3	–	–	–	–	–	–	1	–	–	–	–	–
Kidney Disease	22	–	–	–	1	–	–	–	1	–	–	2	1
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	6	–	–	–	–	–	–	–	–	1	–	–	2
Rheumatism	8	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	30	1	–	–	1	1	–	–	5	3	4	2	4
XI. Carbuncle	3	–	–	–	–	1	–	–	–	–	–	–	–
Phlegmon	2	–	–	–	–	–	–	–	1	–	–	–	–
Skin Disease	6	–	1	2	2	–	–	–	–	–	–	–	–
XII. Cyanosis	2	2	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	1	1	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	9	7	1	1	–	–	–	–	–	–	–	–	–
XVII. Intemperance	9	–	–	–	–	–	–	–	–	–	–	–	–
Privation	2	–	–	–	–	–	–	–	–	–	1	–	1
Want of Breast Milk	16	11	3	2	–	–	–	–	–	–	–	–	–
Neglect	1	–	–	–	–	1	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	4	–	1	1	–	–	1	–	–	–	–	–	–
Burns and Scalds	35	–	–	1	3	4	6	2	5	1	4	–	3
Hanging, etc.	5	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	11	3	3	–	1	–	–	–	–	–	–	1	–
Drowning	45	2	–	1	–	2	–	1	–	2	4	3	6
Fracture and Contusion	104	–	–	–	–	3	1	3	3	8	5	4	8
Wounds	10	–	–	–	–	–	–	–	–	1	2	1	–
Other Violent Causes	9	1	–	–	–	–	–	–	1	2	1	–	–
Not Specified	97	33	10	5	11	2	3	2	5	3	5	1	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1863.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	2	2	2	2	–	–	1	–	–	–	–	–	–	–	–
Apoplexy	1	4	6	15	16	9	9	11	6	6	1	–	–	–	–	–
Paralysis	–	5	2	2	7	13	19	15	7	8	6	–	1	–	–	–
Delirium Tremens	–	2	5	–	2	1	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	4	1	–	1	–	1	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	5	4	1	4	8	7	11	9	2	1	–	–	–	–	–	–
Pericarditis	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Aneurism	–	1	4	–	–	–	1	1	–	–	–	–	–	–	–	–
Heart Disease	13	12	12	20	10	15	18	16	10	12	5	1	–	–	–	–
Laryngitis	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	6	10	7	19	20	16	26	20	24	12	4	1	1	–	–	–
Pleurisy	–	4	–	1	3	–	1	1	–	–	–	–	–	–	–	–
Pneumonia	10	8	8	11	13	9	7	5	4	3	–	–	–	–	–	–
Asthma	1	2	3	4	4	9	9	4	1	2	–	1	–	–	–	–
Lung Disease	5	–	3	3	2	–	2	–	2	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	1	5	3	3	2	2	1	–	–	3	1	–	–	–	–	–
Peritonitis	2	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–
Ascites	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	1	2	–	1	1	–	–	–	–	–	–	–	–	–	–
Hernia	–	2	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Ileus	1	–	1	–	1	1	–	1	–	1	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Stomach Disease	1	2	2	2	3	2	–	1	2	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	3	1	2	–	2	–	–	–	–	–	–	–	–
Jaundice	2	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
Liver Disease	4	2	7	1	2	6	–	1	1	–	–	–	–	–	–	–
Spleen Disease	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Nephria	2	2	1	1	2	5	1	–	1	–	–	–	–	–	–	–
Ischuria	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Cystitis	–	1	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Stricture of Urethra	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	1	–	2	1	2	3	2	1	1	1	2	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	1	1	1	3	1	1	–	–	–	–	–	–	–
Joint Disease	1	1	1	2	1	–	2	–	–	1	–	–	–	–	–	–
Carbuncle	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	1	3	2	1	–	–	–	1	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	–	1	1	–	1	–	–	1	–	–	–	–	–	–	–
Hanging, etc.	–	–	1	–	–	2	1	–	–	1	–	–	–	–	–	–
Suffocation	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–
Drowning	6	2	8	3	–	1	2	–	2	–	–	–	–	–	–	–
Fracture and Contusion	11	15	9	13	6	3	5	4	2	–	–	–	–	–	1	–
Wounds	1	2	–	–	1	2	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	2	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Not Specified	3	2	4	–	3	2	2	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1863.—Females.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	6541	489	220	533	909	481	367	239	445	165	204	235	274
Specified Causes	6452	459	212	529	902	479	365	237	443	164	200	231	274
I. Zymotic Class	2060	70	60	196	405	264	231	147	253	59	49	44	43
II. Diseases of Uncertain Seat	183	5	2	3	4	4	5	2	8	1	4	8	5
III. Tubercular Class	1197	8	30	72	132	70	42	28	89	62	106	109	127
IV. Brain and Nervous System	362	29	18	21	26	14	11	8	17	9	6	7	12
V. Organs of Circulation	244	2	–	1	2	–	–	–	5	7	4	11	17
VI. Respiratory Organs	1094	46	65	148	202	99	58	34	42	11	16	20	22
VII. Organs of Digestion	415	39	11	61	101	14	7	6	13	6	7	16	17
VIII. Urinary Organs	47	1	–	–	2	–	1	2	2	1	4	2	6
IX. Organs of Generation	88	–	–	–	–	–	–	–	–	–	2	9	14
X. Organs of Locomotion	29	–	–	–	–	1	1	–	3	1	1	2	1
XI. Skin, etc.	4	1	1	–	–	–	–	–	–	1	–	–	–
XII. Malformation	4	4	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	283	241	21	21	–	–	–	–	–	–	–	–	–
XIV. Atrophy	87	–	–	–	20	7	6	8	4	3	–	1	3
XV. Age	246	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	11	1	1	–	1	–	1	–	1	–	–	–	–
XVII. Violent Deaths	98	12	3	6	7	6	2	2	6	3	1	2	7
I. Small Pox	150	10	12	25	33	14	12	8	12	3	4	4	7
Measles	201	1	3	29	72	38	32	10	11	2	1	1	–
Scarlatina	560	1	10	31	92	85	92	71	143	26	4	3	1
Diphtheria	135	5	2	11	36	17	26	12	18	2	–	3	1
Hooping Cough	320	19	13	58	100	64	26	20	20	–	–	–	–
Croup	125	4	5	21	34	24	19	13	4	1	–	–	–
Thrush	4	2	1	–	1	–	–	–	–	–	–	–	–
Diarrhœa	100	14	7	12	18	6	6	–	4	2	2	–	1
Dysentery	21	–	1	–	1	2	–	1	–	–	–	–	1
Cholera	7	–	–	2	1	1	–	–	2	–	–	–	–
Influenza	8	–	–	–	–	1	–	1	–	–	–	–	1
Purpura	4	–	–	–	–	–	–	–	–	–	1	–	1
Ague	2	–	–	–	–	–	1	1	–	–	–	–	–
Worms	2	–	–	–	–	1	1	–	–	–	–	–	–
Infantile Fever	3	1	–	–	1	–	–	1	–	–	–	–	–
Typhus	334	1	–	4	11	9	16	9	36	21	31	24	21
Metria	26	–	–	–	–	–	–	–	–	–	3	5	6
Rheumatic Fever	10	–	–	–	1	–	–	–	1	1	2	1	–
Erysipelas	29	5	2	–	3	1	–	–	1	1	1	3	3
Syphilis	17	7	4	3	1	–	–	–	–	–	–	–	–
Noma	2	–	–	–	–	1	–	–	1	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	9	1	–	1	–	–	–	1	–	–	–	–	–
Dropsy	74	–	–	1	2	3	3	1	8	1	3	4	2
Abscess	11	1	1	1	1	–	–	–	–	–	–	1	1
Ulcer	5	–	1	–	–	1	–	–	–	–	–	1	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	1	–
Mortification	10	3	–	–	–	–	2	–	–	–	1	–	–
Cancer	73	–	–	–	1	–	–	–	–	–	–	1	2
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	57	–	2	4	6	1	4	2	9	4	9	4	2
Tabes Mesenterica	96	1	3	9	39	16	6	2	12	5	1	–	1
Phthisis	853	5	9	15	38	24	12	18	48	51	94	105	124
Hydrocephalus	191	2	16	44	49	29	20	6	20	2	2	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1863.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	235	222	220	212	165	164	231	147	146	106	79	38	9	3	1	2
SPECIFIED CAUSES	230	219	217	207	163	161	231	147	146	106	79	38	9	3	1	–
Zymotic Class	36	33	33	43	15	20	21	7	11	9	7	4	–	–	–	–
Uncertain Seat	8	9	20	19	15	18	16	9	9	7	2	–	–	–	–	–
Tubercular Class	84	71	60	41	22	15	21	7	1	–	–	–	–	–	–	–
Brain, etc.	5	10	15	10	19	24	37	18	21	16	8	1	–	–	–	–
Heart, etc.	22	18	26	22	10	13	32	15	21	7	7	2	–	–	–	–
Respiratory Organs	21	29	29	34	43	44	46	44	23	13	5	–	–	–	–	–
Digestive Organs	16	14	18	12	15	7	12	13	7	2	–	1	–	–	–	–
Urinary Organs	2	4	5	2	5	4	2	1	1	–	–	–	–	–	–	–
Generative Organs	24	22	7	5	1	1	1	–	–	2	–	–	–	–	–	–
Locomotive Organs	3	2	1	3	4	–	2	–	3	1	–	–	–	–	–	–
Skin	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	2	4	1	8	8	12	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	32	28	46	48	50	29	9	3	1	–
Sudden Deaths	–	1	–	1	2	–	–	2	–	–	–	–	–	–	–	–
Violent Deaths	6	2	2	7	4	3	9	3	3	1	–	1	–	–	–	–
Small Pox	2	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–
Measles	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	1	5	3	–	2	3	3	2	4	2	2	–	–	–	–
Dysentery	1	–	1	1	–	–	2	1	4	1	2	2	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Influenza	–	–	–	–	–	1	3	–	–	1	–	–	–	–	–	–
Purpura	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	23	22	22	36	12	16	12	1	5	1	1	–	–	–	–	–
Metria	4	6	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–
Erysipelas	1	3	–	1	2	–	–	–	–	1	1	–	–	–	–	–
Syphilis	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	3	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–
Dropsy	2	3	5	4	4	11	7	2	3	4	1	–	–	–	–	–
Abscess	1	1	2	–	–	–	1	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	2	–	–	–	–	–	–	1	1	–	–	–	–	–
Cancer	2	5	11	13	10	6	6	7	5	2	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	1	3	–	1	–	3	–	1	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	82	70	56	41	21	15	18	7	–	–	–	–	–	–	–	–
Hydrocephalus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1863.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	22	2	2	5	1	1	1	–	3	1	1	1	2
Apoplexy	78	1	1	2	2	1	1	1	3	2	1	1	2
Paralysis	80	–	–	–	–	1	–	–	–	–	1	–	1
Delirium Tremens	2	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	15	–	–	–	–	–	–	–	–	2	3	1	4
Tetanus	2	1	–	–	–	–	–	1	–	–	–	–	–
Insanity	4	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	83	25	11	11	19	7	4	3	3	–	–	–	–
Brain Disease	76	–	4	3	4	4	5	3	8	4	–	4	3
V. Pericarditis	12	–	–	–	–	–	–	–	1	2	1	–	1
Aneurism	4	–	–	–	–	–	–	–	–	–	–	1	–
Heart Disease	228	2	–	1	2	–	–	–	4	5	3	10	16
VI. Laryngitis	16	–	–	2	4	2	1	2	2	1	–	–	1
Bronchitis	746	35	51	109	136	72	43	14	25	4	7	10	10
Pleurisy	8	–	–	1	–	–	–	–	1	–	–	–	1
Pneumonia	265	11	14	36	60	23	14	12	10	5	6	9	8
Asthma	33	–	–	–	–	–	–	–	–	–	–	–	2
Lung Disease	26	–	–	–	2	2	–	6	4	1	3	1	–
VII. Teething	145	–	1	48	87	6	3	–	–	–	–	–	–
Quinsey	5	–	–	–	1	–	–	–	2	1	–	–	1
Gastritis	11	–	–	–	–	–	–	–	1	–	–	2	2
Enteritis	88	28	9	5	9	6	1	2	2	3	2	3	4
Peritonitis	32	1	–	–	1	–	1	–	–	2	1	4	4
Ascites	5	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	7	–	–	–	–	–	–	–	–	–	–	2	1
Hernia	3	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	14	4	–	1	1	1	–	1	1	–	–	1	1
Intussusception	2	1	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	3	–	–	–	–	–	–	–	–	–	1	–	–
Stomach Disease	46	3	1	6	2	1	2	2	4	–	1	4	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	11	2	–	–	–	–	–	–	2	–	–	–	1
Jaundice	7	–	–	–	–	–	–	–	–	–	1	–	1
Liver Disease	35	–	–	1	–	–	–	1	1	–	1	–	1
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	3	–	–	–	–	–	–	1	1	–	–	–	1
Nephria	21	–	–	–	–	–	–	–	1	–	1	2	3
Ischuria	3	1	–	–	1	–	–	–	–	–	–	–	–
Diabetes	4	–	–	–	1	–	–	–	–	–	–	–	2
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	16	–	–	–	–	–	1	1	–	1	3	–	–
IX. Paramenia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	10	–	–	–	–	–	–	–	–	–	1	–	–
Childbirth	67	–	–	–	–	–	–	–	–	–	1	8	13
Organs of Generation	10	–	–	–	–	–	–	–	–	–	–	1	1
X. Arthritis	3	–	–	–	–	–	1	–	–	–	–	–	–
Rheumatism	16	–	–	–	–	–	–	–	–	–	1	1	1
Joint and Bone Disease	10	–	–	–	–	1	–	–	3	1	–	1	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	1	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	1
Skin Disease	3	1	1	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	1	1	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	2	2	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	1	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	8	–	–	–	–	–	–	–	–	–	–	–	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	9	4	1	3	1	–	–	–	–	–	–	–	–
Neglect	1	–	–	–	1	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–	–	–	–
Poison	4	1	–	–	–	–	–	–	–	1	–	–	–
Burns and Scalds	20	–	–	1	3	5	2	1	2	1	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	12	5	2	–	1	–	–	–	–	–	–	–	1
Drowning	12	–	–	1	1	–	–	–	–	–	1	1	2
Fracture and Contusion	24	–	–	1	–	1	–	1	4	1	–	–	2
Wounds	3	–	–	–	–	–	–	–	–	–	–	1	1
Other Violent Causes	3	2	–	–	–	–	–	–	–	–	–	–	–
Not Specified	89	30	8	4	7	2	2	2	2	1	4	4	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1863.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	5	3	2	5	12	15	4	8	1	4	1	–	–	–	–
Paralysis	2	–	6	4	6	8	16	10	9	12	4	–	–	–	–	–
Delirium Tremens	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	1	–	1	1	–	2	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	1	–	1	–	1	–	1	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	3	3	4	2	6	3	4	3	4	2	–	–	–	–	–	–
Pericarditis	3	–	1	1	–	1	1	–	–	–	–	–	–	–	–	–
Aneurism	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	18	17	24	21	10	12	31	15	21	7	7	2	–	–	–	–
Laryngitis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Bronchitis	14	18	17	19	29	33	35	34	19	10	2	–	–	–	–	–
Pleurisy	2	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–
Pneumonia	4	5	6	13	5	5	9	4	3	1	2	–	–	–	–	–
Asthma	1	4	5	2	5	4	2	5	–	2	1	–	–	–	–	–
Lung Disease	–	2	1	–	2	1	–	1	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	2	2	–	1	–	–	1	–	–	–	–	–	–	–	–
Enteritis	3	–	4	2	–	1	2	1	1	–	–	–	–	–	–	–
Peritonitis	7	3	3	2	2	–	–	1	–	–	–	–	–	–	–	–
Ascites	1	–	1	1	–	1	–	1	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Ileus	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Stomach Disease	2	3	2	–	3	–	3	3	1	2	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	–	–	–	1	2	1	1	–	–	–	–	–	–	–
Jaundice	–	–	–	–	1	–	1	1	2	–	–	–	–	–	–	–
Liver Disease	2	4	4	5	5	3	2	3	1	–	–	1	–	–	–	–
Spleen Disease	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	2	1	3	–	3	3	1	1	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Diabetes	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	3	1	2	2	1	1	–	–	–	–	–	–	–	–	–
Paramenia	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	2	2	1	2	–	1	–	–	–	1	–	–	–	–	–	–
Childbirth	22	17	4	2	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	2	2	1	1	–	1	–	–	1	–	–	–	–	–	–
Arthritis	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	3	2	1	1	2	–	2	–	1	1	–	–	–	–	–	–
Joint Disease	–	–	–	1	1	–	–	–	2	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	1	4	–	1	1	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Poison	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	2	1	–	1	–	–	–	–	1	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Suffocation	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Drowning	3	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–
Fracture and Contusion	2	1	–	–	2	2	2	3	1	1	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	5	3	3	5	2	3	–	–	–	–	–	–	–	–	–	2

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1863.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	1703	141	56	147	275	138	79	50	115	42	40	54	51
Specified Causes	1635	122	49	139	266	132	77	48	112	42	40	52	50
I. Zymotic Class	503	17	15	44	124	77	53	28	69	7	10	6	8
II. Diseases of Uncertain Seat	48	3	–	2	1	–	–	–	2	1	1	1	2
III. Tubercular Class	263	1	7	17	36	13	10	5	22	23	14	28	14
IV. Brain and Nervous System	116	9	1	7	3	3	3	2	–	5	4	1	2
V. Organs of Circulation	33	–	–	–	–	–	–	–	–	2	–	1	4
VI. Respiratory Organs	310	18	15	50	60	24	8	8	10	1	2	3	6
VII. Organs of Digestion	133	11	5	13	31	10	3	3	3	–	2	3	7
VIII. Urinary Organs	9	–	–	1	1	–	–	–	2	–	–	–	–
IX. Organs of Generation	19	–	–	–	–	–	–	–	–	–	2	4	3
X. Organs of Locomotion	8	–	–	–	–	–	–	–	–	1	1	1	–
XI. Skin, etc.	3	–	1	1	–	1	–	–	–	–	–	–	–
XII. Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	67	61	5	1	–	–	–	–	–	–	–	–	–
XIV. Atrophy	13	–	–	–	6	1	–	–	2	–	–	–	–
XV. Age	59	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	51	2	–	3	4	3	–	2	2	2	4	4	4
I. Small Pox	37	1	2	4	14	4	3	–	4	–	1	–	3
Measles	65	–	1	4	29	15	8	3	2	1	2	–	–
Scarlatina	115	–	2	7	16	17	21	12	36	2	1	1	–
Diphtheria	36	–	–	3	11	6	4	1	8	1	–	–	–
Hooping Cough	65	6	3	10	23	8	7	3	5	–	–	–	–
Croup	71	3	–	11	18	20	7	7	5	–	–	–	–
Thrush	1	–	–	1	–	–	–	–	–	–	–	–	–
Diarrhœa	35	2	1	3	8	3	1	–	–	–	–	1	–
Dysentery	6	–	–	–	2	1	–	–	–	–	–	–	–
Cholera	1	–	–	–	–	–	–	–	1	–	–	–	–
Influenza	1	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	2	1	–	–	–	–	–	–	–	–	–	–	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	2	–	1	–	–	–	–	–	1	–	–	–	–
Typhus	54	–	2	1	3	2	2	2	7	3	5	4	2
Metria	3	–	–	–	–	–	–	–	–	–	1	–	2
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	7	4	2	–	–	–	–	–	–	–	–	–	–
Syphilis	1	–	1	–	–	–	–	–	–	–	–	–	–
Noma	1	–	–	–	–	1	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	21	–	–	–	–	–	–	–	2	–	1	–	1
Abscess	4	1	–	–	1	–	–	–	–	1	–	1	–
Ulcer	3	1	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	6	1	–	1	–	–	–	–	–	–	–	–	–
Cancer	14	–	–	1	–	–	–	–	–	–	–	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	12	–	–	–	1	1	1	–	3	2	1	–	–
Tabes Mesenterica	24	–	–	2	9	5	2	2	2	–	–	–	–
Phthisis	178	–	–	4	8	5	4	2	13	19	13	28	14
Hydrocephalus	49	1	7	11	18	2	3	1	4	2	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1863.—BOTH SEXES.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	43	58	47	39	38	37	70	52	48	44	19	13	4	–	1	2
SPECIFIED CAUSES	41	58	44	39	38	36	68	52	48	44	19	13	4	–	1	1
Zymotic Class	6	4	2	8	6	2	5	1	4	4	3	–	–	–	–	–
Uncertain Seat	2	3	1	3	6	5	3	2	5	4	–	1	–	–	–	–
Tubercular Class	19	17	14	4	2	7	5	4	1	–	–	–	–	–	–	–
Brain, etc.	2	5	6	5	6	8	14	12	4	10	3	–	–	–	–	1
Heart, etc.	–	4	1	4	4	1	4	2	4	1	1	–	–	–	–	–
Respiratory Organs	3	11	11	9	5	7	19	14	10	7	3	4	1	–	1	–
Digestive Organs	1	5	4	3	6	3	10	3	6	1	–	–	–	–	–	–
Urinary Organs	–	–	1	–	–	–	–	2	2	–	–	–	–	–	–	–
Generative Organs	4	2	1	1	–	–	2	–	–	–	–	–	–	–	–	–
Locomotive Organs	1	2	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	4	10	10	16	9	8	2	–	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	2	5	1	2	2	3	2	1	1	1	–	–	1	–	–	–
Small Pox	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	3	–	1	1	1	2	–	3	1	3	–	–	–	–	–
Dysentery	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	3	1	2	5	4	1	2	1	1	1	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	1	2	–	–	4	3	3	1	2	1	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–
Cancer	–	1	1	3	2	1	–	–	2	2	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	17	15	13	4	2	7	5	4	1	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1863.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	7	–	–	1	1	1	1	–	–	–	1	–	1
Apoplexy	29	–	–	–	–	–	1	1	–	–	1	–	–
Paralysis	34	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	1	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	5	–	–	–	–	–	–	–	–	1	1	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	3	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	19	9	1	5	2	1	–	1	–	–	–	–	–
Brain Disease	18	–	–	1	–	1	1	–	–	4	1	1	1
V. Pericarditis	3	–	–	–	–	–	–	–	–	1	–	–	1
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	30	–	–	–	–	–	–	–	–	1	–	1	3
VI. Laryngitis	5	–	–	1	2	–	–	1	1	–	–	–	–
Bronchitis	154	14	10	29	36	16	5	5	4	–	–	1	2
Pleurisy	11	–	–	–	1	–	1	–	2	1	–	–	–
Pneumonia	124	3	5	20	21	8	2	2	3	–	2	2	3
Asthma	9	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	7	1	–	–	–	–	–	–	–	–	–	–	1
VII. Teething	40	–	2	11	24	3	–	–	–	–	–	–	–
Quinsey	8	–	1	1	1	–	1	1	1	–	–	1	–
Gastritis	6	–	–	–	–	–	–	1	–	–	–	–	–
Enteritis	22	3	1	1	2	3	1	–	2	–	–	–	2
Peritonitis	8	1	1	–	–	1	–	–	–	–	1	–	2
Ascites	2	–	–	–	–	–	–	–	–	–	–	–	1
Ulceration of Intestines	2	–	–	–	1	–	–	–	–	–	–	–	–
Hernia	1	1	–	–	–	–	–	–	–	–	–	–	–
Ileus	6	2	–	–	–	–	–	–	–	–	1	–	1
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	18	3	–	–	1	3	1	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	3	–	–	–	–	–	–	–	–	–	–	1	–
Jaundice	2	1	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	13	–	–	–	–	–	–	–	–	–	–	1	1
Spleen Disease	2	–	–	–	2	–	–	–	–	–	–	–	–
VIII. Nephritis	1	–	–	1	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	5	–	–	–	1	–	–	–	2	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	16	–	–	–	–	–	–	–	–	–	2	4	3
Organs of Generation	2	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	4	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	4	–	–	–	–	–	–	–	–	1	1	1	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	2	–	1	1	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	–	1	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	2	1	–	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	9	–	–	1	2	2	–	1	–	–	–	–	–
Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	–	–	1	–	–	–	–	–	–	–	–	–
Drowning	11	–	–	–	1	–	–	–	–	–	–	3	2
Fracture and Contusion	20	–	–	–	1	–	–	1	2	2	4	1	1
Wounds	4	–	–	–	–	1	–	–	–	–	–	–	1
Other Violent Causes	1	1	–	–	–	–	–	–	–	–	–	–	–
Not Specified	68	19	7	8	9	6	2	2	3	–	–	2	1

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1863.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Apoplexy	–	2	3	2	–	4	5	1	2	5	2	–	–	–	–	–
Paralysis	–	–	1	2	5	3	6	8	2	5	1	–	–	–	–	1
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	1	1	1	1	1	1	1	–	–	–	–	–	–	–	–
Pericarditis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	–	4	–	4	4	1	4	2	4	1	1	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	4	2	4	1	–	6	5	5	1	1	2	1	–	–	–
Pleurisy	–	1	–	–	1	1	2	1	–	–	–	–	–	–	–	–
Pneumonia	3	5	7	4	1	5	9	6	4	5	2	1	–	–	1	–
Asthma	–	–	2	1	–	1	1	1	1	1	–	1	–	–	–	–
Lung Disease	–	1	–	–	2	–	1	1	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Gastritis	–	1	2	–	–	–	1	–	1	–	–	–	–	–	–	–
Enteritis	1	–	1	1	–	–	1	1	1	1	–	–	–	–	–	–
Peritonitis	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	1	1	–	1	1	3	2	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	1	–	1	2	2	1	–	4	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	4	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Joint Disease	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	1	1	1	1	1	–	1	1	1	–	–	–	–	–	–	–
Wounds	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	2	–	3	–	–	1	2	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1863.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	841	81	27	74	131	75	42	24	46	21	21	29	14
SPECIFIED CAUSES	802	67	24	70	128	70	41	24	44	21	21	29	13
I. Zymotic Class	243	6	5	19	65	43	29	15	26	3	6	5	1
II. Diseases of Uncertain Seat	24	1	–	1	–	–	–	–	2	1	–	1	1
III. Tubercular Class	126	–	4	10	19	5	6	1	10	11	8	13	1
IV. Brain and Nervous System	70	6	–	4	2	2	2	1	–	4	2	–	1
V. Organs of Circulation	12	–	–	–	–	–	–	–	–	–	–	1	2
VI. Respiratory Organs	145	8	9	29	20	11	2	3	3	–	–	2	1
VII. Organs of Digestion	69	6	3	5	17	7	2	2	–	–	2	3	2
VIII. Urinary Organs	6	–	–	1	1	–	–	–	–	–	–	–	–
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	3	–	–	–	–	–	–	–	–	–	–	1	–
XI. Skin, etc.	2	–	1	1	–	–	–	–	–	–	–	–	–
XII. Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	40	38	2	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	5	–	–	–	2	1	–	–	1	–	–	–	–
XV. Age	20	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	37	2	–	–	2	1	–	2	2	2	3	3	4
I. Small Pox	18	1	1	1	8	3	1	–	1	–	1	–	–
Measles	37	–	–	3	17	6	6	2	1	–	2	–	–
Scarlatina	57	–	–	3	9	11	11	6	14	1	1	1	–
Diphtheria	17	–	–	–	5	5	2	1	2	1	–	–	–
Hooping Cough	21	1	–	3	9	3	3	1	1	–	–	–	–
Croup	43	2	–	7	11	12	5	4	2	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	16	1	–	1	3	2	1	–	–	–	–	–	–
Dysentery	3	–	–	–	2	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	2	–	1	–	–	–	–	–	1	–	–	–	–
Typhus	26	–	2	1	1	1	–	1	4	1	2	4	1
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	2	1	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	–	1	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	13	–	–	–	–	–	–	–	2	–	–	–	1
Abscess	2	–	–	–	–	–	–	–	–	1	–	1	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	1	–	–	–	–	–	–	–	–	–	–	–
Cancer	7	–	–	1	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	6	–	–	–	1	–	–	–	1	1	1	–	–
Tabes Mesenterica	11	–	–	1	4	3	2	1	–	–	–	–	–
Phthisis	85	–	–	3	6	2	2	–	7	8	7	13	1
Hydrocephalus	24	–	4	6	8	–	2	–	2	2	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1863.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	25	28	24	19	21	18	43	28	19	16	7	5	1	–	1	1
SPECIFIED CAUSES	23	28	22	19	21	18	42	28	19	16	7	5	1	–	1	–
Zymotic Class	3	3	1	4	2	2	2	–	1	1	1	–	–	–	–	–
Uncertain Seat	2	2	–	3	2	2	2	1	3	–	–	–	–	–	–	–
Tubercular Class	12	8	5	2	1	4	2	3	1	–	–	–	–	–	–	–
Brain, etc.	2	2	3	3	4	6	12	7	2	4	1	–	–	–	–	–
Heart, etc.	–	1	1	–	2	–	2	2	1	–	–	–	–	–	–	–
Respiratory Organs	2	5	7	5	4	2	11	8	4	4	2	2	–	–	1	–
Digestive Organs	–	1	3	1	3	–	8	2	1	1	–	–	–	–	–	–
Urinary Organs	–	–	1	–	–	–	–	1	2	–	–	–	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	1	3	3	6	3	3	1	–	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	2	5	1	1	2	2	2	1	–	–	–	–	–	–	–	–
Small Pox	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	2	–	1	–	1	1	–	1	–	1	–	–	–	–	–
Dysentery	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	1	1	1	1	2	1	1	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	1	1	–	–	2	1	2	1	2	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	1	–	3	–	1	–	–	1	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	10	8	5	2	1	4	2	3	1	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1863.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	4	–	–	–	1	1	1	–	–	–	1	–	–
Apoplexy	20	–	–	–	–	–	1	–	–	–	1	–	–
Paralysis	19	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	1	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	2	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	11	6	–	3	1	–	–	1	–	–	–	–	–
Brain Disease	12	–	–	1	–	1	–	–	–	4	–	–	1
V. Pericarditis	2	–	–	–	–	–	–	–	–	–	–	–	1
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	10	–	–	–	–	–	–	–	–	–	–	1	1
VI. Laryngitis	2	–	–	1	–	–	–	–	1	–	–	–	–
Bronchitis	69	6	7	20	12	7	1	2	–	–	–	–	–
Pleurisy	6	–	–	–	–	–	–	–	1	–	–	–	–
Pneumonia	59	1	2	8	8	4	1	1	1	–	–	2	1
Asthma	5	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	4	1	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	18	–	1	4	12	1	–	–	–	–	–	–	–
Quinsey	6	–	1	1	1	–	1	–	–	–	–	1	–
Gastritis	4	–	–	–	–	–	–	1	–	–	–	–	–
Enteritis	8	–	1	–	1	2	–	–	–	–	–	–	–
Peritonitis	4	–	–	–	–	1	–	–	–	–	1	–	1
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	1
Ulceration of Intestines	2	–	–	–	1	–	–	–	–	–	–	–	–
Hernia	1	1	–	–	–	–	–	–	–	–	–	–	–
Ileus	3	1	–	–	–	–	–	–	–	–	1	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	14	3	–	–	–	3	1	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	1	–
Jaundice	1	1	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	4	–	–	–	–	–	–	–	–	–	–	1	–
Spleen Disease	2	–	–	–	2	–	–	–	–	–	–	–	–
VIII. Nephritis	1	–	–	1	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	3	–	–	–	1	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	2	–	–	–	–	–	–	–	–	–	–	1	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	2	–	–	1	1	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	1	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	4	–	–	–	2	–	–	1	–	–	–	–	–
Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	10	–	–	–	–	–	–	–	–	–	–	3	2
Fracture and Contusion	16	–	–	–	–	–	–	1	2	2	3	–	1
Wounds	3	–	–	–	–	1	–	–	–	–	–	–	1
Other Violent Causes	1	1	–	–	–	–	–	–	–	–	–	–	–
Not Specified	39	14	3	4	3	5	1	–	2	–	–	–	1

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1863.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	2	2	2	–	3	5	1	1	2	–	–	–	–	–	–
Paralysis	–	–	1	–	3	2	5	4	1	2	1	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	–	–	1	1	1	1	–	–	–	–	–	–	–	–	–
Pericarditis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	–	1	–	–	2	–	2	2	1	–	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	–	1	2	1	–	3	2	2	1	1	1	–	–	–	–
Pleurisy	–	1	–	–	1	–	2	1	–	–	–	–	–	–	–	–
Pneumonia	2	3	5	2	–	2	5	4	2	2	1	1	–	–	1	–
Asthma	–	–	1	1	–	–	1	1	–	1	–	–	–	–	–	–
Lung Disease	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Gastritis	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Enteritis	–	–	1	–	–	–	1	1	–	1	–	–	–	–	–	–
Peritonitis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	1	–	1	–	3	1	–	–	–	–	–	–	–	–
Pancreas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Joint Disease	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	1	1	1	1	1	–	1	1	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	2	–	2	–	–	–	1	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1863.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	862	60	29	73	144	63	37	26	69	21	19	25	37
SPECIFIED CAUSES	833	55	25	69	138	62	36	24	68	21	19	23	37
I. Zymotic Class	260	11	10	25	59	34	24	13	43	4	4	1	7
II. Diseases of Uncertain Seat	24	2	–	1	1	–	–	–	–	–	1	–	1
III. Tubercular Class	137	1	3	7	17	8	4	4	12	12	6	15	13
IV. Brain and Nervous System	46	3	1	3	1	1	1	1	–	1	2	1	1
V. Organs of Circulation	21	–	–	–	–	–	–	–	–	2	–	–	2
VI. Respiratory Organs	165	10	6	21	40	13	6	5	7	1	2	1	5
VII. Organs of Digestion	64	5	2	8	14	3	1	1	3	–	–	–	5
VIII. Urinary Organs	3	–	–	–	–	–	–	–	2	–	–	–	–
IX. Organs of Generation	19	–	–	–	–	–	–	–	–	–	2	4	3
X. Organs of Locomotion	5	–	–	–	–	–	–	–	–	1	1	–	–
XI. Skin, etc.	1	–	–	–	–	1	–	–	–	–	–	–	–
XII. Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	27	23	3	1	–	–	–	–	–	–	–	–	–
XIV. Atrophy	8	–	–	–	4	–	–	–	1	–	–	–	–
XV. Age	39	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	14	–	–	3	2	2	–	–	–	–	1	1	–
I. Small Pox	19	–	1	3	6	1	2	–	3	–	–	–	3
Measles	28	–	1	1	12	9	2	1	1	1	–	–	–
Scarlatina	58	–	2	4	7	6	10	6	22	1	–	–	–
Diphtheria	19	–	–	3	6	1	2	–	6	–	–	–	–
Hooping Cough	44	5	3	7	14	5	4	2	4	–	–	–	–
Croup	28	1	–	4	7	8	2	3	3	–	–	–	–
Thrush	1	–	–	1	–	–	–	–	–	–	–	–	–
Diarrhœa	19	1	1	2	5	1	–	–	–	–	–	1	–
Dysentery	3	–	–	–	–	1	–	–	–	–	–	–	–
Cholera	1	–	–	–	–	–	–	–	1	–	–	–	–
Influenza	1	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	2	1	–	–	–	–	–	–	–	–	–	–	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	28	–	–	–	2	1	2	1	3	2	3	–	1
Metria	3	–	–	–	–	–	–	–	–	–	1	–	2
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	5	3	2	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	1	–	–	–	–	1	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	8	–	–	–	–	–	–	–	–	–	1	–	–
Abscess	2	1	–	–	1	–	–	–	–	–	–	–	–
Ulcer	3	1	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	4	–	–	1	–	–	–	–	–	–	–	–	–
Cancer	7	–	–	–	–	–	–	–	–	–	–	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	6	–	–	–	–	1	1	–	2	1	–	–	–
Tabes Mesenterica	13	–	–	1	5	2	–	1	2	–	–	–	–
Phthisis	93	–	–	1	2	3	2	2	6	11	6	15	13
Hydrocephalus	25	1	3	5	10	2	1	1	2	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1863.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	18	30	23	20	17	19	27	24	29	28	12	8	3	–	–	1
SPECIFIED CAUSES	18	30	22	20	17	18	26	24	29	28	12	8	3	–	–	1
Zymotic Class	3	1	1	4	4	–	3	1	3	3	2	–	–	–	–	–
Uncertain Seat	–	1	1	–	4	3	1	1	2	4	–	1	–	–	–	–
Tubercular Class	7	9	9	2	1	3	3	1	–	–	–	–	–	–	–	–
Brain, etc.	–	3	3	2	2	2	2	5	2	6	2	–	–	–	–	1
Heart, etc.	–	3	–	4	2	1	2	–	3	1	1	–	–	–	–	–
Respiratory Organs	1	6	4	4	1	5	8	6	6	3	1	2	1	–	–	–
Digestive Organs	1	4	1	2	3	3	2	1	5	–	–	–	–	–	–	–
Urinary Organs	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Generative Organs	4	2	1	1	–	–	2	–	–	–	–	–	–	–	–	–
Locomotive Organs	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	3	7	7	10	6	5	1	–	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	–	–	–	1	–	1	–	–	1	1	–	–	1	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	–	–	1	–	1	–	2	1	2	–	–	–	–	–
Dysentery	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	–	1	4	2	–	1	1	1	1	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	1	–	–	2	2	1	–	–	1	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–
Cancer	–	–	1	–	2	–	–	–	1	2	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	7	7	8	2	1	3	3	1	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1863.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	3	–	–	1	–	–	–	–	–	–	–	–	–
Apoplexy	9	–	–	–	–	–	–	1	–	–	–	–	–
Paralysis	15	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	4	–	–	–	–	–	–	–	–	1	1	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	8	3	1	2	1	1	–	–	–	–	–	–	–
Brain Disease	6	–	–	–	–	–	1	–	–	–	1	1	–
V. Pericarditis	1	–	–	–	–	–	–	–	–	1	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	20	–	–	–	–	–	–	–	–	1	–	–	2
VI. Laryngitis	3	–	–	–	2	–	–	1	–	–	–	–	–
Bronchitis	85	8	3	9	24	9	4	3	4	–	–	1	2
Pleurisy	5	–	–	–	1	–	1	–	1	1	–	–	–
Pneumonia	65	2	3	12	13	4	1	1	2	–	2	–	2
Asthma	4	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	3	–	–	–	–	–	–	–	–	–	–	–	1
VII. Teething	22	–	1	7	12	2	–	–	–	–	–	–	–
Quinsey	2	–	–	–	–	–	–	1	1	–	–	–	–
Gastritis	2	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	14	3	–	1	1	1	1	–	2	–	–	–	2
Peritonitis	4	1	1	–	–	–	–	–	–	–	–	–	1
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	3	1	–	–	–	–	–	–	–	–	–	–	1
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	4	–	–	–	1	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	1	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	9	–	–	–	–	–	–	–	–	–	–	–	1
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	–	–	–	–	–	–	–	2	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	16	–	–	–	–	–	–	–	–	–	2	4	3
Organs of Generation	2	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	3	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	2	–	–	–	–	–	–	–	–	1	1	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	–	1	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	–	–	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	5	–	–	1	–	2	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	–	–	1	–	–	–	–	–	–	–	–	–
Drowning	1	–	–	–	1	–	–	–	–	–	–	–	–
Fracture and Contusion	4	–	–	–	1	–	–	–	–	–	1	1	–
Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	29	5	4	4	6	1	1	2	1	–	–	2	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1863.—FEMALES. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	1	–	–	1	–	–	1	3	2	–	–	–	–	–
Paralysis	–	–	–	2	2	1	1	4	1	3	–	–	–	–	–	1
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	–	3	–	4	2	1	2	–	3	1	1	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	4	1	2	–	–	3	3	3	–	–	1	1	–	–	–
Pleurisy	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Pneumonia	1	2	2	2	1	3	4	2	2	3	1	–	–	–	–	–
Asthma	–	–	1	–	–	1	–	–	1	–	–	1	–	–	–	–
Lung Disease	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Enteritis	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Peritonitis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	1	–	–	1	2	1	–	3	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	4	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1863.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	4593	430	153	292	472	231	152	98	187	80	119	170	167
Specified Causes	4562	417	151	291	468	231	152	98	187	80	118	168	166
I. Zymotic Class	1070	57	39	87	224	141	95	61	102	25	22	30	30
II. Diseases of Uncertain Seat	204	3	2	2	1	1	1	2	3	3	3	2	3
III. Tubercular Class	745	20	24	61	74	37	25	12	31	25	59	78	62
IV. Brain and Nervous System	441	39	8	28	14	2	2	1	9	5	6	6	8
V. Organs of Circulation	264	1	–	–	1	2	1	1	7	2	4	6	13
VI. Respiratory Organs	663	45	42	76	94	32	21	13	12	3	8	14	4
VII. Organs of Digestion	306	46	13	22	37	4	3	1	8	1	3	4	10
VIII. Urinary Organs	79	–	–	–	2	2	2	2	5	1	6	3	4
IX. Organs of Generation	44	–	–	–	–	–	–	–	–	–	1	3	11
X. Organs of Locomotion	42	1	–	–	–	–	–	1	4	5	–	6	5
XI. Skin, etc.	5	1	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	11	9	1	1	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	198	171	18	9	–	–	–	–	–	–	–	–	–
XIV. Atrophy	37	–	–	–	16	6	–	–	2	–	–	2	–
XV. Age	246	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	6	1	1	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	201	23	3	5	5	4	2	4	4	10	6	14	16
I. Small Pox	56	6	1	2	8	9	4	2	7	1	–	4	6
Measles	214	4	1	23	106	37	23	8	10	–	1	1	–
Scarlatina	131	1	1	7	18	23	12	21	35	6	1	3	1
Diphtheria	115	7	3	8	13	22	21	9	18	4	2	1	2
Hooping Cough	55	1	7	13	15	9	5	2	3	–	–	–	–
Croup	119	2	1	15	39	33	13	8	8	–	–	–	–
Thrush	3	2	–	1	–	–	–	–	–	–	–	–	–
Diarrhœa	91	22	10	11	11	–	–	1	–	1	–	–	1
Dysentery	13	–	–	–	1	1	–	–	–	–	–	–	1
Cholera	9	2	1	1	2	–	–	–	1	–	–	–	–
Influenza	5	–	1	–	–	–	–	–	–	–	–	–	–
Purpura	2	1	–	–	–	–	–	–	1	–	–	–	–
Ague	1	–	–	–	–	–	–	–	1	–	–	–	–
Worms	3	–	–	–	2	–	–	–	1	–	–	–	–
Infantile Fever	9	–	–	1	3	–	5	–	–	–	–	–	–
Typhus	181	–	3	–	4	7	12	9	15	12	16	19	16
Metria	11	–	–	–	–	–	–	–	–	–	1	1	1
Rheumatic Fever	7	–	–	–	–	–	–	1	1	1	–	–	1
Erysipelas	24	5	4	1	–	–	–	–	–	–	1	1	1
Syphilis	20	4	6	4	2	–	–	–	–	–	–	–	–
Noma	1	–	–	–	–	–	–	–	1	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	8	2	–	–	–	–	1	–	–	–	–	1	–
Dropsy	26	–	–	–	–	–	–	1	2	2	–	–	1
Abscess	16	1	1	1	–	1	–	–	–	–	1	–	–
Ulcer	2	–	–	–	–	–	–	1	–	–	–	–	–
Fistula	2	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	14	–	1	1	1	–	–	–	–	–	–	–	1
Cancer	136	–	–	–	–	–	–	–	1	1	2	1	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	48	1	3	4	8	8	3	–	1	4	3	5	–
Tabes Mesenterica	79	9	9	18	21	9	3	–	5	2	2	–	–
Phthisis	468	–	1	3	7	4	3	2	14	17	54	73	62
Hydrocephalus	150	10	11	36	38	16	16	10	11	2	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1863.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes . . .	173	171	148	168	180	187	247	173	242	180	114	42	10	2	1	4
Specified Causes .	173	169	147	168	179	187	247	173	242	180	114	42	10	2	1	1
Zymotic Class . .	25	23	11	8	16	10	23	10	15	10	4	1	1	–	–	–
Uncertain Seat . .	7	13	13	14	27	24	32	13	18	14	2	1	–	–	–	–
Tubercular Class . .	56	41	36	41	30	17	13	3	–	–	–	–	–	–	–	–
Brain, etc. . . .	15	16	15	23	26	34	44	33	56	31	16	4	–	–	–	–
Heart, etc. . . .	12	17	25	21	20	22	40	27	17	15	8	1	1	–	–	–
Respiratory Organs .	14	13	13	23	22	35	43	39	49	25	13	7	2	1	–	–
Digestive Organs . .	12	11	12	16	11	23	19	15	22	9	3	–	1	–	–	–
Urinary Organs . .	4	7	4	3	6	4	8	3	6	6	1	–	–	–	–	–
Generative Organs .	11	4	5	2	2	1	2	–	–	1	1	–	–	–	–	–
Locomotive Organs .	4	3	3	2	3	1	2	1	1	–	–	–	–	–	–	–
Skin	–	1	–	–	–	–	–	1	2	–	–	–	–	–	–	–
Malformation . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy . . .	–	–	1	–	4	6	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	10	20	51	66	65	27	5	1	1	–
Sudden Deaths . .	–	1	1	1	–	–	–	–	–	1	–	–	–	–	–	–
Violent Deaths . .	13	19	8	14	12	10	11	8	5	2	1	1	–	–	–	1
Small Pox . . .	2	1	1	–	1	1	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina . . .	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria . . .	–	1	1	1	–	–	1	–	1	–	–	–	–	–	–	–
Hooping Cough . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa . . .	1	2	1	1	6	–	5	2	6	6	2	1	1	–	–	–
Dysentery . . .	–	1	2	–	–	–	4	–	2	1	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Influenza . . .	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–	–
Purpura . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	13	8	5	5	9	8	9	6	3	1	1	–	–	–	–	–
Metria	5	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever . .	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Erysipelas . . .	2	3	–	1	–	–	1	2	2	–	–	–	–	–	–	–
Syphilis	–	3	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage . .	–	1	1	–	1	–	–	–	–	1	–	–	–	–	–	–
Dropsy	2	3	1	–	–	1	5	1	4	3	–	–	–	–	–	–
Abscess	2	–	1	1	–	3	2	–	2	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Fistula	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Mortification . .	–	1	–	–	–	–	1	1	2	3	2	–	–	–	–	–
Cancer	3	7	10	13	26	19	24	11	9	7	–	1	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula . . .	2	2	1	2	–	1	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica .	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Phthisis	54	39	35	39	29	16	13	3	–	–	–	–	–	–	–	–
Hydrocephalus . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1863.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	31	2	–	4	3	–	–	–	1	2	4	3	1
Apoplexy	81	1	–	3	–	–	1	–	1	–	–	–	1
Paralysis	148	–	–	–	–	–	–	–	–	–	–	–	3
Delirium Tremens	6	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	18	–	–	–	–	–	–	–	2	1	1	2	–
Tetanus	4	2	–	–	–	–	–	–	–	–	–	–	–
Insanity	3	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	64	30	7	15	10	2	–	–	–	–	–	–	–
Brain Disease	86	4	1	6	1	–	1	1	5	2	1	1	3
V. Pericarditis	2	–	–	–	–	–	–	–	1	–	–	–	–
Aneurism	13	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	249	1	–	–	1	2	1	1	6	2	4	6	13
VI. Laryngitis	13	–	2	1	6	–	1	1	–	–	1	–	–
Bronchitis	434	34	32	65	62	19	16	9	7	–	1	5	2
Pleurisy	24	–	–	2	–	–	–	–	–	–	1	2	2
Pneumonia	121	9	8	7	22	9	3	3	3	1	5	6	–
Asthma	34	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	37	2	–	1	4	4	1	–	2	2	–	1	–
VII. Teething	50	–	4	16	28	2	–	–	–	–	–	–	–
Quinsey	6	3	–	–	–	2	–	–	–	–	–	–	–
Gastritis	6	1	–	–	–	–	–	–	1	–	–	–	–
Enteritis	50	18	5	4	6	–	2	1	3	–	–	–	–
Peritonitis	23	4	1	–	–	–	–	–	1	–	2	2	–
Ascites	5	1	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	15	–	–	–	–	–	–	–	–	–	1	1	2
Hernia	8	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	17	6	2	–	–	–	–	–	–	–	–	–	1
Intussusception	1	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	59	5	–	1	2	–	–	–	1	–	–	–	3
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	5	–	–	–	–	–	–	–	–	–	–	–	1
Jaundice	18	6	–	–	–	–	1	–	–	–	–	–	1
Liver Disease	40	2	–	1	1	–	–	–	2	1	–	–	2
Spleen Disease	3	–	–	–	–	–	–	–	–	–	–	1	–
VIII. Nephritis	5	–	–	–	–	–	–	–	2	–	–	–	–
Nephria	24	–	–	–	1	1	–	–	1	–	4	2	2
Ischuria	2	–	–	–	–	–	–	–	–	–	–	–	1
Diabetes	4	–	–	–	1	–	–	–	–	–	1	–	–
Stone	4	–	–	–	–	–	–	1	–	–	–	–	–
Cystitis	5	–	–	–	–	–	–	–	–	1	–	1	–
Stricture of Urethra	4	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	31	–	–	–	–	1	2	1	2	–	1	–	1
IX. Paramenia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	13	–	–	–	–	–	–	–	–	–	–	–	2
Childbirth	23	–	–	–	–	–	–	–	–	–	1	3	8
Organs of Generation	7	–	–	–	–	–	–	–	–	–	–	–	1
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	8	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	34	1	–	–	–	–	–	1	4	5	–	6	5
XI. Carbuncle	4	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	1	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	3	2	1	–	–	–	–	–	–	–	–	–	–
Spina Bifida	1	1	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	7	6	–	1	–	–	–	–	–	–	–	–	–
XVII. Intemperance	9	–	–	–	–	–	–	–	–	–	1	2	1
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	10	9	–	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	6	1	–	–	–	–	–	–	–	–	1	–	1
Burns and Scalds	23	–	–	1	3	2	1	2	–	2	1	1	–
Hanging, etc.	3	–	–	–	–	–	–	–	–	–	–	–	1
Suffocation	18	7	3	1	1	–	–	–	–	–	–	–	2
Drowning	14	–	–	–	1	–	–	–	1	–	–	–	–
Fracture and Contusion	85	2	–	2	–	1	1	1	2	6	2	9	7
Wounds	15	–	–	–	–	–	–	1	–	1	–	1	2
Other Violent Causes	17	4	–	–	–	1	–	–	1	1	1	1	2
Not Specified	31	13	2	1	4	–	–	–	–	–	1	2	1

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1863.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	1	1	1	1	3	1	1	–	–	–	–	–	–	–	–
Apoplexy	3	4	2	7	4	8	14	12	10	6	4	–	–	–	–	–
Paralysis	4	2	3	10	11	14	18	15	37	17	11	3	–	–	–	–
Delirium Tremens	1	4	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	1	3	2	–	–	1	1	2	–	–	–	–	–	–	–
Tetanus	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	3	4	6	2	9	7	9	4	7	8	–	1	–	–	–	–
Pericarditis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Aneurism	1	5	2	2	1	1	1	–	–	–	–	–	–	–	–	–
Heart Disease	11	12	23	19	19	21	38	27	17	15	8	1	1	–	–	–
Laryngitis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	6	5	8	11	9	22	27	27	34	16	11	5	–	1	–	–
Pleurisy	2	1	2	–	2	2	1	2	2	3	–	–	–	–	–	–
Pneumonia	3	5	2	4	8	6	1	5	6	2	1	1	1	–	–	–
Asthma	1	1	–	3	1	4	10	4	5	3	–	1	1	–	–	–
Lung Disease	2	1	–	5	2	1	4	1	2	1	1	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	1	–	–	1	1	–	1	–	–	–	–	–	–	–
Enteritis	–	1	5	2	–	–	1	1	1	–	–	–	–	–	–	–
Peritonitis	3	3	–	–	1	2	1	1	2	–	–	–	–	–	–	–
Ascites	–	–	–	–	1	1	2	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	1	–	2	2	1	2	–	2	–	–	–	–	–	–	–
Hernia	–	–	–	2	1	–	2	2	–	1	–	–	–	–	–	–
Ileus	1	–	–	2	–	1	1	–	1	1	1	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	4	2	1	4	5	8	5	8	6	3	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	2	–	1	–	–	–	–	–	–	1	–	–	–
Jaundice	1	–	2	–	–	1	1	–	2	2	1	–	–	–	–	–
Liver Disease	2	3	2	1	1	7	3	3	7	2	–	–	–	–	–	–
Spleen Disease	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–
Nephria	2	4	1	1	1	–	2	1	1	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Diabetes	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–
Stricture of Urethra	–	–	1	1	1	1	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	3	1	–	4	2	5	1	3	2	–	–	–	–	–	–
Paramenia	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	2	–	2	2	2	–	2	–	–	1	–	–	–	–	–	–
Childbirth	6	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	2	1	1	–	–	1	–	–	–	–	1	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	1	1	1	2	–	1	–	1	–	–	–	–	–	–	–
Joint Disease	3	2	2	1	1	1	1	1	–	–	–	–	–	–	–	–
Carbuncle	–	1	–	–	–	–	–	1	2	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	1	–	–	2	1	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–
Burns and Scalds	2	1	–	–	2	1	2	1	–	–	–	1	–	–	–	–
Hanging, etc.	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	2	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Drowning	2	4	–	2	1	1	–	1	–	–	–	–	–	–	–	1
Fracture and Contusion	6	7	6	6	6	4	8	3	4	1	1	–	–	–	–	–
Wounds	1	2	1	2	–	2	–	2	–	–	–	–	–	–	–	–
Other Violent Causes	1	2	–	1	–	1	–	–	–	1	–	–	–	–	–	–
Not Specified	–	2	1	–	1	–	–	–	–	–	–	–	–	–	–	3

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1863.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	2341	264	85	170	227	120	73	47	89	39	65	93	86
SPECIFIED CAUSES	2323	254	84	170	224	120	73	47	89	39	65	92	86
I. Zymotic Class	521	38	18	52	113	72	49	29	51	5	7	17	14
II. Diseases of Uncertain Seat	81	1	–	1	–	1	–	1	1	3	2	1	1
III. Tubercular Class	398	12	15	34	29	20	14	6	13	17	35	43	35
IV. Brain and Nervous System	251	24	7	18	10	2	1	1	4	1	4	3	6
V. Organs of Circulation	139	1	–	–	–	1	–	1	2	–	3	2	3
VI. Respiratory Organs	341	30	21	47	47	16	6	7	4	1	4	8	3
VII. Organs of Digestion	149	24	7	12	14	3	1	1	3	1	1	1	7
VIII. Urinary Organs	53	–	–	–	2	1	1	1	3	1	5	1	2
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	28	1	–	–	–	–	–	–	4	4	–	4	3
XI. Skin, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	7	6	1	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	122	105	13	4	–	–	–	–	–	–	–	–	–
XIV. Atrophy	10	–	–	–	4	3	–	–	–	–	–	–	–
XV. Age	94	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	2	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	125	12	2	2	5	1	1	–	4	6	4	12	12
I. Small Pox	34	5	1	–	5	6	3	1	5	–	–	4	2
Measles	105	2	1	18	45	21	9	4	5	–	–	–	–
Scarlatina	64	1	1	3	8	11	8	9	20	1	1	1	–
Diphtheria	50	5	2	4	3	9	10	3	9	2	–	–	–
Hooping Cough	27	–	3	8	8	4	1	1	2	–	–	–	–
Croup	68	1	–	8	28	14	8	7	2	–	–	–	–
Thrush	2	1	–	1	–	–	–	–	–	–	–	–	–
Diarrhœa	46	15	3	6	10	–	–	1	–	–	–	–	–
Dysentery	5	–	–	–	1	1	–	–	–	–	–	–	–
Cholera	7	2	1	1	2	–	–	–	1	–	–	–	–
Influenza	2	–	1	–	–	–	–	–	–	–	–	–	–
Purpura	2	1	–	–	–	–	–	–	1	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	–	–	1	–	–	–	–
Infantile Fever	5	–	–	1	2	–	2	–	–	–	–	–	–
Typhus	80	–	1	–	1	6	8	3	5	1	5	11	11
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	3	–	–	–	–	–	–	–	–	1	–	–	1
Erysipelas	13	3	2	–	–	–	–	–	–	–	1	1	–
Syphilis	7	2	2	2	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	4	–	–	–	–	–	–	–	–	–	–	1	–
Dropsy	7	–	–	–	–	–	–	–	1	2	–	–	–
Abscess	9	1	–	1	–	1	–	–	–	–	–	–	–
Ulcer	1	–	–	–	–	–	–	1	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	3	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	56	–	–	–	–	–	–	–	–	1	2	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	27	–	2	2	3	3	2	–	1	3	2	4	–
Tabes Mesenterica	34	4	4	8	5	4	2	–	4	2	1	–	–
Phthisis	254	–	–	3	2	3	3	–	6	11	32	39	35
Hydrocephalus	83	8	9	21	19	10	7	6	2	1	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1863.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	84	94	88	102	80	99	111	79	105	69	51	12	3	2	1	3
SPECIFIED CAUSES	84	93	88	102	80	99	111	79	105	69	51	12	3	2	1	1
Zymotic Class	11	8	6	5	7	5	4	2	4	2	1	1	–	–	–	–
Uncertain Seat	1	5	6	6	15	9	11	5	5	4	1	1	–	–	–	–
Tubercular Class	27	20	22	24	11	12	6	3	–	–	–	–	–	–	–	–
Brain, etc.	8	11	11	17	10	21	22	18	27	15	8	2	–	–	–	–
Heart, etc.	7	11	17	13	12	11	17	13	12	7	6	–	–	–	–	–
Respiratory Organs	7	12	9	14	8	16	22	20	20	12	4	1	1	1	–	–
Digestive Organs	7	4	7	10	6	11	11	7	9	2	–	–	–	–	–	–
Urinary Organs	3	3	2	3	4	4	6	2	5	3	1	–	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	3	2	3	–	1	1	1	–	1	–	–	–	–	–	–	–
Skin	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	3	7	20	23	30	7	2	1	1	–
Sudden Deaths	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	10	16	4	9	6	6	8	2	1	1	–	–	–	–	–	1
Small Pox	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	–	1	4	–	–	1	–	2	1	1	–	–	–	–
Dysentery	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	8	3	4	2	3	4	3	1	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	2	1	–	1	–	–	–	–	2	–	–	–	–	–	–	–
Syphilis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Dropsy	–	–	–	–	–	1	1	–	1	1	–	–	–	–	–	–
Abscess	1	–	1	1	–	1	1	–	1	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Mortification	–	1	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Cancer	–	3	4	5	15	6	9	4	3	2	–	1	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	2	1	2	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	27	18	21	22	11	12	6	3	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1863.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	22	2	–	2	3	–	–	–	–	1	3	1	–
Apoplexy	38	–	–	2	–	–	–	–	1	–	–	–	–
Paralysis	76	–	–	–	–	–	–	–	–	–	–	–	3
Delirium Tremens	5	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	12	–	–	–	–	–	–	–	2	–	–	2	–
Tetanus	3	1	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	45	20	6	10	7	2	–	–	–	–	–	–	–
Brain Disease	49	1	1	4	–	–	1	1	1	–	1	–	3
V. Pericarditis	1	–	–	–	–	–	–	–	1	–	–	–	–
Aneurism	11	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	127	1	–	–	–	1	–	1	1	–	3	2	3
VI. Laryngitis	6	–	1	–	3	–	1	–	–	–	–	–	–
Bronchitis	226	23	17	42	32	6	3	6	4	–	1	2	1
Pleurisy	13	–	–	1	–	–	–	–	–	–	1	2	2
Pneumonia	61	5	3	3	10	6	2	1	–	–	2	4	–
Asthma	20	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	15	2	–	1	2	4	–	–	–	1	–	–	–
VII. Teething	21	–	–	8	11	2	–	–	–	–	–	–	–
Quinsey	4	2	–	–	–	1	–	–	–	–	–	–	–
Gastritis	4	1	–	–	–	–	–	–	1	–	–	–	–
Enteritis	25	10	4	3	1	–	1	1	1	–	–	–	–
Peritonitis	9	1	1	–	–	–	–	–	1	–	1	–	–
Ascites	3	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	7	–	–	–	–	–	–	–	–	–	–	–	1
Hernia	4	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	9	4	1	–	–	–	–	–	–	–	–	–	1
Intussusception	1	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	29	2	–	1	2	–	–	–	–	–	–	–	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	7	2	–	–	–	–	–	–	–	–	–	–	1
Liver Disease	21	2	–	–	–	–	–	–	–	1	–	–	2
Spleen Disease	3	–	–	–	–	–	–	–	–	–	–	1	–
VIII. Nephritis	2	–	–	–	–	–	–	–	1	–	–	–	–
Nephria	15	–	–	–	1	1	–	–	1	–	3	1	1
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	3	–	–	–	1	–	–	–	–	–	1	–	–
Stone	4	–	–	–	–	–	–	1	–	–	–	–	–
Cystitis	4	–	–	–	–	–	–	–	–	1	–	–	–
Stricture of Urethra	4	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	20	–	–	–	–	–	1	–	1	–	1	–	1
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	4	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	24	1	–	–	–	–	–	–	4	4	–	4	3
XI. Carbuncle	2	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	2	1	1	–	–	–	–	–	–	–	–	–	–
Spina Bifida	1	1	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	4	4	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	2	–	–	–	–	–	–	–	–	–	1	1	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	4	4	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	4	1	–	–	–	–	–	–	–	–	–	–	1
Burns and Scalds	7	–	–	–	3	1	–	–	–	–	1	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	1
Suffocation	9	4	2	–	1	–	–	–	–	–	–	–	1
Drowning	11	–	–	–	1	–	–	–	1	–	–	–	–
Fracture and Contusion	67	1	–	2	–	–	1	–	2	4	2	9	7
Wounds	10	–	–	–	–	–	–	–	–	1	–	1	2
Other Violent Causes	10	2	–	–	–	–	–	–	1	1	–	1	–
Not Specified	18	10	1	–	3	–	–	–	–	–	–	1	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1863.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	1	1	1	1	3	1	1	–	–	–	–	–	–	–	–
Apoplexy	1	3	1	4	2	3	7	5	3	3	3	–	–	–	–	–
Paralysis	3	1	1	8	2	9	9	8	16	9	5	2	–	–	–	–
Delirium Tremens	1	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	2	1	–	–	1	1	2	–	–	–	–	–	–	–
Tetanus	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	2	6	2	5	5	3	3	6	3	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	4	1	2	1	1	1	–	–	–	–	–	–	–	–	–
Heart Disease	6	7	16	11	11	10	16	13	12	7	6	–	–	–	–	–
Laryngitis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	3	4	4	9	2	9	14	15	15	8	4	1	–	1	–	–
Pleurisy	–	1	2	–	1	–	1	1	–	1	–	–	–	–	–	–
Pneumonia	3	5	2	3	3	3	–	2	3	1	–	–	–	–	–	–
Asthma	1	1	–	1	1	3	6	2	2	2	–	–	1	–	–	–
Lung Disease	–	1	–	1	1	1	1	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Enteritis	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	2	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–
Ascites	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	1	–	1	1	–	2	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	1	–	–	1	2	–	–	–	–	–	–	–	–
Ileus	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	3	–	–	1	3	3	4	4	3	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	2	–	–	–	–	–	1	1	–	–	–	–	–	–
Liver Disease	–	2	2	1	1	5	2	–	3	–	–	–	–	–	–	–
Spleen Disease	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Nephria	1	1	1	1	1	–	1	–	1	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Diabetes	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–
Stricture of Urethra	–	–	1	1	1	1	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	2	–	–	2	2	4	1	2	1	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–
Joint Disease	2	2	2	–	–	1	1	–	–	–	–	–	–	–	–	–
Carbuncle	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Burns and Scalds	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	4	–	2	1	–	–	–	–	–	–	–	–	–	–	1
Fracture and Contusion	6	7	3	6	5	3	7	1	1	–	–	–	–	–	–	–
Wounds	1	1	1	1	–	2	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	2	–	–	–	3	–	–	–	1	–	–	–	–	–	–
Not Specified	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	2

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1863.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	2252	166	68	122	245	111	79	51	98	41	54	77	81
SPECIFIED CAUSES	2239	163	67	121	244	111	79	51	98	41	53	76	80
I. Zymotic Class	549	19	21	35	111	69	46	32	51	20	15	13	16
II. Diseases of Uncertain Seat	123	2	2	1	1	–	1	1	2	–	1	1	2
III. Tubercular Class	347	8	9	27	45	17	11	6	18	8	24	35	27
IV. Brain and Nervous System	190	15	1	10	4	–	1	–	5	4	2	3	2
V. Organs of Circulation	125	–	–	–	1	1	1	–	5	2	1	4	10
VI. Respiratory Organs	322	15	21	29	47	16	15	6	8	2	4	6	1
VII. Organs of Digestion	157	22	6	10	23	1	2	–	5	–	2	3	3
VIII. Urinary Organs	26	–	–	–	–	1	1	1	2	–	1	2	2
IX. Organs of Generation	44	–	–	–	–	–	–	–	–	–	1	3	11
X. Organs of Locomotion	14	–	–	–	–	–	–	1	–	1	–	2	2
XI. Skin, etc.	3	1	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	4	3	–	1	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	76	66	5	5	–	–	–	–	–	–	–	–	–
XIV. Atrophy	27	–	–	–	12	3	–	–	2	–	–	2	–
XV. Age	152	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	4	1	1	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	76	11	1	3	–	3	1	4	–	4	2	2	4
I. Small Pox	22	1	–	2	3	3	1	1	2	1	–	–	4
Measles	109	2	–	5	61	16	14	4	5	–	1	1	–
Scarlatina	67	–	–	4	10	12	4	12	15	5	–	2	1
Diphtheria	65	2	1	4	10	13	11	6	9	2	2	1	2
Hooping Cough	28	1	4	5	7	5	4	1	1	–	–	–	–
Croup	51	1	1	7	11	19	5	1	6	–	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	45	7	7	5	1	–	–	–	–	1	–	–	1
Dysentery	8	–	–	–	–	–	–	–	–	–	–	–	1
Cholera	2	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	3	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	1	–	–	–	–	–	–	–	1	–	–	–	–
Worms	2	–	–	–	2	–	–	–	–	–	–	–	–
Infantile Fever	4	–	–	–	1	–	3	–	–	–	–	–	–
Typhus	101	–	2	–	3	1	4	6	10	11	11	8	5
Metria	11	–	–	–	–	–	–	–	–	–	1	1	1
Rheumatic Fever	4	–	–	–	–	–	–	1	1	–	–	–	–
Erysipelas	11	2	2	1	–	–	–	–	–	–	–	–	1
Syphilis	13	2	4	2	2	–	–	–	–	–	–	–	–
Noma	1	–	–	–	–	–	–	–	1	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	4	2	–	–	–	–	1	–	–	–	–	–	–
Dropsy	19	–	–	–	–	–	–	1	1	–	–	–	1
Abscess	7	–	1	–	–	–	–	–	–	–	1	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	11	–	1	1	1	–	–	–	–	–	–	–	1
Cancer	80	–	–	–	–	–	–	–	1	–	–	1	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	21	1	1	2	5	5	1	–	–	1	1	1	–
Tabes Mesenterica	45	5	5	10	16	5	1	–	1	–	1	–	–
Phthisis	214	–	1	–	5	1	–	2	8	6	22	34	27
Hydrocephalus	67	2	2	15	19	6	9	4	9	1	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1863.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	89	77	60	66	100	88	136	94	137	111	63	30	7	–	–	1
SPECIFIED CAUSES	89	76	59	66	99	88	136	94	137	111	63	30	7	–	–	–
Zymotic Class	14	15	5	3	9	5	19	8	11	8	3	–	1	–	–	–
Uncertain Seat	6	8	7	8	12	15	21	8	13	10	1	–	–	–	–	–
Tubercular Class	29	21	14	17	19	5	7	–	–	–	–	–	–	–	–	–
Brain, etc.	7	5	4	6	16	13	22	15	29	16	8	2	–	–	–	–
Heart, etc.	5	6	8	8	8	11	23	14	5	8	2	1	1	–	–	–
Respiratory Organs	7	1	4	9	14	19	21	19	29	13	9	6	1	–	–	–
Digestive Organs	5	7	5	6	5	12	8	8	13	7	3	–	1	–	–	–
Urinary Organs	1	4	2	–	2	–	2	1	1	3	–	–	–	–	–	–
Generative Organs	11	4	5	2	2	1	2	–	–	1	1	–	–	–	–	–
Locomotive Organs	1	1	–	2	2	–	1	1	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	1	–	4	3	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	7	13	31	43	35	20	3	–	–	–
Sudden Deaths	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Violent Deaths	3	3	4	5	6	4	3	6	4	1	1	1	–	–	–	–
Small Pox	2	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	1	1	–	2	–	5	1	6	4	1	–	1	–	–	–
Dysentery	–	–	1	–	–	–	3	–	2	1	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	5	5	1	3	6	4	6	5	3	1	1	–	–	–	–	–
Metria	5	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Erysipelas	–	2	–	–	–	–	1	2	–	–	–	–	–	–	–	–
Syphilis	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Dropsy	2	3	1	–	–	–	4	1	3	2	–	–	–	–	–	–
Abscess	1	–	–	–	–	2	1	–	1	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Fistula	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	1	–	2	3	1	–	–	–	–	–
Cancer	3	4	6	8	11	13	15	7	6	5	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Phthisis	27	21	14	17	18	4	7	–	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1863.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	9	–	–	2	–	–	–	–	1	1	1	2	1
Apoplexy	43	1	–	1	–	–	1	–	–	–	–	–	1
Paralysis	72	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	6	–	–	–	–	–	–	–	–	1	1	–	–
Tetanus	1	1	–	–	–	–	–	–	–	–	–	–	–
Insanity	2	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	19	10	1	5	3	–	–	–	–	–	–	–	–
Brain Disease	37	3	–	2	1	–	–	–	4	2	–	1	–
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	2	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	122	–	–	–	1	1	1	–	5	2	1	4	10
VI. Laryngitis	7	–	1	1	3	–	–	1	–	–	1	–	–
Bronchitis	208	11	15	23	30	13	13	3	3	–	–	3	1
Pleurisy	11	–	–	1	–	–	–	–	–	–	–	–	–
Pneumonia	60	4	5	4	12	3	1	2	3	1	3	2	–
Asthma	14	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	22	–	–	–	2	–	1	–	2	1	–	1	–
VII. Teething	29	–	4	8	17	–	–	–	–	–	–	–	–
Quinsey	2	1	–	–	–	1	–	–	–	–	–	–	–
Gastritis	2	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	25	8	1	1	5	–	1	–	2	–	–	–	–
Peritonitis	14	3	–	–	–	–	–	–	–	–	1	2	–
Ascites	2	1	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	8	–	–	–	–	–	–	–	–	–	1	1	1
Hernia	4	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	8	2	1	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	30	3	–	–	–	–	–	–	1	–	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	3	–	–	–	–	–	–	–	–	–	–	–	1
Jaundice	11	4	–	–	–	–	1	–	–	–	–	–	–
Liver Disease	19	–	–	1	1	–	–	–	2	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	3	–	–	–	–	–	–	–	1	–	–	–	–
Nephria	9	–	–	–	–	–	–	–	–	–	1	1	1
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	1
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	1	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	11	–	–	–	–	1	1	1	1	–	–	–	–
IX. Paramenia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	13	–	–	–	–	–	–	–	–	–	–	–	2
Childbirth	23	–	–	–	–	–	–	–	–	–	1	3	8
Organs of Generation	7	–	–	–	–	–	–	–	–	–	–	–	1
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	4	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	10	–	–	–	–	–	–	1	–	1	–	2	2
XI. Carbuncle	2	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	1	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	1	1	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	3	2	–	1	–	–	–	–	–	–	–	–	–
XVII. Intemperance	7	–	–	–	–	–	–	–	–	–	–	1	1
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	6	5	–	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	2	–	–	–	–	–	–	–	–	–	1	–	–
Burns and Scalds	16	–	–	1	–	1	1	2	–	2	–	1	–
Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	9	3	1	1	–	–	–	–	–	–	–	–	1
Drowning	3	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	18	1	–	–	–	1	–	1	–	2	–	–	–
Wounds	5	–	–	–	–	–	–	1	–	–	–	–	–
Other Violent Causes	7	2	–	–	–	1	–	–	–	–	1	–	2
Not Specified	13	3	1	1	1	–	–	–	–	–	1	1	1

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1863.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	2	1	1	3	2	5	7	7	7	3	1	–	–	–	–	–
Paralysis	1	1	2	2	9	5	9	7	21	8	6	1	–	–	–	–
Delirium Tremens	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	2	–	–	4	2	6	1	1	5	–	1	–	–	–	–
Pericarditis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Aneurism	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	5	5	7	8	8	11	22	14	5	8	2	1	1	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	3	1	4	2	7	13	13	12	19	8	7	4	–	–	–	–
Pleurisy	2	–	–	–	1	2	–	1	2	2	–	–	–	–	–	–
Pneumonia	–	–	–	1	5	3	1	3	3	1	1	1	1	–	–	–
Asthma	–	–	–	2	–	1	4	2	3	1	–	1	–	–	–	–
Lung Disease	2	–	–	4	1	–	3	1	2	1	1	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Enteritis	–	1	3	–	–	–	1	1	1	–	–	–	–	–	–	–
Peritonitis	1	3	–	–	1	1	1	–	1	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	1	1	1	–	–	2	–	–	–	–	–	–	–
Hernia	–	–	–	1	1	–	1	–	–	1	–	–	–	–	–	–
Ileus	–	–	–	–	–	1	1	–	1	1	1	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	2	1	3	2	5	1	4	3	2	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–
Jaundice	1	–	–	–	–	1	1	–	1	1	1	–	–	–	–	–
Liver Disease	2	1	–	–	–	2	1	3	4	2	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Nephria	1	3	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	1	1	–	2	–	1	–	1	1	–	–	–	–	–	–
Paramenia	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	2	–	2	2	2	–	2	–	–	1	–	–	–	–	–	–
Childbirth	6	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	2	1	1	–	–	1	–	–	–	–	1	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	1	–	1	1	–	1	–	–	–	–	–	–	–	–	–
Joint Disease	1	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	1	–	–	2	1	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	–	2	1	2	1	–	–	–	1	–	–	–	–
Hanging, etc.	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Drowning	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	3	–	1	1	1	2	3	1	1	–	–	–	–	–
Wounds	–	1	–	1	–	–	–	2	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	1

CAUSES OF DEATH in DUNDEE, at different Periods of Life, in 1863.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	2714	289	117	217	328	167	147	87	208	44	67	96	95
Specified Causes	2679	275	112	214	324	167	147	87	206	44	66	96	95
I. Zymotic Class	935	39	35	89	174	113	110	65	149	20	16	16	16
II. Diseases of Uncertain Seat	89	1	1	2	5	3	2	2	3	–	–	–	5
III. Tubercular Class	420	7	20	29	44	24	16	10	23	13	38	41	41
IV. Brain and Nervous System	180	35	12	13	8	6	2	2	8	–	–	4	2
V. Organs of Circulation	107	–	–	–	–	–	1	–	2	3	2	7	4
VI. Respiratory Organs	375	28	26	39	51	16	11	6	12	5	3	5	9
VII. Organs of Digestion	161	14	7	35	35	3	1	–	1	2	2	6	4
VIII. Urinary Organs	29	–	–	–	–	–	1	1	3	–	2	2	2
IX. Organs of Generation	32	–	–	–	–	–	–	–	–	–	–	8	7
X. Organs of Locomotion	7	–	–	–	–	–	–	–	1	–	–	1	1
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	3	3	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	145	133	6	6	–	–	–	–	–	–	–	–	–
XIV. Atrophy	13	–	–	–	3	1	–	–	1	–	–	–	1
XV. Age	108	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	2	–	1	–	–	–	–	–	–	–	–	–	1
XVII. Violent Deaths	73	15	4	1	4	1	3	1	3	1	3	6	2
I. Small Pox	119	5	10	21	30	15	14	4	12	–	1	3	1
Measles	92	–	3	17	29	17	14	6	6	–	–	–	–
Scarlatina	320	1	5	16	43	48	46	38	94	14	5	2	4
Diphtheria	30	–	–	4	7	2	6	3	6	–	1	–	–
Hooping Cough	82	5	3	13	28	7	16	3	7	–	–	–	–
Croup	71	6	1	4	20	17	9	4	10	–	–	–	–
Thrush	2	1	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa	49	13	7	6	5	–	2	3	2	–	–	–	2
Dysentery	13	1	–	2	1	–	–	1	1	–	–	–	–
Cholera	16	2	2	2	2	–	1	1	2	–	1	–	–
Influenza	4	–	–	–	1	–	–	–	1	–	–	–	–
Purpura	2	–	–	–	1	–	–	–	–	–	1	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	2	–	–	–	–	1	–	–	1	–	–	–	–
Infantile Fever	5	–	–	2	1	2	–	–	–	–	–	–	–
Typhus	104	–	1	–	5	4	2	2	7	6	7	11	8
Metria	3	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	3	–	–	–	–	–	–	–	–	–	–	–	1
Erysipelas	10	2	2	–	–	–	–	–	–	–	–	–	–
Syphilis	8	3	–	2	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	5	–	1	–	–	–	–	–	–	–	–	–	1
Dropsy	44	–	–	–	5	3	2	2	2	–	–	–	2
Abscess	9	1	–	–	–	–	–	–	1	–	–	–	1
Ulcer	2	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	6	–	–	1	–	–	–	–	–	–	–	–	–
Cancer	23	–	–	1	–	–	–	–	–	–	–	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	11	–	–	1	3	–	–	1	3	–	1	1	1
Tabes Mesenterica	10	–	–	4	2	1	–	–	1	1	–	–	–
Phthisis	294	2	9	7	13	6	6	–	11	11	37	40	40
Hydrocephalus	105	5	11	17	26	17	10	9	8	1	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1863.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	83	80	82	65	90	85	109	73	68	58	39	15	3	1	1	–
Specified Causes	83	80	82	65	86	84	108	73	68	58	39	15	3	1	1	–
Zymotic Class	12	17	17	8	7	7	12	2	6	4	1	–	–	–	–	–
Uncertain Seat	3	2	4	5	14	8	15	4	4	5	1	–	–	–	–	–
Tubercular Class	28	16	18	14	17	11	8	2	–	–	–	–	–	–	–	–
Brain, etc.	3	6	5	6	6	15	11	18	10	6	2	–	–	–	–	–
Heart, etc.	5	9	7	7	12	9	16	9	10	4	–	–	–	–	–	–
Respiratory Organs	13	10	12	18	15	19	22	19	12	13	6	5	–	–	–	–
Digestive Organs	5	7	6	2	7	3	7	5	7	1	1	–	–	–	–	–
Urinary Organs	4	2	2	2	2	2	1	1	–	–	1	1	–	–	–	–
Generative Organs	6	6	3	–	1	–	–	1	–	–	–	–	–	–	–	–
Locomotive Organs	1	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	4	3	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	12	11	19	25	27	9	3	1	1	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	3	5	8	3	1	5	3	1	–	–	–	–	–	–	–	–
Small Pox	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	2	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Diphtheria	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	1	–	–	–	3	1	1	2	–	–	–	–	–	–
Dysentery	–	1	1	1	1	–	1	–	1	1	–	–	–	–	–	–
Cholera	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	10	8	10	5	4	4	7	1	1	1	–	–	–	–	–	–
Metria	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	1	1	1	–	1	–	–	1	–	1	–	–	–	–	–
Syphilis	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–
Dropsy	2	–	1	1	5	2	8	2	3	4	–	–	–	–	–	–
Abscess	–	–	2	1	1	–	2	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	1	–	–	1	1	1	1	–	–	–	–	–	–	–	–
Cancer	1	1	1	3	7	2	2	1	1	1	1	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	28	16	17	13	17	11	8	2	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1863.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	12	–	–	2	3	–	–	–	1	–	–	3	–
Apoplexy	30	–	–	–	1	–	–	1	–	–	–	–	–
Paralysis	44	–	–	–	–	–	–	–	–	–	–	–	1
Delirium Tremens	2	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	75	35	11	10	3	6	2	1	6	–	–	–	–
Brain Disease	15	–	1	1	1	–	–	–	1	–	–	1	1
V. Pericarditis	1	–	–	–	–	–	–	–	–	1	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	105	–	–	–	–	–	1	–	2	2	2	7	4
VI. Laryngitis	6	–	1	2	–	–	–	–	–	–	–	–	–
Bronchitis	212	19	18	24	35	12	8	4	5	2	1	–	6
Pleurisy	11	–	–	–	1	–	–	1	–	–	–	2	–
Pneumonia	92	8	7	13	15	3	1	1	7	2	2	1	–
Asthma	38	–	–	–	–	–	–	–	–	–	–	2	2
Lung Disease	16	1	–	–	–	1	2	–	–	1	–	–	1
VII. Teething	69	–	2	31	34	2	–	–	–	–	–	–	–
Quinsey	1	1	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	1
Enteritis	14	5	3	1	–	–	–	–	–	–	–	1	–
Peritonitis	14	1	–	–	–	–	–	–	–	–	1	1	2
Ascites	2	1	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	5	–	–	–	–	–	–	–	–	1	–	1	–
Hernia	2	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	6	–	–	–	–	–	–	–	1	–	1	–	–
Intussusception	2	1	1	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	20	1	1	3	1	1	1	–	–	1	–	2	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	4	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	7	4	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	13	–	–	–	–	–	–	–	–	–	–	1	–
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	4	–	–	–	–	–	1	–	1	–	–	1	–
Nephria	12	–	–	–	–	–	–	–	1	–	1	–	1
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	3	–	–	–	–	–	–	–	–	–	–	1	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	9	–	–	–	–	–	–	1	1	–	1	–	1
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	3	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	27	–	–	–	–	–	–	–	–	–	–	8	5
Organs of Generation	2	–	–	–	–	–	–	–	–	–	–	–	2
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	3	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	4	–	–	–	–	–	–	–	1	–	–	1	1
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	2	2	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	1	1	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	7	6	1	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	7	1	1	–	–	–	–	–	–	–	–	–	1
Burns and Scalds	11	–	–	1	1	1	3	1	–	1	1	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	9	6	2	–	–	–	–	–	–	–	–	–	–
Drowning	9	–	–	–	–	–	–	–	1	–	1	1	–
Fracture and Contusion	24	–	–	–	3	–	–	–	1	–	1	5	1
Wounds	1	–	–	–	–	–	–	–	1	–	–	–	–
Other Violent Causes	4	2	–	–	–	–	–	–	–	–	–	–	–
Not Specified	35	14	5	3	4	–	–	–	2	–	1	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1863.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Apoplexy	1	1	2	–	4	8	4	4	3	1	–	–	–	–	–	–
Paralysis	–	2	1	4	1	6	6	10	6	5	2	–	–	–	–	–
Delirium Tremens	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	1	1	–	1	1	1	2	1	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	5	8	7	7	12	9	16	9	10	4	–	–	–	–	–	–
Laryngitis	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Bronchitis	6	2	4	9	7	5	11	13	8	5	4	4	–	–	–	–
Pleurisy	1	–	1	–	1	1	2	–	–	1	–	–	–	–	–	–
Pneumonia	3	3	4	4	2	2	5	3	2	2	1	1	–	–	–	–
Asthma	–	5	2	3	4	6	3	3	2	5	1	–	–	–	–	–
Lung Disease	2	–	–	2	1	4	1	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	1	1	–	–	–	–	–	–	2	–	–	–	–	–	–	–
Peritonitis	–	3	1	–	1	1	1	1	1	–	–	–	–	–	–	–
Ascites	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Ileus	–	–	1	1	1	1	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	1	–	–	1	–	1	1	2	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	–	–	–	1	1	1	–	–	–	–	–	–	–	–
Jaundice	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	3	–	2	1	1	–	3	–	2	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	2	–	2	1	1	1	1	–	–	–	–	1	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	1	–	–	–	1	–	1	–	–	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Childbirth	6	5	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	1	1	1	–	2	1	–	–	–	–	–	–	–	–	–
Fracture and Contusion	2	1	4	2	1	2	1	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Not Specified	–	–	–	–	4	1	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1863.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	1340	168	62	123	179	78	74	39	104	20	31	47	34
SPECIFIED CAUSES	1327	162	61	121	178	78	74	39	103	20	31	47	34
I. Zymotic Class	453	21	16	44	92	57	54	26	72	9	7	8	8
II. Diseases of Uncertain Seat	33	1	1	–	2	1	2	1	3	–	–	–	1
III. Tubercular Class	195	4	10	15	26	10	10	6	13	4	16	20	14
IV. Brain and Nervous System	108	22	8	12	6	2	–	2	4	–	–	3	1
V. Organs of Circulation	55	–	–	–	–	–	1	–	–	3	2	3	1
VI. Respiratory Organs	185	17	19	22	29	7	3	2	5	3	–	3	2
VII. Organs of Digestion	87	6	3	23	18	1	–	–	1	1	2	2	3
VIII. Urinary Organs	18	–	–	–	–	–	1	1	–	–	1	1	1
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	4	–	–	–	–	–	–	–	1	–	–	1	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	3	3	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	83	78	1	4	–	–	–	–	–	–	–	–	–
XIV. Atrophy	6	–	–	–	3	–	–	–	1	–	–	–	–
XV. Age	40	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	2	–	1	–	–	–	–	–	–	–	–	–	1
XVII. Violent Deaths	55	10	2	1	2	–	3	1	3	–	3	6	2
I. Small Pox	56	2	4	8	16	5	9	2	7	–	–	1	1
Measles	36	–	2	8	11	7	4	2	2	–	–	–	–
Scarlatina	156	–	3	8	24	25	22	14	45	8	2	2	2
Diphtheria	17	–	–	3	5	2	3	1	2	–	1	–	–
Hooping Cough	38	2	1	7	11	4	9	–	4	–	–	–	–
Croup	39	3	1	3	15	8	4	2	3	–	–	–	–
Thrush	2	1	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa	25	7	1	3	2	–	2	3	2	–	–	–	1
Dysentery	1	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	8	1	1	2	2	–	–	–	–	–	1	–	–
Influenza	3	–	–	–	1	–	–	–	1	–	–	–	–
Purpura	2	–	–	–	1	–	–	–	–	–	1	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	2	–	–	–	–	1	–	–	1	–	–	–	–
Infantile Fever	4	–	–	1	1	2	–	–	–	–	–	–	–
Typhus	46	–	–	–	2	3	1	2	5	1	2	5	3
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	2	–	–	–	–	–	–	–	–	–	–	–	1
Erysipelas	10	2	2	–	–	–	–	–	–	–	–	–	–
Syphilis	6	3	–	1	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	4	–	1	–	–	–	–	–	–	–	–	–	1
Dropsy	19	–	–	–	2	1	2	1	2	–	–	–	–
Abscess	4	1	–	–	–	–	–	–	1	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	4	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	5	–	–	1	–	–	–	1	2	–	1	–	–
Tabes Mesenterica	6	–	–	2	2	–	–	–	1	–	–	–	–
Phthisis	127	2	4	6	9	1	3	–	5	3	15	20	14
Hydrocephalus	57	2	6	6	15	9	7	5	5	1	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1863.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	33	34	37	31	40	40	54	36	26	27	18	5	–	–	–	–
SPECIFIED CAUSES	33	34	37	31	39	40	53	36	26	27	18	5	–	–	–	–
Zymotic Class	6	7	6	5	3	2	5	1	2	1	1	–	–	–	–	–
Uncertain Seat	2	1	1	1	5	2	5	1	2	1	–	–	–	–	–	–
Tubercular Class	12	7	8	6	6	5	2	1	–	–	–	–	–	–	–	–
Brain, etc.	1	5	4	2	3	7	8	9	4	4	1	–	–	–	–	–
Heart, etc.	1	4	3	2	7	5	10	6	5	2	–	–	–	–	–	–
Respiratory Organs	3	4	3	9	6	10	13	9	5	8	3	–	–	–	–	–
Digestive Organs	3	1	5	2	5	2	3	2	2	1	1	–	–	–	–	–
Urinary Organs	2	2	1	1	1	2	1	1	–	–	1	1	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	4	5	6	10	11	4	–	–	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	2	3	6	3	1	4	2	1	–	–	–	–	–	–	–	–
Small Pox	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	–	–	2	1	–	1	–	–	–	–	–	–
Dysentery	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	6	4	4	3	3	–	2	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	1	1	1	–	1	–	–	1	–	1	–	–	–	–	–
Syphilis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Dropsy	1	–	–	–	2	–	4	1	2	1	–	–	–	–	–	–
Abscess	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cancer	1	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	12	7	7	5	6	5	2	1	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1863.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	11	–	–	2	2	–	–	–	1	–	–	3	–
Apoplexy	14	–	–	–	1	–	–	1	–	–	–	–	–
Paralysis	22	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	2	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	47	22	8	9	2	2	–	1	2	–	–	–	–
Brain Disease	11	–	–	1	1	–	–	–	1	–	–	–	1
V. Pericarditis	1	–	–	–	–	–	–	–	–	1	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	53	–	–	–	–	–	1	–	–	2	2	3	1
Laryngitis	4	–	1	2	–	–	–	–	–	–	–	–	–
Bronchitis	96	10	14	14	18	5	1	2	3	1	–	–	1
Pleurisy	7	–	–	–	1	–	–	–	–	–	–	1	–
Pneumonia	48	6	4	6	10	1	1	–	2	1	–	1	–
Asthma	21	–	–	–	–	–	–	–	–	–	–	1	1
Lung Disease	9	1	–	–	–	1	1	–	–	1	–	–	–
VII. Teething	39	–	–	21	17	1	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	11	5	2	–	–	–	–	–	–	–	–	–	–
Peritonitis	8	–	–	–	–	–	–	–	–	–	1	–	2
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	2	–	–	–	–	–	–	–	–	1	–	–	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	5	–	–	–	–	–	–	–	1	–	1	–	–
Intussusception	1	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	7	–	–	2	1	–	–	–	–	–	–	2	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	3	1	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	8	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	2	–	–	–	–	–	1	–	–	–	–	–	–
Nephria	5	–	–	–	–	–	–	–	–	–	1	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	3	–	–	–	–	–	–	–	–	–	–	1	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	7	–	–	–	–	–	–	1	–	–	–	–	1
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	3	–	–	–	–	–	–	–	1	–	–	1	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	2	2	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	1	1	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	6	5	1	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	3	1	–	–	–	–	–	–	–	–	–	–	1
Burns and Scalds	7	–	–	1	–	–	8	1	–	–	1	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	4	3	1	–	–	–	–	–	–	–	–	–	–
Drowning	8	–	–	–	–	–	–	–	1	–	1	1	–
Fracture and Contusion	23	–	–	–	2	–	–	–	1	–	1	5	1
Wounds	1	–	–	–	–	–	–	–	1	–	–	–	–
Other Violent Causes	2	1	–	–	–	–	–	–	–	–	–	–	–
Not Specified	13	6	1	2	1	–	–	–	1	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1863.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER 35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Apoplexy	–	1	1	–	1	4	3	1	1	–	–	–	–	–	–	–
Paralysis	–	1	1	1	1	2	4	4	3	4	1	–	–	–	–	–
Delirium Tremens	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	1	1	–	1	1	1	2	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	1	3	3	2	7	5	10	6	5	2	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	1	–	4	1	1	5	6	4	3	2	–	–	–	–	–
Pleurisy	1	–	–	–	1	–	2	–	–	1	–	–	–	–	–	–
Pneumonia	1	–	2	4	2	1	4	1	–	1	–	–	–	–	–	–
Asthma	–	3	1	1	2	4	1	2	1	3	1	–	–	–	–	–
Lung Disease	1	–	–	–	–	3	1	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	1	1	–	–	–	–	–	–	2	–	–	–	–	–	–	–
Peritonitis	–	–	1	–	1	1	1	1	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Ileus	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	2	–	2	1	1	–	2	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	1	–	–	1	1	–	–	–	–	1	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	1	–	–	–	1	–	1	–	–	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	1	1	1	–	2	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	2	1	4	2	1	2	1	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Not Specified	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1863.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	1374	121	55	94	149	89	73	48	104	24	36	49	61
SPECIFIED CAUSES	1352	113	51	93	146	89	73	48	103	24	35	49	61
I. Zymotic Class	482	18	19	45	82	56	56	39	77	11	9	8	8
II. Diseases of Uncertain Seat	56	–	–	2	3	2	–	1	–	–	–	–	4
III. Tubercular Class	225	3	10	14	18	14	6	4	10	9	22	21	27
IV. Brain and Nervous System	72	13	4	1	2	4	2	–	4	–	–	1	1
V. Organs of Circulation	52	–	–	–	–	–	–	–	2	–	–	4	3
VI. Respiratory Organs	190	11	7	17	22	9	8	4	7	2	3	2	7
VII. Organs of Digestion	74	8	4	12	17	2	1	–	–	1	–	4	1
VIII. Urinary Organs	11	–	–	–	–	–	–	–	3	–	1	1	1
IX. Organs of Generation	32	–	–	–	–	–	–	–	–	–	–	8	7
X. Organs of Locomotion	3	–	–	–	–	–	–	–	–	–	–	–	1
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	62	55	5	2	–	–	–	–	–	–	–	–	–
XIV. Atrophy	7	–	–	–	–	1	–	–	–	–	–	–	1
XV. Age	68	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	18	5	2	–	2	1	–	–	–	1	–	–	–
I. Small Pox	63	3	6	13	14	10	5	2	5	–	1	2	–
Measles	56	–	1	9	18	10	10	4	4	–	–	–	–
Scarlatina	164	1	2	8	19	23	24	24	49	6	3	–	2
Diphtheria	13	–	–	1	2	–	3	2	4	–	–	–	–
Hooping Cough	44	3	2	6	17	3	7	3	3	–	–	–	–
Croup	32	3	–	1	5	9	5	2	7	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	24	6	6	3	3	–	–	–	–	–	–	–	1
Dysentery	12	1	–	2	1	–	–	1	1	–	–	–	–
Cholera	8	1	1	–	–	–	1	1	2	–	–	–	–
Influenza	1	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	1	–	–	1	–	–	–	–	–	–	–	–	–
Typhus	58	–	1	–	3	1	1	–	2	5	5	6	5
Metria	3	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	2	–	–	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	25	–	–	–	3	2	–	1	–	–	–	–	2
Abscess	5	–	–	–	–	–	–	–	–	–	–	–	1
Ulcer	2	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	4	–	–	1	–	–	–	–	–	–	–	–	–
Cancer	19	–	–	1	–	–	–	–	–	–	–	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	6	–	–	–	3	–	–	–	1	–	–	1	1
Tabes Mesenterica	4	–	–	2	–	1	–	–	–	1	–	–	–
Phthisis	167	–	5	1	4	5	3	–	6	8	22	20	26
Hydrocephalus	48	3	5	11	11	8	3	4	3	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1863.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	50	46	45	34	50	45	55	37	42	31	21	10	3	1	1	–
SPECIFIED CAUSES	50	46	45	34	47	44	55	37	42	31	21	10	3	1	1	–
Zymotic Class	6	10	11	3	4	5	7	1	4	3	–	–	–	–	–	–
Uncertain Seat	1	1	3	4	9	6	10	3	2	4	1	–	–	–	–	–
Tubercular Class	16	9	10	8	11	6	6	1	–	–	–	–	–	–	–	–
Brain, etc.	2	1	1	4	3	8	3	9	6	2	1	–	–	–	–	–
Heart, etc.	4	5	4	5	5	4	6	3	5	2	–	–	–	–	–	–
Respiratory Organs	10	6	9	9	9	9	9	10	7	5	3	5	–	–	–	–
Digestive Organs	2	6	1	–	2	1	4	3	5	–	–	–	–	–	–	–
Urinary Organs	2	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–
Generative Organs	6	6	3	–	1	–	–	1	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	2	3	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	8	6	13	15	16	5	3	1	1	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	1	2	2	–	–	1	1	–	–	–	–	–	–	–	–	–
Small Pox	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	1	–	–	–	1	–	1	1	–	–	–	–	–	–
Dysentery	–	–	1	1	1	–	1	–	1	1	–	–	–	–	–	–
Cholera	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	4	4	6	2	1	4	5	1	1	1	–	–	–	–	–	–
Metria	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Dropsy	1	–	1	1	3	2	4	1	1	3	–	–	–	–	–	–
Abscess	–	–	1	–	1	–	2	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–
Cancer	–	1	1	3	4	2	2	1	1	1	1	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	16	9	10	8	11	6	6	1	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1863.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	1	–	–	–	1	–	–	–	–	–	–	–	–
Apoplexy	16	–	–	–	–	–	–	–	–	–	–	–	–
Paralysis	22	–	–	–	–	–	–	–	–	–	–	–	1
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	28	13	3	1	1	4	2	–	4	–	–	–	–
Brain Disease	4	–	1	–	–	–	–	–	–	–	–	1	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	52	–	–	–	–	–	–	–	2	–	–	4	3
VI. Laryngitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	116	9	4	10	17	7	7	2	2	1	1	–	5
Pleurisy	4	–	–	–	–	–	–	1	–	–	–	1	–
Pneumonia	44	2	3	7	5	2	–	1	5	1	2	–	–
Asthma	17	–	–	–	–	–	–	–	–	–	–	1	1
Lung Disease	7	–	–	–	–	–	1	–	–	–	–	–	1
VII. Teething	30	–	2	10	17	1	–	–	–	–	–	–	–
Quinsey	1	1	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	1
Enteritis	3	–	1	1	–	–	–	–	–	–	–	1	–
Peritonitis	6	1	–	–	–	–	–	–	–	–	–	1	–
Ascites	1	1	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	3	–	–	–	–	–	–	–	–	–	–	1	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	1	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	1	1	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	13	1	1	1	–	1	1	–	–	1	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	3	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	4	3	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	5	–	–	–	–	–	–	–	–	–	–	1	–
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	2	–	–	–	–	–	–	–	1	–	–	1	–
Nephria	7	–	–	–	–	–	–	–	1	–	–	–	1
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	–	–	–	–	–	–	–	1	–	1	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	3	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	27	–	–	–	–	–	–	–	–	–	–	8	5
Organs of Generation	2	–	–	–	–	–	–	–	–	–	–	–	2
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	2	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	1	–	–	–	–	–	–	–	–	–	–	–	1
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	1	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	4	–	1	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	4	–	–	–	1	1	–	–	–	1	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	5	3	1	–	–	–	–	–	–	–	–	–	–
Drowning	1	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	1	–	–	–	1	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	2	1	–	–	–	–	–	–	–	–	–	–	–
Not Specified	22	8	4	1	3	–	–	–	1	–	1	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1863.—FEMALES. (*Continued.*

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	–	1	–	3	4	1	3	2	1	–	–	–	–	–	–
Paralysis	–	1	–	3	–	4	2	6	3	1	1	–	–	–	–	–
Delirium Tremens.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	4	5	4	5	5	4	6	3	5	2	–	–	–	–	–	–
Laryngitis	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	6	1	4	5	6	4	6	7	4	2	2	4	–	–	–	–
Pleurisy	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Pneumonia	2	3	2	–	–	1	1	2	2	1	1	1	–	–	–	–
Asthma	–	2	1	2	2	2	2	1	1	2	–	–	–	–	–	–
Lung Disease	1	–	–	2	1	1	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	3	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	1	–	–	1	–	1	1	2	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	1	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	2	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Childbirth	6	5	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	–	3	1	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1863.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	1750	184	65	89	113	70	54	35	50	47	50	86	68
Specified Causes	1742	180	65	88	111	70	54	35	50	47	50	86	68
I. Zymotic Class	415	24	21	28	43	32	30	19	24	9	15	23	19
II. Diseases of Uncertain Seat	67	3	1	1	1	1	2	–	–	2	–	–	3
III. Tubercular Class	278	4	4	19	18	14	12	11	9	20	21	36	28
IV. Brain and Nervous System	185	28	5	3	4	7	–	–	10	5	3	2	1
V. Organs of Circulation	88	1	–	–	–	–	–	–	–	–	1	5	2
VI. Respiratory Organs	235	17	17	15	20	7	6	3	4	–	5	8	1
VII. Organs of Digestion	140	6	8	16	25	6	2	1	3	3	–	5	4
VIII. Urinary Organs	42	–	–	2	–	–	–	–	–	2	3	3	3
IX. Organs of Generation	13	–	–	–	–	–	–	–	–	–	–	–	4
X. Organs of Locomotion	11	–	–	–	–	–	–	–	–	3	–	1	1
XI. Skin, etc.	5	1	2	1	–	1	–	–	–	–	–	–	–
XII. Malformation	6	6	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	88	79	6	3	–	–	–	–	–	–	–	–	–
XIV. Atrophy	7	–	–	–	–	2	1	–	–	–	–	–	–
XV. Age	119	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	1	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	42	11	1	–	–	–	1	1	–	3	2	3	2
I. Small Pox	54	11	3	5	2	4	1	2	4	3	3	5	4
Measles	28	–	–	4	6	6	9	–	2	–	–	1	–
Scarlatina	3	–	–	–	–	–	–	2	–	–	–	1	–
Diphtheria	45	2	–	1	11	8	9	3	5	–	1	2	1
Hooping Cough	35	4	7	7	10	5	1	1	–	–	–	–	–
Croup	27	1	–	1	7	4	5	5	4	–	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	29	1	6	3	3	–	–	–	–	–	–	–	–
Dysentery	11	–	–	3	–	–	–	–	–	–	–	–	–
Cholera	2	–	–	–	–	–	–	–	1	–	–	–	–
Influenza	10	–	–	1	–	–	–	1	–	–	1	–	–
Purpura	2	–	–	–	1	–	–	1	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	1	–	–	–	–	–	–	–	1	–	–	–	–
Typhus	129	1	2	1	3	4	4	3	7	4	7	11	11
Metria	9	–	–	–	–	–	–	–	–	–	1	2	2
Rheumatic Fever	3	–	–	–	–	–	–	–	–	2	–	1	–
Erysipelas	16	1	–	–	–	1	1	–	–	–	2	–	1
Syphilis	10	2	3	2	–	–	–	1	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	1	–	–	–	–	–	–	–	–	–	–	–
Dropsy	10	–	–	–	–	–	2	–	–	–	–	–	1
Abscess	8	1	1	–	–	1	–	–	–	2	–	–	–
Ulcer	4	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	4	1	–	–	1	–	–	–	–	–	–	–	–
Cancer	39	–	–	1	–	–	–	–	–	–	–	–	2
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	20	–	1	2	–	1	1	1	1	3	–	2	2
Tabes Mesenterica	15	–	–	–	3	5	–	2	2	3	–	–	–
Phthisis	185	–	–	1	–	2	5	2	4	14	21	31	26
Hydrocephalus	58	4	3	16	15	6	6	6	2	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1863.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	61	64	68	56	73	66	80	86	95	74	62	35	12	5	1	1
Specified Causes	61	64	68	56	73	66	80	86	95	74	62	35	12	5	1	–
Zymotic Class	17	13	12	9	15	8	14	15	13	7	3	1	1	–	–	–
Uncertain Seat	–	2	3	7	8	7	9	5	4	2	5	–	1	–	–	–
Tubercular Class	24	12	20	7	6	7	5	–	–	1	–	–	–	–	–	–
Brain, etc.	5	6	11	7	10	15	12	11	17	12	8	2	1	–	–	–
Heart, etc.	4	3	6	7	12	6	8	15	10	4	2	2	–	–	–	–
Respiratory Organs	4	8	9	6	9	9	17	16	20	18	11	4	1	–	–	–
Digestive Organs	3	8	4	4	4	8	6	10	8	2	3	1	–	–	–	–
Urinary Organs	2	3	–	4	6	2	1	3	3	3	1	1	–	–	–	–
Generative Organs	2	3	–	1	–	–	2	–	1	1	–	–	–	–	–	–
Locomotive Organs	–	1	1	1	1	–	–	2	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	1	3	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	1	7	19	25	29	24	8	5	1	–
Sudden Deaths	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths	–	5	2	3	1	–	5	2	–	–	–	–	–	–	–	–
Small Pox	2	2	1	1	1	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	2	–	–	–	1	–	–	4	6	2	–	–	1	–	–	–
Dysentery	1	–	–	2	–	–	1	1	–	1	2	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Influenza	–	–	–	1	–	–	2	2	1	1	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	6	10	10	4	13	6	9	7	3	2	1	–	–	–	–	–
Metria	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	3	–	–	–	–	2	1	–	2	1	–	1	–	–	–	–
Syphilis	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	1	–	1	1	–	1	2	–	1	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–
Ulcer	–	–	–	–	–	2	1	–	1	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–
Cancer	–	1	3	6	6	5	6	2	2	1	4	–	–	–	–	–
Gout	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Scrofula	1	–	2	2	–	–	–	–	–	1	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	23	12	18	5	6	7	5	–	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1863.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	9	–	–	2	1	–	–	–	2	1	–	1	–
Apoplexy	40	–	–	–	–	1	–	–	–	–	–	–	–
Paralysis	53	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	4	–	–	–	–	–	–	–	–	–	–	–	1
Chorea	1	–	–	–	–	–	–	–	1	–	–	–	–
Epilepsy	2	–	–	–	–	–	–	–	–	–	1	1	–
Tetanus	4	3	–	–	–	–	–	–	–	1	–	–	–
Insanity	9	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	39	25	5	1	2	5	–	–	1	–	–	–	–
Brain Disease	24	–	–	–	1	1	–	–	6	3	2	–	–
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	3	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	84	1	–	–	–	–	–	–	–	–	1	5	2
VI. Laryngitis	9	–	–	–	–	2	1	1	–	–	2	–	–
Bronchitis	148	8	15	12	14	2	3	2	3	–	2	1	1
Pleurisy	8	–	–	–	–	–	–	–	–	–	1	2	–
Pneumonia	52	9	2	3	6	3	1	–	1	–	–	3	–
Asthma	10	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	8	–	–	–	–	–	1	–	–	–	–	2	–
VII. Teething	46	–	2	15	23	5	–	1	–	–	–	–	–
Quinsey	1	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	3	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	4	–	2	1	–	–	–	–	–	–	–	–	–
Peritonitis	11	–	1	–	–	1	–	–	–	–	–	2	1
Ascites	4	–	–	–	–	–	1	–	–	1	–	1	1
Ulceration of Intestines	6	–	–	–	–	–	–	–	–	1	–	–	–
Hernia	3	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	18	1	1	–	–	–	–	–	–	1	–	1	–
Intussusception	1	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	17	1	1	–	1	–	–	–	1	–	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	8	4	–	–	1	–	–	–	1	–	–	1	–
Liver Disease	18	–	–	–	–	–	1	–	1	–	–	–	1
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	2	–	–	–	–	–	–	–	–	–	1	–	–
Nephria	10	–	–	2	–	–	–	–	–	1	1	–	–
Ischuria	3	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	1	–
Stone	2	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	23	–	–	–	–	–	–	–	–	1	1	2	3
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	4	–	–	–	–	–	–	–	–	–	–	–	1
Childbirth	5	–	–	–	–	–	–	–	–	–	–	–	2
Organs of Generation	4	–	–	–	–	–	–	–	–	–	–	–	1
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	5	–	–	–	–	–	–	–	–	1	–	–	–
Joint and Bone Disease	6	–	–	–	–	–	–	–	–	2	–	1	1
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	5	1	2	1	–	1	–	–	–	–	–	–	–
XII. Cyanosis	2	2	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	3	3	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	1	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	7	6	1	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	2	–	–	–	–	–	–	–	–	–	–	1	–
Burns and Scalds	5	–	–	–	–	–	1	1	–	1	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	5	3	–	–	–	–	–	–	–	–	–	–	–
Drowning	9	–	–	–	–	–	–	–	–	1	2	1	1
Fracture and Contusion	9	–	–	–	–	–	–	–	–	1	–	1	1
Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	3	2	–	–	–	–	–	–	–	–	–	–	–
Not Specified	8	4	–	1	2	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1863.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Apoplexy	–	2	5	1	4	5	3	1	6	5	7	–	–	–	–	–
Paralysis	2	1	3	5	5	6	6	8	6	7	1	2	1	–	–	–
Delirium Tremens	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	1	1	–	–	2	–	1	3	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	–	2	1	1	1	2	1	2	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	3	3	6	6	11	5	8	15	10	4	2	2	–	–	–	–
Laryngitis	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Bronchitis	1	1	3	2	6	5	11	13	16	16	6	4	1	–	–	–
Pleurisy	–	1	1	–	1	1	1	–	–	–	–	–	–	–	–	–
Pneumonia	2	4	4	4	1	1	3	2	1	–	2	–	–	–	–	–
Asthma	–	2	–	–	–	1	–	1	3	1	2	–	–	–	–	–
Lung Disease	–	–	–	–	1	1	2	–	–	1	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Gastritis	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Peritonitis	2	1	–	–	–	1	1	1	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	1	–	1	2	–	1	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
Ileus	–	4	–	1	–	1	1	1	4	–	1	1	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	1	1	2	–	2	1	3	1	–	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Liver Disease	–	2	2	–	3	2	1	3	1	1	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	1	–	1	2	–	–	1	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	2	–	3	2	2	1	2	2	1	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Childbirth	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	1	1	–	–	2	–	–	–	–	–	–	–	–
Joint Disease	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Drowning	–	1	1	1	–	–	1	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	2	–	1	1	–	1	1	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1863.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	825	101	35	42	57	37	30	19	29	27	25	44	22
SPECIFIED CAUSES	823	100	35	42	56	37	30	19	29	27	25	44	22
I. Zymotic Class	206	14	12	12	23	18	17	10	16	4	7	6	6
II. Diseases of Uncertain Seat	23	1	1	–	–	–	2	–	–	1	–	–	2
III. Tubercular Class	132	1	3	12	12	9	5	5	4	11	9	21	9
IV. Brain and Nervous System	102	17	2	2	1	3	–	–	7	4	2	2	1
V. Organs of Circulation	38	1	–	–	–	–	–	–	–	–	1	3	–
VI. Respiratory Organs	105	9	6	6	7	3	3	2	–	–	2	5	1
VII. Organs of Digestion	71	6	5	5	13	4	2	1	2	2	–	2	2
VIII. Urinary Organs	25	–	–	2	–	–	–	–	–	2	2	2	–
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	6	–	–	–	–	–	–	–	–	1	–	1	–
XI. Skin, etc.	4	1	2	1	–	–	–	–	–	–	–	–	–
XII. Malformation	6	6	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	44	38	4	2	–	–	–	–	–	–	–	–	–
XIV. Atrophy	2	–	–	–	–	–	1	–	–	–	–	–	–
XV. Age	30	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	1	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	28	6	–	–	–	–	–	1	–	2	2	2	1
I. Small Pox	28	7	1	2	2	1	1	1	2	2	–	1	2
Measles	15	–	–	–	3	3	7	–	1	–	–	1	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	22	2	–	–	5	5	5	–	3	–	1	–	–
Hooping Cough	19	2	4	3	5	4	–	1	–	–	–	–	–
Croup	17	–	–	1	5	1	3	4	3	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	16	1	4	2	1	–	–	–	–	–	–	–	–
Dysentery	5	–	–	1	–	–	–	–	–	–	–	–	–
Cholera	1	–	–	–	–	–	–	–	1	–	–	–	–
Influenza	4	–	–	–	–	–	–	1	–	–	–	–	–
Purpura	1	–	–	–	1	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	65	1	1	1	1	3	1	2	6	1	6	4	4
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	–	–	–	–	–	1	–	–	–
Erysipelas	5	–	–	–	–	1	–	–	–	–	–	–	–
Syphilis	7	1	2	2	–	–	–	1	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	7	–	–	–	–	–	2	–	–	–	–	–	1
Abscess	2	–	1	–	–	–	–	–	–	1	–	–	–
Ulcer	2	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	1	–	–	–	–	–	–	–	–	–	–	–
Cancer	9	–	–	–	–	–	–	–	–	–	–	–	1
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	12	–	1	2	–	–	–	1	1	1	–	1	1
Tabes Mesenterica	11	–	–	–	2	5	–	1	1	2	–	–	–
Phthisis	76	–	–	–	–	–	3	–	1	8	9	20	8
Hydrocephalus	33	1	2	10	10	4	2	3	1	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1863.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	24	28	33	27	32	31	43	38	44	30	14	9	2	2	–	–
SPECIFIED CAUSES	24	28	33	27	32	31	43	38	44	30	14	9	2	2	–	–
Zymotic Class	5	4	7	6	7	7	9	8	5	2	–	–	1	–	–	–
Uncertain Seat	–	1	1	2	3	2	4	1	–	1	–	–	1	–	–	–
Tubercular Class	10	1	7	4	1	5	3	–	–	–	–	–	–	–	–	–
Brain, etc.	4	5	4	2	8	4	7	4	13	5	5	–	–	–	–	–
Heart, etc.	2	1	4	3	6	1	3	9	2	1	1	–	–	–	–	–
Respiratory Organs	2	4	5	3	2	6	11	5	11	6	4	2	–	–	–	–
Digestive Organs	–	4	2	2	2	4	2	5	5	–	–	1	–	–	–	–
Urinary Organs	1	3	–	1	2	–	1	2	3	2	1	1	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	1	1	1	–	–	–	1	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	–	2	5	13	3	5	–	2	–	–
Sudden Deaths	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths	–	4	2	3	1	–	3	1	–	–	–	–	–	–	–	–
Small Pox	2	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	–	–	–	–	–	–	4	2	–	–	–	1	–	–	–
Dysentery	1	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	1	3	6	2	6	5	5	4	1	1	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	2	–	–	1	1	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	1	1	–	1	–	–	1	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Cancer	–	1	1	1	2	–	2	1	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Scrofula	1	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	9	1	5	3	1	5	3	–	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1863.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	5	–	–	1	–	–	–	–	1	1	–	1	–
Apoplexy	15	–	–	–	–	–	–	–	–	–	–	–	–
Paralysis	29	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	4	–	–	–	–	–	–	–	–	–	–	–	1
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	–	–	–	–	–	–	–	–	–	1	1	–
Tetanus	2	1	–	–	–	–	–	–	–	1	–	–	–
Insanity	5	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	24	16	2	1	1	3	–	–	1	–	–	–	–
Brain Disease	16	–	–	–	–	–	–	–	5	2	1	–	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	2	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	36	1	–	–	–	–	–	–	–	–	1	3	–
VI. Laryngitis	3	–	–	–	–	–	1	1	–	–	–	–	–
Bronchitis	64	5	6	5	5	2	2	1	–	–	1	1	1
Pleurisy	6	–	–	–	–	–	–	–	–	–	1	2	–
Pneumonia	24	4	–	1	2	1	–	–	–	–	–	1	–
Asthma	5	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	3	–	–	–	–	–	–	–	–	–	–	1	–
VII. Teething	23	–	–	5	13	4	–	1	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	1	–	1	–	–	–	–	–	–	–	–	–	–
Peritonitis	2	–	1	–	–	–	–	–	–	–	–	–	1
Ascites	2	–	–	–	–	–	1	–	–	1	–	–	–
Ulceration of Intestines	5	–	–	–	–	–	–	–	–	1	–	–	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	9	1	1	–	–	–	–	–	–	–	–	1	–
Intussusception	1	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	10	1	1	–	–	–	–	–	1	–	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	6	4	–	–	–	–	–	–	1	–	–	1	–
Liver Disease	10	–	–	–	–	–	1	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	1	–	–	–	–	–	–	–	–	–	1	–	–
Nephria	8	–	–	2	–	–	–	–	–	1	–	–	–
Ischuria	3	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	1	–
Stone	2	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	9	–	–	–	–	–	–	–	–	1	1	1	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	2	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	4	–	–	–	–	–	–	–	–	1	–	1	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	4	1	2	1	–	–	–	–	–	–	–	–	–
XII. Cyanosis	2	2	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	3	3	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	1	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	3	3	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	–	–	–	–	1	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	5	3	–	–	–	–	–	–	–	–	–	–	–
Drowning	9	–	–	–	–	–	–	–	–	1	2	1	1
Fracture and Contusion	6	–	–	–	–	–	–	–	–	1	–	1	–
Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	2	1	–	–	1	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1863.—MALES. *(Continued.)*

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Apoplexy	–	1	–	–	2	–	1	–	5	2	4	–	–	–	–	–
Paralysis	2	1	2	2	5	3	3	4	3	3	1	–	–	–	–	–
Delirium Tremens	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	1	–	–	–	–	–	–	3	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	–	2	–	1	–	2	–	2	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	1	1	4	3	5	1	3	9	2	1	1	–	–	–	–	–
Laryngitis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	–	1	1	1	3	7	3	10	4	3	2	–	–	–	–
Pleurisy	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Pneumonia	2	2	3	2	1	1	3	1	–	–	–	–	–	–	–	–
Asthma	–	1	–	–	–	–	–	1	1	1	1	–	–	–	–	–
Lung Disease	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	1	–	1	1	–	1	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ileus	–	1	–	–	–	1	–	–	3	–	–	1	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	1	–	1	–	1	1	1	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	2	1	–	1	1	1	2	1	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	1	–	1	1	–	–	1	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	2	–	–	–	–	1	1	2	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Joint Disease	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Drowning	–	1	1	1	–	–	1	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	1	–	1	1	–	1	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1863.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	925	83	30	47	56	33	24	16	21	20	25	42	46
SPECIFIED CAUSES	919	80	30	46	55	33	24	16	21	20	25	42	46
I. Zymotic Class	209	10	9	16	20	14	13	9	8	5	8	17	13
II. Diseases of Uncertain Seat	44	2	–	1	1	1	–	–	–	1	–	–	1
III. Tubercular Class	146	3	1	7	6	5	7	6	5	9	12	15	19
IV. Brain and Nervous System	83	11	3	1	3	4	–	–	3	1	1	–	–
V. Organs of Circulation	50	–	–	–	–	–	–	–	–	–	–	2	2
VI. Respiratory Organs	130	8	11	9	13	4	3	1	4	–	3	3	–
VII. Organs of Digestion	69	–	3	11	12	2	–	–	1	1	–	3	2
VIII. Urinary Organs	17	–	–	–	–	–	–	–	–	–	1	1	3
IX. Organs of Generation	13	–	–	–	–	–	–	–	–	–	–	–	4
X. Organs of Locomotion	5	–	–	–	–	–	–	–	–	2	–	–	1
XI. Skin, etc.	1	–	–	–	–	1	–	–	–	–	–	–	–
XII. Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	44	41	2	1	–	–	–	–	–	–	–	–	–
XIV. Atrophy	5	–	–	–	–	2	–	–	–	–	–	–	–
XV. Age	89	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	14	5	1	–	–	–	1	–	–	1	–	1	1
I. Small Pox	26	4	2	3	–	3	–	1	2	1	3	4	2
Measles	13	–	–	4	3	3	2	–	1	–	–	–	–
Scarlatina	3	–	–	–	–	–	–	2	–	–	–	1	–
Diphtheria	23	–	–	1	6	3	4	3	2	–	–	2	1
Hooping Cough	16	2	3	4	5	1	1	–	–	–	–	–	–
Croup	10	1	–	–	2	3	2	1	1	–	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	13	–	2	1	2	–	–	–	–	–	–	–	–
Dysentery	6	–	–	2	–	–	–	–	–	–	–	–	–
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	6	–	–	1	–	–	–	–	–	–	1	–	–
Purpura	1	–	–	–	–	–	–	1	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	1	–	–	–	–	–	–	–	1	–	–	–	–
Typhus	64	–	1	–	2	1	3	1	1	3	1	7	7
Metria	9	–	–	–	–	–	–	–	–	–	1	2	2
Rheumatic Fever	2	–	–	–	–	–	–	–	–	1	–	1	–
Erysipelas	11	1	–	–	–	–	1	–	–	–	2	–	1
Syphilis	3	1	1	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	1	–	–	–	–	–	–	–	–	–	–	–
Dropsy	3	–	–	–	–	–	–	–	–	–	–	–	–
Abscess	6	1	–	–	–	1	–	–	–	1	–	–	–
Ulcer	2	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	1	–	–	–	–	–	–	–	–
Cancer	30	–	–	1	–	–	–	–	–	–	–	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	8	–	–	–	–	1	1	–	–	2	–	1	1
Tabes Mesenterica	4	–	–	–	1	–	–	1	1	1	–	–	–
Phthisis	109	–	–	1	–	2	2	2	3	6	12	14	18
Hydrocephalus	25	3	1	6	5	2	4	3	1	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1863.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	37	36	35	29	41	35	37	48	51	44	48	26	10	3	1	1
SPECIFIED CAUSES	37	36	35	29	41	35	37	48	51	44	48	26	10	3	1	–
Zymotic Class	12	9	5	3	8	1	5	7	8	5	3	1	–	–	–	–
Uncertain Seat	–	1	2	5	5	5	5	4	4	1	5	–	–	–	–	–
Tubercular Class	14	11	13	3	5	2	2	–	–	1	–	–	–	–	–	–
Brain, etc.	1	1	7	5	2	11	5	7	4	7	3	2	1	–	–	–
Heart, etc.	2	2	2	4	6	5	5	6	8	3	1	2	–	–	–	–
Respiratory Organs	2	4	4	3	7	3	6	11	9	12	7	2	1	–	–	–
Digestive Organs	3	4	2	2	2	4	4	5	3	2	3	–	–	–	–	–
Urinary Organs	1	–	–	3	4	2	–	1	–	1	–	–	–	–	–	–
Generative Organs	2	3	–	1	–	–	2	–	1	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	1	5	14	12	26	19	8	3	1	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	–	1	–	–	–	–	2	1	–	–	–	–	–	–	–	–
Small Pox	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	–	–	–	1	–	–	–	4	2	–	–	–	–	–	–
Dysentery	–	–	–	–	–	–	–	1	–	1	2	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	5	7	4	2	7	1	4	3	2	1	1	–	–	–	–	–
Metria	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	3	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–
Syphilis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	1	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–
Ulcer	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	–	2	5	4	5	4	1	2	1	4	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	14	11	13	2	5	2	2	–	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1863.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	4	–	–	1	1	–	–	–	1	–	–	–	–
Apoplexy	25	–	–	–	–	1	–	–	–	–	–	–	–
Paralysis	24	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	1	–	–	–	–	–	–	–	1	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	2	2	–	–	–	–	–	–	–	–	–	–	–
Insanity	4	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	15	9	3	–	1	2	–	–	–	–	–	–	–
Brain Disease	8	–	–	–	1	1	–	–	1	1	1	–	–
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	48	–	–	–	–	–	–	–	–	–	–	2	2
VI. Laryngitis	6	–	–	–	–	2	–	–	–	–	2	–	–
Bronchitis	84	3	9	7	9	–	1	1	3	–	1	–	–
Pleurisy	2	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	28	5	2	2	4	2	1	–	1	–	–	2	–
Asthma	5	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	5	–	–	–	–	–	1	–	–	–	–	1	–
VII. Teething	23	–	2	10	10	1	–	–	–	–	–	–	–
Quinsey	1	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	2	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	3	–	1	1	–	–	–	–	–	–	–	–	–
Peritonitis	9	–	–	–	–	1	–	–	–	–	–	2	–
Ascites	2	–	–	–	–	–	–	–	–	–	–	1	1
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	2	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	9	–	–	–	–	–	–	–	–	1	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	7	–	–	–	1	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	2	–	–	–	1	–	–	–	–	–	–	–	–
Liver Disease	8	–	–	–	–	–	–	–	1	–	–	–	1
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	2	–	–	–	–	–	–	–	–	–	1	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	14	–	–	–	–	–	–	–	–	–	–	1	3
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	4	–	–	–	–	–	–	–	–	–	–	–	1
Childbirth	5	–	–	–	–	–	–	–	–	–	–	–	2
Organs of Generation	4	–	–	–	–	–	–	–	–	–	–	–	1
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	3	–	–	–	–	–	–	–	–	1	–	–	–
Joint and Bone Disease	2	–	–	–	–	–	–	–	–	1	–	–	1
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	–	1	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	4	3	1	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	1	–
Burns and Scalds	4	–	–	–	–	–	1	–	–	1	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	3	–	–	–	–	–	–	–	–	–	–	–	1
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	2	2	–	–	–	–	–	–	–	–	–	–	–
Not Specified	6	3	–	1	1	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1863.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	1	5	1	2	5	2	1	1	3	3	–	–	–	–	–
Paralysis	–	–	1	3	–	3	3	4	3	4	–	2	1	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	1	–	–	2	–	1	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	2	2	2	3	6	4	5	6	8	3	1	2	–	–	–	–
Laryngitis	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Bronchitis	1	1	2	1	5	2	4	10	6	12	3	2	1	–	–	–
Pleurisy	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	–	2	1	2	–	–	–	1	1	–	2	–	–	–	–	–
Asthma	–	1	–	–	–	1	–	–	2	–	1	–	–	–	–	–
Lung Disease	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Peritonitis	2	1	–	–	–	1	1	1	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Ileus	–	3	–	1	–	–	1	1	1	–	1	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	1	1	–	1	–	2	–	–	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Liver Disease	–	–	1	–	2	1	–	1	–	1	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	–	3	2	2	–	1	–	1	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Childbirth	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1863.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	1218	112	37	90	136	76	41	19	56	30	49	49	41
Specified Causes	1184	92	33	89	133	76	41	19	55	30	48	48	41
I. Zymotic Class	256	10	3	34	54	38	18	7	27	8	2	6	5
II. Diseases of Uncertain Seat	38	–	–	–	1	1	2	–	1	2	1	2	2
III. Tubercular Class	251	1	7	19	25	18	11	7	11	14	30	21	27
IV. Brain and Nervous System	114	7	3	3	3	5	1	1	5	1	1	5	1
V. Organs of Circulation	38	–	–	–	–	–	–	1	2	1	3	1	1
VI. Respiratory Organs	160	12	11	14	22	7	5	1	5	–	3	3	2
VII. Organs of Digestion	108	13	6	17	24	5	–	1	2	2	4	5	1
VIII. Urinary Organs	6	–	–	–	–	–	–	–	–	–	1	–	–
IX. Organs of Generation	16	–	–	–	–	–	–	–	–	–	–	3	–
X. Organs of Locomotion	16	–	–	–	–	–	1	–	–	1	2	–	1
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	2	2	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	51	46	3	2	–	–	–	–	–	–	–	–	–
XIV. Atrophy	14	–	–	–	–	2	3	1	–	–	–	–	–
XV. Age	81	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII Violent Deaths	33	1	–	–	4	–	–	–	2	1	1	2	1
I. Small Pox	3	–	–	–	1	–	1	–	1	–	–	–	–
Measles	49	–	–	10	21	10	2	–	6	–	–	–	–
Scarlatina	23	–	–	4	3	6	1	4	3	2	–	–	–
Diphtheria	10	–	–	1	1	4	1	–	–	–	–	–	–
Hooping Cough	24	1	1	7	8	3	1	–	2	1	–	–	–
Croup	45	1	–	6	14	10	7	2	5	–	–	–	–
Thrush	1	–	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa	25	4	1	5	6	4	–	–	1	–	–	–	–
Dysentery	6	–	–	–	–	–	–	–	1	–	–	–	–
Cholera	1	–	–	–	–	–	1	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	–	–	–	–
Ague	1	–	–	–	–	–	1	–	–	–	–	–	–
Worms	2	–	–	–	–	–	1	1	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	54	1	–	1	–	1	2	–	6	5	2	6	3
Metria	3	–	–	–	–	–	–	–	–	–	–	–	1
Rheumatic Fever	1	–	–	–	–	–	–	–	1	–	–	–	–
Erysipelas	3	1	–	–	–	–	–	–	–	–	–	–	1
Syphilis	3	2	–	–	–	–	–	–	–	–	–	–	–
Noma	1	–	–	–	–	–	–	–	1	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	17	–	–	–	1	1	2	–	1	1	1	–	2
Abscess	4	–	–	–	–	–	–	–	–	1	–	1	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	14	–	–	–	–	–	–	–	–	–	–	1	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	11	–	–	–	–	2	–	2	1	2	1	–	1
Tabes Mesenterica	25	1	1	4	6	5	2	2	2	2	–	–	–
Phthisis	179	–	3	7	8	7	4	3	5	9	29	21	26
Hydrocephalus	36	–	3	8	11	4	5	–	3	1	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1863.—Both Sexes.

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	46	39	38	44	41	40	55	51	52	30	30	10	4	–	1	1
Specified Causes	46	38	37	44	41	40	55	51	52	30	30	10	4	–	1	–
Zymotic Class	8	7	1	6	7	3	5	3	1	2	1	–	–	–	–	–
Uncertain Seat	1	1	3	3	3	3	6	2	2	–	1	–	1	–	–	–
Tubercular Class	13	13	10	9	6	3	2	3	1	–	–	–	–	–	–	–
Brain, etc.	7	5	6	4	5	8	9	8	14	4	8	–	–	–	–	–
Heart, etc.	2	1	1	2	3	4	6	4	3	1	2	–	–	–	–	–
Respiratory Organs	4	3	6	9	8	10	13	9	6	5	2	–	–	–	–	–
Digestive Organs	1	1	4	2	4	6	5	3	–	2	–	–	–	–	–	–
Urinary Organs	–	–	–	2	–	–	–	1	2	–	–	–	–	–	–	–
Generative Organs	6	3	–	1	1	–	1	1	–	–	–	–	–	–	–	–
Locomotive Organs	1	1	–	2	1	–	3	2	1	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	2	3	–	3	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	4	13	21	15	15	10	2	–	1	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	3	3	4	1	3	–	1	2	1	1	1	–	1	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	1	–	–	1	2	–	–	–	–	–	–	–	–
Dysentery	1	–	–	–	3	–	1	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	3	4	1	5	3	3	3	1	1	2	1	–	–	–	–	–
Metria	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	1	–	1	2	1	–	2	1	–	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Cancer	–	1	1	1	2	2	3	1	1	–	–	–	1	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	11	13	10	9	6	3	1	3	1	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1863.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	2	–	–	–	–	–	–	–	–	–	–	1	1
Apoplexy	32	–	1	2	1	1	1	–	1	–	–	–	–
Paralysis	33	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	1	1	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	13	5	2	1	2	2	–	–	1	–	–	–	–
Brain Disease	31	1	–	–	–	2	–	1	3	1	1	4	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	37	–	–	–	–	–	–	1	2	1	3	1	1
VI. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	109	11	8	14	17	5	4	–	3	–	2	–	1
Pleurisy	3	–	–	–	–	1	–	–	–	–	–	1	–
Pneumonia	34	1	3	–	5	1	1	1	2	–	1	2	–
Asthma	13	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	1	–	–	–	–	–	–	–	–	–	–	–	1
VII. Teething	35	–	1	13	16	4	–	1	–	–	–	–	–
Quinsey	3	–	–	1	1	–	–	–	–	–	–	–	–
Gastritis	2	–	–	–	–	–	–	–	–	–	–	1	–
Enteritis	28	11	3	3	5	–	–	–	1	–	3	–	–
Peritonitis	2	–	–	–	–	–	–	–	–	1	–	–	–
Ascites	2	–	–	–	–	–	–	–	–	–	–	1	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	3	–	1	–	–	–	–	–	–	–	–	–	–
Ileus	2	–	–	–	–	–	–	–	–	–	–	1	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	12	–	1	–	2	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	6	–	–	–	–	–	–	–	–	1	1	1	–
Jaundice	3	2	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	10	–	–	–	–	–	–	–	1	–	–	1	1
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	3	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	1	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	4	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	10	–	–	–	–	–	–	–	–	–	–	3	–
Organs of Generation	2	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	2	–	–	–	–	–	–	–	–	1	–	–	–
Rheumatism	6	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	8	–	–	–	–	–	1	–	–	–	2	–	1
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	1	1	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	1	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	1	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	7	–	–	–	3	–	–	–	–	1	–	–	–
Hanging, etc.	3	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	8	–	–	–	–	–	–	–	1	–	–	1	1
Fracture and Contusion	14	–	–	–	1	–	–	–	1	–	1	1	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	34	20	4	1	3	–	–	–	1	–	1	1	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1863.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	3	3	1	1	3	2	3	7	1	1	–	–	–	–	–
Paralysis	1	1	2	–	2	3	5	4	7	1	7	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	6	1	1	2	2	1	2	1	–	2	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Heart Disease	2	1	1	2	3	3	6	4	3	1	2	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	1	2	5	6	6	9	3	5	5	2	–	–	–	–	–
Pleurisy	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	3	2	3	2	2	1	1	2	1	–	–	–	–	–	–	–
Asthma	–	–	1	2	–	3	3	4	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Peritonitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Ileus	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	1	1	2	1	1	2	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Liver Disease	–	–	1	–	1	2	1	1	–	1	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	1	1	–	1	1	–	–	–	–	–	–	–	–
Childbirth	5	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	1	–	3	1	1	–	–	–	–	–	–	–
Joint Disease	1	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–
Hanging, etc.	–	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	1	1	2	–	–	–	1	–	–	–	–	–	–	–
Fracture and Contusion	3	2	3	–	–	–	1	–	–	–	–	–	1	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1863.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	596	66	16	53	72	36	21	8	28	15	23	26	16
SPECIFIED CAUSES	579	55	15	52	70	36	21	8	27	15	28	25	16
I. Zymotic Class	124	5	2	21	30	15	10	3	11	6	2	1	2
II. Diseases of Uncertain Seat	11	–	–	–	1	1	1	–	1	1	1	2	1
III. Tubercular Class	134	1	5	11	17	9	8	3	8	6	16	11	8
IV. Brain and Nervous System	56	3	2	1	2	4	–	1	2	–	1	3	–
V. Organs of Circulation	21	–	–	–	–	–	–	–	1	–	1	1	1
VI. Respiratory Organs	79	10	2	7	11	2	2	–	2	–	1	1	1
VII. Organs of Digestion	55	8	2	11	8	4	–	–	–	1	3	4	1
VIII. Urinary Organs	6	–	–	–	–	–	–	–	–	–	1	–	–
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	8	–	–	–	–	–	–	–	–	–	1	–	1
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	30	27	2	1	–	–	–	–	–	–	–	–	–
XIV. Atrophy	4	–	–	–	–	1	–	1	–	–	–	–	–
XV. Age	29	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	22	1	–	–	1	–	–	–	2	1	1	2	1
I. Small Pox	2	–	–	–	1	–	1	–	–	–	–	–	–
Measles	30	–	–	8	13	5	1	–	3	–	–	–	–
Scarlatina	12	–	–	2	2	4	–	2	1	1	–	–	–
Diphtheria	2	–	–	–	–	2	–	–	–	–	–	–	–
Hooping Cough	9	–	–	3	2	1	–	–	2	1	–	–	–
Croup	24	1	–	4	10	1	5	1	2	–	–	–	–
Thrush	1	–	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa	12	1	1	4	2	2	–	–	–	–	–	–	–
Dysentery	2	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	–	–	–	–
Ague	1	–	–	–	–	–	1	–	–	–	–	–	–
Worms	1	–	–	–	–	–	1	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	24	1	–	–	–	–	1	–	2	4	2	1	2
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	1	1	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	1	–	–	–	–	–	–	–	–	–	–	–
Noma	1	–	–	–	–	–	–	–	1	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	7	–	–	–	1	1	1	–	1	–	1	–	1
Abscess	2	–	–	–	–	–	–	–	–	1	–	1	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	2	–	–	–	–	–	–	–	–	–	–	1	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	5	–	–	–	–	1	–	1	–	1	1	–	–
Tabes Mesenterica	13	1	–	1	4	2	2	1	1	1	–	–	–
Phthisis	93	–	2	5	5	5	3	1	4	4	15	11	8
Hydrocephalus	23	–	3	5	8	1	3	–	3	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1863.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	19	20	19	24	21	21	17	18	22	8	17	2	2	–	1	–
SPECIFIED CAUSES	19	20	19	24	21	21	17	18	22	8	17	2	2	–	1	–
Zymotic Class	1	4	–	2	3	1	1	2	–	1	1	–	–	–	–	–
Uncertain Seat	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–
Tubercular Class	6	5	7	4	4	2	1	1	1	–	–	–	–	–	–	–
Brain, etc.	5	4	1	3	3	5	4	1	6	1	4	–	–	–	–	–
Heart, etc.	1	1	–	2	2	3	2	3	1	–	2	–	–	–	–	–
Respiratory Organs	2	2	3	8	6	6	4	4	2	3	–	–	–	–	–	–
Digestive Organs	–	–	3	2	2	3	2	1	–	–	–	–	–	–	–	–
Urinary Organs	–	–	–	2	–	–	–	1	2	–	–	–	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	1	1	–	1	–	–	1	1	1	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	5	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	–	3	9	3	10	2	1	–	1	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	3	3	4	–	1	–	1	1	–	–	–	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Dysentery	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	1	3	–	2	1	1	1	–	–	1	1	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	5	5	7	4	4	2	1	1	1	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1863.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	1	–	–	–	–	–	–	–	–	–	–	1	–
Apoplexy	13	–	1	1	–	1	–	–	1	–	–	–	–
Paralysis	17	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	1	1	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	6	2	1	–	2	1	–	–	–	–	–	–	–
Brain Disease	16	–	–	–	–	2	–	1	1	–	1	2	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	20	–	–	–	–	–	–	–	1	–	1	1	1
VI. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	51	9	1	7	8	1	2	–	2	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	19	1	1	–	3	1	–	–	–	–	1	1	–
Asthma	8	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	1	–	–	–	–	–	–	–	–	–	–	–	1
VII. Teething	15	–	1	7	4	3	–	–	–	–	–	–	–
Quinsey	3	–	–	1	1	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	1	–
Enteritis	14	6	–	3	3	–	–	–	–	–	2	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	1	–	–	–	–	–	–	–	–	–	–	1	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	2	–	1	–	–	–	–	–	–	–	–	–	–
Ileus	2	–	–	–	–	–	–	–	–	–	–	1	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	7	–	–	–	–	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	4	–	–	–	–	–	–	–	–	1	1	–	–
Jaundice	2	2	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	4	–	–	–	–	–	–	–	–	–	–	1	1
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	3	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	1	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	3	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	4	–	–	–	–	–	–	–	–	–	1	–	1
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	1	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	–	–	–	–	–	–	–	–	1	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	5	–	–	–	–	–	–	–	1	–	–	1	1
Fracture and Contusion	13	–	–	–	1	–	–	–	1	–	1	1	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	17	11	1	1	2	–	–	–	1	–	–	1	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1863.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	3	–	1	1	2	1	–	1	–	–	–	–	–	–	–
Paralysis	1	–	1	–	1	1	3	1	5	–	4	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	4	1	–	1	1	1	–	–	–	1	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Heart Disease	1	1	–	2	2	2	2	3	1	–	2	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	1	–	5	4	3	3	1	1	3	–	–	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	2	1	2	1	2	1	1	–	1	–	–	–	–	–	–	–
Asthma	–	–	1	2	–	2	–	3	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	1	2	–	1	2	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
Joint Disease	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Hanging, etc.	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	3	2	3	–	–	–	1	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1863.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	622	46	21	37	64	40	20	11	28	15	21	23	25
SPECIFIED CAUSES	605	37	18	37	63	40	20	11	28	15	20	23	25
I. Zymotic Class	132	5	1	13	24	23	8	4	16	2	–	5	3
II. Diseases of Uncertain Seat	27	–	–	–	–	–	1	–	–	1	–	–	1
III. Tubercular Class	117	–	2	8	8	9	3	4	3	8	14	10	19
IV. Brain and Nervous System	58	4	1	2	1	1	1	–	3	1	–	2	1
V. Organs of Circulation	17	–	–	–	–	–	–	1	1	1	2	–	–
VI. Respiratory Organs	81	2	9	7	11	5	3	1	3	–	2	2	1
VII. Organs of Digestion	53	5	4	6	16	1	–	1	2	1	1	1	–
VIII. Urinary Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
IX. Organs of Generation	16	–	–	–	–	–	–	–	–	–	–	3	–
X. Organs of Locomotion	8	–	–	–	–	–	1	–	–	1	1	–	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	2	2	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	21	19	1	1	–	–	–	–	–	–	–	–	–
XIV. Atrophy	10	–	–	–	–	1	3	–	–	–	–	–	–
XV. Age	52	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	11	–	–	–	3	–	–	–	–	–	–	–	–
I. Small Pox	1	–	–	–	–	–	–	–	1	–	–	–	–
Measles	19	–	–	2	8	5	1	–	3	–	–	–	–
Scarlatina	11	–	–	2	1	2	1	2	2	1	–	–	–
Diphtheria	8	–	–	1	1	2	1	–	–	–	–	–	–
Hooping Cough	15	1	1	4	6	2	1	–	–	–	–	–	–
Croup	21	–	–	2	4	9	2	1	3	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	13	3	–	1	4	2	–	–	1	–	–	–	–
Dysentery	4	–	–	–	–	–	–	–	1	–	–	–	–
Cholera	1	–	–	–	–	–	1	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	–	1	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	30	–	–	1	–	1	1	–	4	1	–	5	1
Metria	3	–	–	–	–	–	–	–	–	–	–	–	1
Rheumatic Fever	1	–	–	–	–	–	–	–	1	–	–	–	–
Erysipelas	2	–	–	–	–	–	–	–	–	–	–	–	1
Syphilis	2	1	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	10	–	–	–	–	–	1	–	–	1	–	–	1
Abscess	2	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	12	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	6	–	–	–	–	1	–	1	1	1	–	–	1
Tabes Mesenterica	12	–	1	3	2	3	–	1	1	1	–	–	–
Phthisis	86	–	1	2	3	2	1	2	1	5	14	10	18
Hydrocephalus	13	–	–	3	3	3	2	–	–	1	–	–	–

CAUSES OF DEATH in PAISLEY, at different Periods of Life, in 1863.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	27	19	19	20	20	19	38	33	30	22	13	8	2	–	–	1
SPECIFIED CAUSES	27	18	18	20	20	19	38	33	30	22	13	8	2	–	–	–
Zymotic Class	7	3	1	4	4	2	4	1	1	1	–	–	–	–	–	–
Uncertain Seat	1	1	3	3	3	3	5	2	2	–	1	–	–	–	–	–
Tubercular Class	7	8	3	5	2	1	1	2	–	–	–	–	–	–	–	–
Brain, etc.	2	1	5	1	2	3	5	7	8	3	4	–	–	–	–	–
Heart, etc.	1	–	1	–	1	1	4	1	2	1	–	–	–	–	–	–
Respiratory Organs	2	1	3	1	2	4	9	5	4	2	2	–	–	–	–	–
Digestive Organs	1	1	1	–	2	3	3	2	–	2	–	–	–	–	–	–
Urinary Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Generative Organs	6	3	–	1	1	–	1	1	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	1	1	–	2	1	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	1	3	–	2	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	4	10	12	12	5	8	1	–	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	–	–	–	1	2	–	–	1	1	1	1	–	1	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Dysentery	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	1	1	3	2	2	2	1	1	1	–	–	–	–	–	–
Metria	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	1	–	1	2	1	–	1	1	–	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Cancer	–	1	1	1	2	2	3	1	1	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	6	8	3	5	2	1	–	2	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1863.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	1	–	–	–	–	–	–	–	–	–	–	–	1
Apoplexy	19	–	–	1	1	–	1	–	–	–	–	–	–
Paralysis	16	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	7	3	1	1	–	1	–	–	1	–	–	–	–
Brain Disease	15	1	–	–	–	–	–	–	2	1	–	2	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	17	–	–	–	–	–	–	1	1	1	2	–	–
VI. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	58	2	7	7	9	4	2	–	1	–	2	–	1
Pleurisy	3	–	–	–	–	1	–	–	–	–	–	1	–
Pneumonia	15	–	2	–	2	–	1	1	2	–	–	1	–
Asthma	5	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	20	–	–	6	12	1	–	1	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	14	5	3	–	2	–	–	–	1	–	1	–	–
Peritonitis	2	–	–	–	–	–	–	–	–	1	–	–	–
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	5	–	1	–	2	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	–	–	–	–	–	–	–	–	–	–	1	–
Jaundice	1	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	6	–	–	–	–	–	–	–	1	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	4	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	10	–	–	–	–	–	–	–	–	–	–	3	–
Organs of Generation	2	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	1	–	–	–	–	–	–	–	–	1	–	–	–
Rheumatism	3	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	4	–	–	–	–	–	1	–	–	–	1	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	1	1	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	1	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	5	–	–	–	3	–	–	–	–	–	–	–	–
Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	3	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	1	–	–	–	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	17	9	3	–	1	–	–	–	–	–	1	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1863.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	3	–	–	1	1	3	6	1	1	–	–	–	–	–
Paralysis	–	1	1	–	1	2	2	3	2	1	3	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	–	1	1	1	–	2	1	–	1	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	1	–	1	–	1	1	4	1	2	1	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	–	2	–	2	3	6	2	4	2	2	–	–	–	–	–
Pleurisy	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	1	1	1	1	–	–	–	2	–	–	–	–	–	–	–	–
Asthma	–	–	–	–	–	1	3	1	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Peritonitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Liver Disease	–	–	1	–	–	2	1	–	–	1	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	1	1	–	1	1	–	–	–	–	–	–	–	–
Childbirth	5	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Hanging, etc.	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1863.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	1876	163	76	186	204	139	89	54	113	50	44	71	77
Specified Causes	1824	141	70	180	299	135	89	53	112	49	44	71	74
I. Zymotic Class	738	22	40	89	161	96	63	44	72	14	16	32	26
II. Diseases of Uncertain Seat	35	–	–	–	–	–	1	–	2	2	–	1	1
III. Tubercular Class	291	3	6	19	40	13	11	4	17	17	17	15	30
IV. Brain and Nervous System	122	7	4	10	11	3	3	–	5	1	1	2	–
V. Organs of Circulation	56	1	–	–	–	–	–	–	1	–	1	2	6
VI. Respiratory Organs	175	12	7	28	39	7	4	2	5	5	2	4	2
VII. Organs of Digestion	125	7	5	24	34	8	–	1	2	2	1	4	2
VIII. Urinary Organs	15	1	–	–	–	–	–	1	1	2	–	–	–
IX. Organs of Generation	15	–	–	–	–	–	–	–	–	–	–	5	1
X. Organs of Locomotion	5	–	–	–	–	–	–	–	1	1	1	–	–
XI. Skin, etc.	3	–	–	–	–	1	–	–	–	–	–	–	–
XII. Malformation	9	9	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	89	74	7	8	–	–	–	–	–	–	–	–	–
XIV. Atrophy	38	–	–	–	11	7	6	–	3	2	3	1	2
XV. Age	54	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	2	–	–	1	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	52	5	1	1	3	–	1	1	3	3	2	5	4
I. Small Pox	210	7	19	26	36	23	22	8	22	6	7	20	8
Measles	83	–	2	6	32	18	9	3	8	–	1	–	3
Scarlatina	66	–	–	4	8	9	10	12	19	1	–	1	–
Diphtheria	21	1	–	1	3	5	3	3	5	–	–	–	–
Hooping Cough	140	4	8	31	50	28	8	6	4	1	–	–	–
Croup	47	–	2	10	18	6	7	3	1	–	–	–	–
Thrush	1	–	–	–	1	–	–	–	–	–	–	–	–
Diarrhœa	30	7	5	4	4	2	1	1	1	1	–	–	1
Dysentery	4	–	–	–	–	–	–	–	–	1	–	–	–
Cholera	2	–	1	–	–	–	–	–	–	–	–	–	1
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	1	–	–	–	–	–	1	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	105	–	–	7	8	4	2	7	12	4	5	8	8
Metria	7	–	–	–	–	–	–	–	–	–	1	–	4
Rheumatic Fever	2	–	–	–	–	–	–	–	–	–	–	1	–
Erysipelas	14	1	3	–	1	–	–	1	–	–	2	1	1
Syphilis	3	2	–	–	–	–	–	–	–	–	–	1	–
Noma	2	–	–	–	–	1	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	9	–	–	–	–	–	1	–	2	1	–	–	1
Abscess	3	–	–	–	–	–	–	–	–	1	–	1	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	3	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	19	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	19	–	–	–	5	1	1	–	1	5	1	–	–
Tabes Mesenterica	24	–	2	1	10	2	2	1	3	2	–	–	1
Phthisis	200	1	1	5	8	6	6	1	9	10	16	15	29
Hydrocephalus	48	2	3	13	17	4	2	2	4	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1863.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	47	62	55	63	55	31	54	46	33	27	22	9	4	2	–	–
Specified Causes	47	61	55	62	54	31	54	46	33	27	22	9	4	2	–	–
Zymotic Class	8	12	10	12	6	5	3	3	2	1	–	1	–	–	–	–
Uncertain Seat	1	6	2	2	4	2	5	3	1	–	1	1	–	–	–	–
Tubercular Class	21	25	15	16	10	5	4	2	–	1	–	–	–	–	–	–
Brain, etc.	5	3	4	10	10	4	9	8	9	5	7	1	–	–	–	–
Heart, etc.	2	4	8	4	2	5	7	5	4	3	1	–	–	–	–	–
Respiratory Organs	3	–	7	5	9	7	11	6	2	5	2	–	1	–	–	–
Digestive Organs	2	3	4	4	7	3	4	4	3	–	1	–	–	–	–	–
Urinary Organs	–	1	1	1	1	–	2	–	1	2	–	1	–	–	–	–
Generative Organs	3	2	3	1	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Skin	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	2	14	10	8	10	5	3	2	–	–
Sudden Deaths	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	2	5	–	6	3	–	6	1	–	–	–	–	–	–	–	–
Small Pox	3	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–
Dysentery	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	3	6	7	9	6	4	3	1	–	1	–	–	–	–	–	–
Metria	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	1	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	1	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	1	–	–	–	–	–	–	–	1	1	–	–	–	–
Cancer	–	6	1	2	2	2	3	2	1	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	3	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	17	25	14	15	10	5	4	2	–	1	–	–	–	–	–	–
Hydrocephalus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1863.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	2	–	–	–	1	–	–	–	–	–	–	–	–
Apoplexy	26	–	–	1	–	–	–	–	–	–	1	–	–
Paralysis	36	–	–	–	–	1	–	–	1	–	–	–	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	5	–	–	–	–	–	–	–	–	–	–	1	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	22	6	3	4	6	1	2	–	–	–	–	–	–
Brain Disease	30	1	1	5	4	1	1	–	4	1	–	1	–
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	1
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	55	1	–	–	–	–	–	–	1	–	1	2	5
VI. Laryngitis	2	–	–	1	1	–	–	–	–	–	–	–	–
Bronchitis	115	9	6	24	33	6	2	–	2	1	–	–	–
Pleurisy	2	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	43	2	1	3	4	1	2	2	2	4	2	2	2
Asthma	6	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	7	1	–	–	1	–	–	–	1	–	–	2	–
VII. Teething	50	–	–	17	25	7	–	1	–	–	–	–	–
Quinsey	1	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	4	–	–	–	1	–	–	–	–	1	–	–	–
Enteritis	22	2	4	2	5	1	–	–	1	–	–	1	1
Peritonitis	8	1	–	–	–	–	–	–	1	1	1	–	1
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	1	–	–	–	–	–	–	–	–
Hernia	2	–	1	–	–	–	–	–	–	–	–	1	–
Ileus	5	1	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	13	–	–	3	1	–	–	–	–	–	–	1	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	3	2	–	–	–	–	–	–	–	–	–	1	–
Liver Disease	15	1	–	2	–	–	–	–	–	–	–	–	–
Spleen Disease	1	–	–	–	1	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	13	1	–	–	–	–	–	1	1	2	–	–	–
IX. Paramenia	2	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	12	–	–	–	–	–	–	–	–	–	–	5	1
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	4	–	–	–	–	–	–	–	1	1	1	–	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	2	–	–	–	–	1	–	–	–	–	–	–	–
XII. Cyanosis	4	4	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	5	5	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	2	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	3	2	1	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	6	–	–	1	3	–	–	1	–	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	1
Suffocation	4	–	–	–	–	–	1	–	1	2	–	–	–
Drowning	6	–	–	–	–	–	–	–	–	–	–	1	–
Fracture and Contusion	24	1	–	–	–	–	–	–	2	1	2	4	3
Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	5	2	–	–	–	–	–	–	–	–	–	–	–
Not Specified	52	22	6	6	5	4	–	1	1	1	–	–	3

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1863.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	2	2	4	6	1	2	2	2	–	3	–	–	–	–	–
Paralysis	3	–	2	2	4	–	3	5	6	5	3	1	–	–	–	–
Delirium Tremens	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	2	–	1	1	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	1	–	1	–	2	3	1	1	–	1	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	2	4	8	4	2	5	7	5	4	3	1	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	2	–	4	3	3	2	4	5	2	4	2	–	1	–	–	–
Pleurisy	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Pneumonia	1	–	2	2	4	3	4	–	–	–	–	–	–	–	–	–
Asthma	–	–	1	–	1	1	2	–	–	1	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	2	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–
Peritonitis	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	2	–	1	1	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	1	1	–	2	1	1	–	1	–	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	1	–	3	3	1	2	1	1	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Kidney Disease	–	1	–	1	1	–	1	–	1	2	–	1	–	–	–	–
Paramenia	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	2	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	1	–	2	1	–	1	–	–	–	–	–	–	–	–	–
Fracture and Contusion	2	–	–	3	2	–	4	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Other Violent Causes	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1863.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	959	88	44	93	151	70	38	34	58	30	17	47	40
SPECIFIED CAUSES	934	78	42	90	149	69	38	34	57	29	17	47	37
I. Zymotic Class	358	8	24	41	73	48	23	26	36	4	5	25	15
II. Diseases of Uncertain Seat	11	–	–	–	–	–	1	–	–	2	–	–	–
III. Tubercular Class	138	1	2	11	20	4	6	3	8	10	6	9	11
IV. Brain and Nervous System	71	5	3	6	4	2	2	–	3	–	–	1	–
V. Organs of Circulation	33	1	–	–	–	–	–	–	1	–	1	2	4
VI. Respiratory Organs	94	7	4	13	22	5	3	2	1	4	–	3	2
VII. Organs of Digestion	74	6	4	12	21	5	–	1	2	2	–	2	1
VIII. Urinary Organs	12	1	–	–	–	–	–	1	–	2	–	–	–
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	5	–	–	–	–	–	–	–	1	1	1	–	–
XI. Skin, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	5	5	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	49	40	4	5	–	–	–	–	–	–	–	–	–
XIV. Atrophy	22	–	–	–	7	5	3	–	3	1	2	1	–
XV. Age	18	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	2	–	–	1	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	41	4	1	1	2	–	–	1	2	3	2	4	4
I. Small Pox	114	5	12	11	15	12	6	6	13	2	5	15	7
Measles	36	–	1	3	14	8	4	2	3	–	–	–	1
Scarlatina	35	–	–	1	4	7	4	8	9	–	–	1	–
Diphtheria	16	1	–	1	2	5	2	3	2	–	–	–	–
Hooping Cough	61	–	4	16	24	11	3	2	1	–	–	–	–
Croup	24	–	1	5	9	3	2	3	1	–	–	–	–
Thrush	1	–	–	–	1	–	–	–	–	–	–	–	–
Diarrhœa	14	2	4	–	2	1	1	–	1	–	–	–	1
Dysentery	1	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	2	–	1	–	–	–	–	–	–	–	–	–	1
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	51	–	–	4	2	1	1	2	6	2	–	8	5
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	3	–	1	–	–	–	–	–	–	–	–	1	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	3	–	–	–	–	–	1	–	–	1	–	–	–
Abscess	1	–	–	–	–	–	–	–	–	1	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	4	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	12	–	–	–	3	1	1	–	1	4	–	–	–
Tabes Mesenterica	9	–	1	1	2	–	1	1	2	1	–	–	–
Phthisis	91	–	1	–	4	2	3	1	4	5	6	9	11
Hydrocephalus	26	1	–	10	11	1	1	1	1	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1863.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	26	20	28	35	26	15	30	21	19	10	14	5	–	–	–	–
SPECIFIED CAUSES	26	19	28	35	25	15	30	21	19	10	14	5	–	–	–	–
Zymotic Class	6	3	4	7	3	2	2	2	1	–	–	–	–	–	–	–
Uncertain Seat	–	–	1	–	–	1	2	2	–	–	1	1	–	–	–	–
Tubercular Class	10	7	7	7	6	4	3	2	–	1	–	–	–	–	–	–
Brain, etc.	4	2	2	8	7	2	5	3	8	–	4	–	–	–	–	–
Heart, etc.	2	2	6	2	1	–	3	1	3	3	1	–	–	–	–	–
Respiratory Organs	1	–	3	5	3	4	4	3	2	2	1	–	–	–	–	–
Digestive Organs	1	–	3	2	4	2	3	1	1	–	1	–	–	–	–	–
Urinary Organs	–	1	1	–	–	–	2	–	1	2	–	1	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Skin	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	–	6	2	1	6	3	–	–	–	–
Sudden Deaths	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	2	4	–	4	1	–	5	1	–	–	–	–	–	–	–	–
Small Pox	3	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Dysentery	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	3	1	3	6	3	1	2	1	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Cancer	–	–	1	–	–	1	1	1	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	8	7	7	7	6	4	3	2	–	1	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1863.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	16	–	–	1	–	–	–	–	–	–	–	–	–
Paralysis	20	–	–	–	–	1	–	–	1	–	–	–	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	14	5	2	2	3	1	1	–	–	–	–	–	–
Brain Disease	17	–	1	3	1	–	1	–	2	–	–	1	–
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	1
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	32	1	–	–	–	–	–	–	1	–	1	2	3
VI. Laryngitis	2	–	–	1	1	–	–	–	–	–	–	–	–
Bronchitis	60	5	4	11	17	4	2	–	–	1	–	–	–
Pleurisy	1	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	27	1	–	1	4	1	1	2	1	3	–	2	2
Asthma	1	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	3	1	–	–	–	–	–	–	–	–	–	1	–
VII. Teething	29	–	–	8	16	4	–	1	–	–	–	–	–
Quinsey	1	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	4	–	–	–	1	–	–	–	–	1	–	–	–
Enteritis	12	1	3	1	2	1	–	–	1	–	–	–	1
Peritonitis	4	1	–	–	–	–	–	–	1	1	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	1	–	–	–	–	–	–	–	–
Hernia	2	–	1	–	–	–	–	–	–	–	–	1	–
Ileus	2	1	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	10	–	–	2	1	–	–	–	–	–	–	1	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	2	2	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	7	1	–	1	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	10	1	–	–	–	–	–	1	–	2	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	4	–	–	–	–	–	–	–	1	1	1	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	3	3	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	2	2	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	3	2	1	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	4	–	–	1	2	–	–	1	–	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	1
Suffocation	2	–	–	–	–	–	–	–	–	2	–	–	–
Drowning	2	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	22	–	–	–	–	–	–	–	2	1	2	4	3
Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	5	2	–	–	–	–	–	–	–	–	–	–	–
Not Specified	25	10	2	3	2	1	–	–	1	1	–	–	3

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1863.—MALES. (*Continued*).

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	1	–	4	4	1	1	–	2	–	2	–	–	–	–	–
Paralysis	2	–	2	1	3	–	1	2	5	–	2	–	–	–	–	–
Delirium Tremens	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	1	–	1	–	1	2	1	1	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	2	2	6	2	1	–	3	1	3	3	1	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	–	1	3	1	1	3	2	2	1	1	–	–	–	–	–
Pleurisy	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	–	–	2	2	1	3	1	–	–	–	–	–	–	–	–	–
Asthma	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Peritonitis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	1	–	2	–	1	–	1	–	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	–	1	2	1	1	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Kidney Disease	–	1	–	–	–	–	1	–	1	2	–	1	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Fracture and Contusion	2	–	–	3	1	–	4	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Other Violent Causes	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1863.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	917	75	32	93	153	69	51	20	55	20	27	24	37
SPECIFIED CAUSES	890	63	28	90	150	66	51	19	55	20	27	24	37
I. Zymotic Class	380	14	16	48	88	48	40	18	36	10	11	7	11
II. Diseases of Uncertain Seat	24	–	–	–	–	–	–	–	2	–	–	1	1
III. Tubercular Class	153	2	4	8	20	9	5	1	9	7	11	6	19
IV. Brain and Nervous System	51	2	1	4	7	1	1	–	2	1	1	1	–
V. Organs of Circulation	23	–	–	–	–	–	–	–	–	–	–	–	2
VI. Respiratory Organs	81	5	3	15	17	2	1	–	4	1	2	1	–
VII. Organs of Digestion	51	1	1	12	13	3	–	–	–	–	1	2	1
VIII. Urinary Organs	3	–	–	–	–	–	–	–	1	–	–	–	–
IX. Organs of Generation	15	–	–	–	–	–	–	–	–	–	–	5	1
X. Organs of Locomotion	–	–	–	–	–	–	–	–	–	–	–	–	–
XI. Skin, etc.	2	–	–	–	–	1	–	–	–	–	–	–	–
XII. Malformation	4	4	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	40	34	3	3	–	–	–	–	–	–	–	–	–
XIV. Atrophy	16	–	–	–	4	2	3	–	–	1	1	–	2
XV. Age	36	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	11	1	–	–	1	–	1	–	1	–	–	1	–
I. Small Pox	96	2	7	15	21	11	16	2	9	4	2	5	1
Measles	47	–	1	3	18	10	5	1	5	–	1	–	2
Scarlatina	31	–	–	3	4	2	6	4	10	1	–	–	–
Diphtheria	5	–	–	–	1	–	1	–	3	–	–	–	–
Hooping Cough	79	4	4	15	26	17	5	4	3	1	–	–	–
Croup	23	–	1	5	9	3	5	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	16	5	1	4	2	1	–	1	–	1	–	–	–
Dysentery	3	–	–	–	–	–	–	–	–	1	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	1	–	–	–	–	–	1	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	54	–	–	3	6	3	1	5	6	2	5	–	3
Metria	7	–	–	–	–	–	–	–	–	–	1	–	4
Rheumatic Fever	2	–	–	–	–	–	–	–	–	–	–	1	–
Erysipelas	11	1	2	–	1	–	–	1	–	–	2	–	1
Syphilis	3	2	–	–	–	–	–	–	–	–	–	1	–
Noma	2	–	–	–	–	1	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	6	–	–	–	–	–	–	–	2	–	–	–	1
Abscess	2	–	–	–	–	–	–	–	–	–	–	1	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	15	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	7	–	–	–	2	–	–	–	–	1	1	–	–
Tabes Mesenterica	15	–	1	–	8	2	1	–	1	1	–	–	1
Phthisis	109	1	–	5	4	4	3	–	5	5	10	6	18
Hydrocephalus	22	1	3	3	6	3	1	1	3	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1863.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	21	42	27	28	29	16	24	25	14	17	8	4	4	2	–	–
SPECIFIED CAUSES	21	42	27	27	29	16	24	25	14	17	8	4	4	2	–	–
Zymotic Class	2	9	6	5	3	3	1	1	1	1	–	1	–	–	–	–
Uncertain Seat	1	6	1	2	4	1	3	1	1	–	–	–	–	–	–	–
Tubercular Class	11	18	8	9	4	1	1	–	–	–	–	–	–	–	–	–
Brain, etc.	1	1	2	2	3	2	4	5	1	5	3	1	–	–	–	–
Heart, etc.	–	2	2	2	1	5	4	4	1	–	–	–	–	–	–	–
Respiratory Organs	2	–	4	–	6	3	7	3	–	3	1	–	1	–	–	–
Digestive Organs	1	3	1	2	3	1	1	3	2	–	–	–	–	–	–	–
Urinary Organs	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Generative Organs	3	2	3	1	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	2	8	8	7	4	2	3	2	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	–	1	–	2	2	–	1	–	–	–	–	–	–	–	–	–
Small Pox	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Dysentery	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	5	4	3	3	3	1	–	–	1	–	–	–	–	–	–
Metria	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	6	–	2	2	1	2	1	1	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	9	18	7	8	4	1	1	–	–	–	–	–	–	–	–	–
Hydrocephalus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1863.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	1	–	–	–	1	–	–	–	–	–	–	–	–
Apoplexy	10	–	–	–	–	–	–	–	–	–	1	–	–
Paralysis	16	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	–	–	–	–	–	–	–	–	–	–	1	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	8	1	1	2	3	–	1	–	–	–	–	–	–
Brain Disease	13	1	–	2	3	1	–	–	2	1	–	–	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	23	–	–	–	–	–	–	–	–	–	–	–	2
VI. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	55	4	2	13	16	2	–	–	2	–	–	–	–
Pleurisy	1	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	16	1	1	2	–	–	1	–	1	1	2	–	–
Asthma	5	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	4	–	–	–	1	–	–	–	1	–	–	1	–
VII. Teething	21	–	–	9	9	3	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	10	1	1	1	3	–	–	–	–	–	–	1	–
Peritonitis	4	–	–	–	–	–	–	–	–	–	1	–	1
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	3	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	3	–	–	1	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	1	–	–	–	–	–	–	–	–	–	–	1	–
Liver Disease	8	–	–	1	–	–	–	–	–	–	–	–	–
Spleen Disease	1	–	–	–	1	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	3	–	–	–	–	–	–	–	1	–	–	–	–
IX. Paramenia	2	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	12	–	–	–	–	–	–	–	–	–	–	5	1
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	–	1	–	–	–	–	–	–	–
XII. Cyanosis	1	1	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	3	3	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	–	–	–	1	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	2	–	–	–	–	–	1	–	1	–	–	–	–
Drowning	4	–	–	–	–	–	–	–	–	–	–	1	–
Fracture and Contusion	2	1	–	–	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	27	12	4	3	3	3	–	1	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1863.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	1	2	–	2	–	1	2	–	–	1	–	–	–	–	–
Paralysis	1	–	–	1	1	–	2	3	1	5	1	1	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	–	2	2	2	1	5	4	4	1	–	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	–	3	–	2	1	1	3	–	3	1	–	1	–	–	–
Pleurisy	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Pneumonia	1	–	–	–	3	–	3	–	–	–	–	–	–	–	–	–
Asthma	–	–	1	–	1	1	2	–	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	1	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Peritonitis	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	1	–	2	1	–	1	1	1	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Paramenia	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	2	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1863.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	913	99	30	70	116	48	28	25	51	13	21	35	25
Specified Causes	905	94	30	69	116	48	28	25	51	13	21	34	25
I. Zymotic Class	297	11	8	17	68	34	17	15	31	3	8	9	6
II. Diseases of Uncertain Seat	31	–	–	3	1	–	–	–	3	–	–	1	–
III. Tubercular Class	116	4	2	6	15	6	3	1	3	7	7	16	5
IV. Brain and Nervous System	82	6	3	5	2	1	1	2	3	–	2	1	2
V. Organs of Circulation	34	1	–	–	–	–	–	–	–	1	–	3	1
VI. Respiratory Organs	132	19	10	21	14	1	5	3	8	–	–	1	1
VII. Organs of Digestion	81	8	2	12	10	2	1	1	–	1	2	2	5
VIII. Urinary Organs	10	–	–	–	–	1	–	1	–	–	–	1	–
IX. Organs of Generation	6	–	–	–	–	–	–	–	–	–	–	–	2
X. Organs of Locomotion	7	–	–	–	–	1	–	–	2	1	–	–	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	2	2	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	48	40	4	4	–	–	–	–	–	–	–	–	–
XIV. Atrophy	11	–	–	–	5	1	1	1	–	–	–	–	–
XV. Age	27	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	1	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	20	3	1	1	1	1	–	1	1	–	2	–	3
I. Small Pox	21	4	3	1	4	1	1	2	1	–	1	1	1
Measles	68	–	–	4	37	14	5	2	6	–	–	–	–
Scarlatina	16	–	–	–	–	2	3	1	10	–	–	–	–
Diphtheria	27	–	–	2	8	3	2	2	8	1	–	–	1
Hooping Cough	5	–	–	1	3	1	–	–	–	–	–	–	–
Croup	28	3	–	2	9	7	3	2	2	–	–	–	–
Thrush	1	–	–	1	–	–	–	–	–	–	–	–	–
Diarrhœa	19	1	3	5	5	–	–	–	–	–	–	–	–
Dysentery	7	–	–	–	1	–	–	–	–	–	1	–	1
Cholera	1	–	–	–	1	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	1	–	–	–	–	–	–	–
Ague	1	–	–	–	–	–	–	1	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	1	–	–	–	–	1	–	–	–	–	–	–	–
Typhus	90	–	1	1	–	3	3	4	4	2	6	7	3
Metria	2	–	–	–	–	–	–	–	–	–	–	1	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	4	1	1	–	–	–	–	1	–	–	–	–	–
Syphilis	5	2	–	–	–	1	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	8	–	–	2	1	–	–	–	–	–	–	–	–
Abscess	5	–	–	1	–	–	–	–	2	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	13	–	–	–	–	–	–	–	1	–	–	1	–
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	7	–	–	–	3	1	1	–	–	1	–	–	–
Tabes Mesenterica	20	4	–	4	5	2	–	1	2	1	–	–	1
Phthisis	74	–	–	–	–	1	1	–	1	4	7	16	4
Hydrocephalus	15	–	2	2	7	2	1	–	–	1	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1863.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	24	32	32	33	35	33	37	35	33	31	14	9	3	–	–	1
Specified Causes	24	32	32	33	35	33	37	35	33	31	14	9	3	–	–	–
Zymotic Class	8	12	9	4	8	6	9	6	–	5	1	2	–	–	–	–
Uncertain Seat	1	–	–	3	3	2	3	3	3	3	1	–	1	–	–	–
Tubercular Class	10	10	7	7	1	2	2	2	–	–	–	–	–	–	–	–
Brain, etc.	–	2	3	1	3	7	5	8	15	6	3	1	–	–	–	–
Heart, etc.	–	2	3	5	3	4	2	3	2	3	1	–	–	–	–	–
Respiratory Organs	1	–	5	3	10	4	11	3	4	4	2	2	–	–	–	–
Digestive Organs	1	2	3	6	5	6	2	4	3	3	–	–	–	–	–	–
Urinary Organs	–	1	–	2	1	1	–	–	–	1	1	–	–	–	–	–
Generative Organs	2	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	2	5	5	5	4	4	2	–	–	–
Sudden Deaths	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	–	2	1	2	–	–	1	–	–	–	–	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	–	–	–	1	–	2	1	1	–	–	–	–
Dysentery	–	–	–	–	1	–	–	2	–	–	–	1	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	7	12	8	3	7	6	8	3	–	2	–	–	–	–	–	–
Metria	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Syphilis	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	1	–	–	1	–	3	–	–	–	–	–	–
Abscess	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Cancer	–	–	–	2	2	2	1	2	2	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Scrofula	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	10	10	7	6	1	2	2	2	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1863.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	8	–	–	1	2	–	–	1	1	–	–	–	1
Apoplexy	21	–	–	1	–	–	–	–	–	–	–	–	–
Paralysis	30	–	–	–	–	–	–	1	–	–	–	–	–
Delirium Tremens	2	–	–	–	–	–	–	–	–	–	–	1	–
Chorea	1	–	–	–	–	–	–	–	1	–	–	–	–
Epilepsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	1	1	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	11	5	3	1	–	1	–	–	1	–	–	–	–
Brain Disease	7	–	–	2	–	–	1	–	–	–	2	–	1
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	5	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	29	1	–	–	–	–	–	–	–	1	–	3	1
VI. Laryngitis	2	–	–	–	1	–	–	–	–	–	–	–	–
Bronchitis	80	12	8	14	6	1	2	1	3	–	–	1	–
Pleurisy	2	–	–	1	–	–	–	–	–	–	–	–	1
Pneumonia	42	7	2	5	7	–	3	2	5	–	–	–	–
Asthma	5	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	1	–	–	1	–	–	–	–	–	–	–	–	–
VII. Teething	19	–	1	9	8	1	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	2	–	–	–	1	–	–	–	–	–	–	–	–
Enteritis	13	5	–	2	–	–	1	1	–	–	–	–	–
Peritonitis	7	1	–	1	–	–	–	–	–	1	1	–	1
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	4	–	–	–	–	–	–	–	–	–	–	2	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	4	1	–	–	–	–	–	–	–	–	–	–	1
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	6	–	1	–	1	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	3	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	2	1	–	–	–	–	–	–	–	–	1	–	–
Liver Disease	19	–	–	–	–	–	–	–	–	–	–	–	3
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	1	–	–	–	–	1	–	–	–	–	–	–	–
Nephria	3	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	1	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	5	–	–	–	–	–	–	1	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	4	–	–	–	–	–	–	–	–	–	–	–	2
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	5	–	–	–	–	1	–	–	2	1	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	2	2	–	–	–	–	–	–	–	–	–	–	–
XV II. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	1	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	1	–	–	–	–	–	–	–	–
Burns and Scalds	3	–	–	1	–	1	–	1	–	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	3	2	1	–	–	–	–	–	–	–	–	–	–
Drowning	4	–	–	–	–	–	–	–	–	–	1	–	–
Fracture and Contusion	6	–	–	–	–	–	–	–	1	–	1	–	3
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	8	5	–	1	–	–	–	–	–	–	–	1	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1863.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	1	1	1	4	2	3	3	4	1	–	–	–	–	–
Paralysis	–	2	1	–	–	2	2	5	12	2	2	1	–	–	–	–
Delirium Tremens	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	2	1	–	1	–	–	1	–	–	–	–	–	–
Heart Disease	–	2	3	3	2	4	1	3	2	2	1	–	–	–	–	–
Laryngitis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	–	2	1	7	3	7	1	3	4	2	2	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	–	–	2	2	2	–	3	1	1	–	–	–	–	–	–	–
Asthma	1	–	1	–	1	–	1	1	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	1	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–
Peritonitis	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Hernia	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	1	1	1	2	5	1	3	2	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	1	1	1	–	–	–	1	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in LEITH, at different Periods of Life, in 1863.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	444	52	16	37	54	25	12	9	28	4	10	19	15
SPECIFIED CAUSES	438	49	16	36	54	25	12	9	28	4	10	18	15
I. Zymotic Class	139	6	4	7	28	18	8	4	18	1	4	7	5
II. Diseases of Uncertain Seat	13	–	–	2	–	–	–	–	1	–	–	1	–
III. Tubercular Class	54	3	1	3	9	3	–	–	2	3	2	8	2
IV. Brain and Nervous System	47	5	–	4	1	1	1	1	2	–	1	1	2
V. Organs of Circulation	21	–	–	–	–	–	–	–	–	–	–	–	1
VI. Respiratory Organs	57	5	7	10	8	–	2	2	3	–	–	–	–
VII. Organs of Digestion	37	4	1	8	3	2	–	–	–	–	1	1	2
VIII. Urinary Organs	6	–	–	–	–	1	–	1	–	–	–	–	–
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	2	–	–	–	–	–	–	–	1	–	–	–	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	1	1	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	28	24	2	2	–	–	–	–	–	–	–	–	–
XIV. Atrophy	8	–	–	–	5	–	1	–	–	–	–	–	–
XV. Age	11	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	14	1	1	–	–	–	–	1	1	–	2	–	3
I. Small Pox	9	1	1	–	2	–	1	1	–	–	1	1	–
Measles	30	–	–	1	15	8	2	–	4	–	–	–	–
Scarlatina	5	–	–	–	–	–	1	1	3	–	–	–	–
Diphtheria	14	–	–	1	3	1	1	–	7	–	–	–	1
Hooping Cough	2	–	–	–	1	1	–	–	–	–	–	–	–
Croup	16	2	–	1	5	4	1	1	2	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	9	1	2	3	1	–	–	–	–	–	–	–	–
Dysentery	4	–	–	–	1	–	–	–	–	–	–	–	1
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	1	–	–	–	–	–	–	1	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	1	–	–	–	–	1	–	–	–	–	–	–	–
Typhus	43	–	–	1	–	2	2	–	2	1	3	6	3
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	3	1	1	–	–	–	–	–	–	–	–	–	–
Syphilis	2	1	–	–	–	1	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	3	–	–	1	–	–	–	–	–	–	–	–	–
Abscess	1	–	–	1	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	7	–	–	–	–	–	–	–	1	–	–	1	–
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	2	–	–	–	1	1	–	–	–	–	–	–	–
Tabes Mesenterica	10	3	–	2	3	1	–	–	1	–	–	–	–
Phthisis	34	–	–	–	–	1	–	–	1	2	2	8	2
Hydrocephalus	8	–	1	1	5	–	–	–	–	1	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1863.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	10	12	14	17	17	15	21	18	17	14	4	3	–	–	–	1
SPECIFIED CAUSES	10	12	14	17	17	15	21	18	17	14	4	3	–	–	–	–
Zymotic Class	4	4	3	–	5	1	5	4	–	1	1	1	–	–	–	–
Uncertain Seat	–	–	–	2	–	1	1	2	2	1	–	–	–	–	–	–
Tubercular Class	5	2	4	3	1	2	1	–	–	–	–	–	–	–	–	–
Brain, etc.	–	–	1	1	3	4	4	4	7	3	1	–	–	–	–	–
Heart, etc.	–	1	2	4	2	3	2	3	2	1	–	–	–	–	–	–
Respiratory Organs	–	–	2	1	5	1	6	2	2	1	–	–	–	–	–	–
Digestive Organs	1	2	1	3	1	1	2	1	1	2	–	–	–	–	–	–
Urinary Organs	–	–	–	1	–	1	–	–	–	1	1	–	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	–	2	3	3	1	2	–	–	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	–	2	1	2	–	–	–	–	–	–	–	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Dysentery	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	4	4	3	–	4	1	4	3	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	–	–	2	–	1	–	1	1	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	5	2	4	3	1	2	1	–	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1863.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	7	–	–	1	1	–	–	1	1	–	–	–	1
Apoplexy	11	–	–	1	–	–	–	–	–	–	–	–	–
Paralysis	13	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	2	–	–	–	–	–	–	–	–	–	–	1	–
Chorea	1	–	–	–	–	–	–	–	1	–	–	–	–
Epilepsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	1	1	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	6	4	–	1	–	1	–	–	–	–	–	–	–
Brain Disease	5	–	–	1	–	–	1	–	–	–	1	–	1
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	4	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	17	–	–	–	–	–	–	–	–	–	–	–	1
VI. Laryngitis	2	–	–	–	1	–	–	–	–	–	–	–	–
Bronchitis	31	3	6	7	1	–	–	1	1	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	22	2	1	3	6	–	2	1	2	–	–	–	–
Asthma	2	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	10	–	1	6	2	1	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	5	2	–	1	–	–	–	–	–	–	–	–	–
Peritonitis	3	1	–	1	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	3	–	–	–	–	–	–	–	–	–	–	1	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	2	1	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	3	–	–	–	1	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	1	–	–	–	–	–	–	–	–	–	1	–	–
Liver Disease	7	–	–	–	–	–	–	–	–	–	–	–	2
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	1	–	–	–	–	1	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	4	–	–	–	–	–	–	1	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	2	–	–	–	–	–	–	–	1	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	1	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	–	–	–	–	1	–	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	2	1	1	–	–	–	–	–	–	–	–	–	–
Drowning	3	–	–	–	–	–	–	–	–	–	1	–	–
Fracture and Contusion	6	–	–	–	–	–	–	–	1	–	1	–	3
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	6	3	–	1	–	–	–	–	–	–	–	1	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1863.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	–	1	1	3	1	1	2	1	–	–	–	–	–	–
Paralysis	–	–	–	–	–	–	2	3	5	2	1	–	–	–	–	–
Delirium Tremens	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	2	1	–	1	–	–	–	–	–	–	–	–	–
Heart Disease	–	1	2	2	1	3	1	3	2	1	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	–	1	–	5	–	3	–	2	1	–	–	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	–	–	1	1	–	–	2	1	–	–	–	–	–	–	–	–
Asthma	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	1	–	1	–	1	1	1	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in LEITH, at different Periods of Life, in 1863.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	469	47	14	33	62	23	16	16	23	9	11	16	10
SPECIFIED CAUSES	467	45	14	33	62	23	16	16	23	9	11	16	10
I. Zymotic Class	158	5	4	10	40	16	9	11	13	2	4	2	1
II. Diseases of Uncertain Seat	18	–	–	1	1	–	–	–	2	–	–	–	–
III. Tubercular Class	62	1	1	3	6	3	3	1	1	4	5	8	3
IV. Brain and Nervous System	35	1	3	1	1	–	–	1	1	–	1	–	–
V. Organs of Circulation	13	1	–	–	–	–	–	–	–	1	–	3	–
VI. Respiratory Organs	75	14	3	11	6	1	3	1	5	–	–	1	1
VII. Organs of Digestion	44	4	1	4	7	–	1	1	–	1	1	1	3
VIII. Urinary Organs	4	–	–	–	–	–	–	–	–	–	–	1	–
IX. Organs of Generation	6	–	–	–	–	–	–	–	–	–	–	–	2
X. Organs of Locomotion	5	–	–	–	–	1	–	–	1	1	–	–	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	1	1	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	20	16	2	2	–	–	–	–	–	–	–	–	–
XIV. Atrophy	3	–	–	–	–	1	–	1	–	–	–	–	–
XV. Age	16	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	1	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	6	2	–	1	1	1	–	–	–	–	–	–	–
I. Small Pox	12	3	2	1	2	1	–	1	1	–	–	–	1
Measles	38	–	–	3	22	6	3	2	2	–	–	–	–
Scarlatina	11	–	–	–	–	2	2	–	7	–	–	–	–
Diphtheria	13	–	–	1	5	2	1	2	1	1	–	–	–
Hooping Cough	3	–	–	1	2	–	–	–	–	–	–	–	–
Croup	12	1	–	1	4	3	2	1	–	–	–	–	–
Thrush	1	–	–	1	–	–	–	–	–	–	–	–	–
Diarrhœa	10	–	1	2	4	–	–	–	–	–	–	–	–
Dysentery	3	–	–	–	–	–	–	–	–	–	1	–	–
Cholera	1	–	–	–	1	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	1	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	47	–	1	–	–	1	1	4	2	1	3	1	–
Metria	2	–	–	–	–	–	–	–	–	–	–	1	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	1	–	–	–	–	–	–	1	–	–	–	–	–
Syphilis	3	1	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	5	–	–	1	1	–	–	–	–	–	–	–	–
Abscess	4	–	–	–	–	–	–	–	2	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	6	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	5	–	–	–	2	–	1	–	–	1	–	–	–
Tabes Mesenterica	10	1	–	2	2	1	–	1	1	1	–	–	1
Phthisis	40	–	–	–	–	–	1	–	–	2	5	8	2
Hydrocephalus	7	–	1	1	2	2	1	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1863.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	14	20	18	16	18	18	16	17	16	17	10	6	3	–	–	–
SPECIFIED CAUSES	14	20	18	16	18	18	16	17	16	17	10	6	3	–	–	–
Zymotic Class	4	8	6	4	3	5	4	2	–	4	–	1	–	–	–	–
Uncertain Seat	1	–	–	1	3	1	2	1	1	2	1	–	1	–	–	–
Tubercular Class	5	8	3	4	–	–	1	2	–	–	–	–	–	–	–	–
Brain, etc.	–	2	2	–	–	3	1	4	8	3	2	1	–	–	–	–
Heart, etc.	–	1	1	1	1	1	–	–	–	2	1	–	–	–	–	–
Respiratory Organs	1	–	3	2	5	3	5	1	2	3	2	2	–	–	–	–
Digestive Organs	–	–	2	3	4	5	–	3	2	1	–	–	–	–	–	–
Urinary Organs	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Generative Organs	2	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	2	3	2	2	3	2	2	–	–	–
Sudden Deaths	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–
Dysentery	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	3	8	5	3	3	5	4	–	–	2	–	–	–	–	–	–
Metria	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–
Abscess	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Cancer	–	–	–	–	2	1	1	1	1	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	5	8	3	3	–	–	1	2	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1863.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	1	–	–	–	1	–	–	–	–	–	–	–	–
Apoplexy	10	–	–	–	–	–	–	–	–	–	–	–	–
Paralysis	17	–	–	–	–	–	–	1	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	5	1	3	–	–	–	–	–	1	–	–	–	–
Brain Disease	2	–	–	1	–	–	–	–	–	–	1	–	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	12	1	–	–	–	–	–	–	–	1	–	3	–
VI. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	49	9	2	7	5	1	2	–	2	–	–	1	–
Pleurisy	2	–	–	1	–	–	–	–	–	–	–	–	1
Pneumonia	20	5	1	2	1	–	1	1	3	–	–	–	–
Asthma	3	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	1	–	–	1	–	–	–	–	–	–	–	–	–
VII. Teething	9	–	–	3	6	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	1	–	–	–	–	–	–	–	–
Enteritis	8	3	–	1	–	–	1	1	–	–	–	–	–
Peritonitis	4	–	–	–	–	–	–	–	–	1	1	–	1
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	1	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	2	–	–	–	–	–	–	–	–	–	–	–	1
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	3	–	1	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	1	1	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	12	–	–	–	–	–	–	–	–	–	–	–	1
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	2	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	1	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	4	–	–	–	–	–	–	–	–	–	–	–	2
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	3	–	–	–	–	1	–	–	1	1	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	1	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	1	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	1	–	–	–	–	–	–	–	–
Burns and Scalds	2	–	–	1	–	1	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	–	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	2	2	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1863.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	1	–	–	1	1	2	1	3	1	–	–	–	–	–
Paralysis	–	2	1	–	–	2	–	2	7	–	1	1	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Heart Disease	–	1	1	1	1	1	–	–	–	1	1	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	–	1	1	2	3	4	1	1	3	2	2	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	–	–	1	1	2	–	1	–	1	–	–	–	–	–	–	–
Asthma	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Peritonitis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	1	–	2	4	–	2	2	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1863.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	652	41	20	36	58	37	29	23	22	24	27	27	16
Specified Causes	632	35	17	35	58	36	29	22	19	24	27	26	15
I. Zymotic Class	153	6	3	10	26	19	19	14	11	6	5	4	2
II. Diseases of Uncertain Seat	32	–	–	–	–	–	–	–	–	1	–	2	–
III. Tubercular Class	112	2	5	11	13	5	1	5	4	8	14	11	7
IV. Brain and Nervous System	64	1	1	1	–	3	–	–	1	3	2	2	–
V. Organs of Circulation	32	–	–	–	–	–	–	–	–	2	–	1	–
VI. Respiratory Organs	65	3	5	2	6	3	6	1	–	1	2	2	1
VII. Organs of Digestion	57	5	2	4	10	4	1	–	–	–	2	1	2
VIII. Urinary Organs	6	–	–	–	–	1	–	–	–	1	1	–	1
IX. Organs of Generation	5	–	–	–	–	–	–	–	–	–	–	2	1
X. Organs of Locomotion	4	–	–	–	–	–	–	–	1	1	–	1	–
XI. Skin, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	3	1	–	–	1	–	–	1	–	–	–	–	–
XIII. Premature Debility	23	16	1	6	–	–	–	–	–	–	–	–	–
XIV. Atrophy	4	–	–	–	2	–	–	–	–	–	–	–	–
XV. Age	46	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	2	–	–	–	–	–	–	–	1	–	–	–	–
XVII. Violent Deaths	23	1	–	1	–	1	2	1	1	1	1	–	1
I. Small Pox	2	–	–	–	–	–	–	–	–	1	–	–	1
Measles	16	–	–	2	5	4	5	–	–	–	–	–	–
Scarlatina	7	–	–	–	–	2	1	3	1	–	–	–	–
Diphtheria	15	1	–	1	2	2	3	2	3	–	–	–	–
Hooping Cough	19	2	1	2	9	1	1	2	1	–	–	–	–
Croup	20	–	–	2	4	6	5	3	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	21	2	1	1	5	–	1	1	–	–	–	–	–
Dysentery	2	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	1	–	–	–	–
Ague	1	–	–	–	–	–	–	–	–	1	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	41	–	–	2	1	4	3	3	5	4	5	3	1
Metria	1	–	–	–	–	–	–	–	–	–	–	1	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	5	1	1	–	–	–	–	–	–	–	–	–	–
Syphilis	1	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	5	–	–	–	–	–	–	–	–	–	–	–	–
Abscess	3	–	–	–	–	–	–	–	–	–	–	1	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	21	–	–	–	–	–	–	–	–	1	–	1	–
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	9	–	–	–	1	–	–	2	2	2	1	–	1
Tabes Mesenterica	13	–	2	2	5	2	1	–	1	–	–	–	–
Phthisis	66	–	–	–	3	2	–	–	–	5	13	11	6
Hydrocephalus	24	2	3	9	4	1	–	3	1	1	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1863.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	13	21	29	20	21	23	37	35	36	26	20	8	3	–	–	–
Specified Causes	13	21	27	20	21	22	37	35	36	26	20	8	3	–	–	–
Zymotic Class	2	3	4	1	3	3	5	4	2	1	–	–	–	–	–	–
Uncertain Seat	1	–	2	2	2	5	3	9	3	2	–	–	–	–	–	–
Tubercular Class	2	8	7	2	3	–	2	1	1	–	–	–	–	–	–	–
Brain, etc.	1	1	4	3	6	4	11	5	6	5	3	1	–	–	–	–
Heart, etc.	3	–	4	1	2	3	4	3	6	3	–	–	–	–	–	–
Respiratory Organs	–	3	3	3	3	3	6	3	6	2	1	–	–	–	–	–
Digestive Organs	1	4	2	5	–	1	2	3	3	2	3	–	–	–	–	–
Urinary Organs	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Generative Organs	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	2	3	7	11	13	7	3	–	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Violent Deaths	2	2	–	3	1	2	2	1	–	–	–	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	2	1	–	1	3	2	1	–	–	–	–	–	–	–
Dysentery	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	1	3	–	–	2	1	2	–	–	1	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–	–
Syphilis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	–	–	1	4	–	–	–	–	–	–	–	–
Abscess	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Cancer	–	–	2	2	2	4	2	3	3	1	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	2	8	7	2	3	–	2	1	1	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1863.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	4	–	–	–	–	–	–	–	1	1	2	–	–
Apoplexy	19	–	–	–	–	–	–	–	–	1	–	1	–
Paralysis	16	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	6	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	6	1	1	1	–	3	–	–	–	–	–	–	–
Brain Disease	12	–	–	–	–	–	–	–	–	1	–	1	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	32	–	–	–	–	–	–	–	–	2	–	1	–
VI. Laryngitis	2	–	–	–	–	1	–	–	–	–	–	–	–
Bronchitis	35	2	4	2	4	2	5	1	–	1	1	1	–
Pleurisy	2	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	20	1	1	–	2	–	1	–	–	–	1	1	1
Asthma	4	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	19	1	2	4	9	3	–	–	–	–	–	–	–
Quinsey	1	1	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	8	1	–	–	1	1	1	–	–	–	1	1	1
Peritonitis	3	1	–	–	–	–	–	–	–	–	–	–	1
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	3	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	3	1	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	5	–	–	–	–	–	–	–	–	–	1	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	3	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	11	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	4	–	–	–	–	1	–	–	–	1	1	–	1
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	4	–	–	–	–	–	–	–	–	–	–	2	1
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	1	–	–	–	–	–	–	–	1	–	–	–	–
Rheumatism	2	–	–	–	–	–	–	–	–	1	–	–	–
Joint and Bone Disease	1	–	–	–	–	–	–	–	–	–	–	1	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	2	1	–	–	1	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	1	–	–	–	–	–	–	1	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	2	1	–	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	–	–	–	–	–	1	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	4	–	–	–	–	–	1	–	–	–	–	–	–
Fracture and Contusion	15	–	–	–	–	1	1	1	–	1	1	–	1
Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	20	6	3	1	–	1	–	1	3	–	–	1	1

CAUSES of DEATH in PERTH, at different Periods of Life, in 1863.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	–	1	2	2	4	2	4	1	1	–	–	–	–	–
Paralysis	1	–	3	–	1	1	1	2	2	2	2	1	–	–	–	–
Delirium Tremens	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	1	–	5	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	1	–	2	2	1	1	1	–	2	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	3	–	4	1	2	3	4	3	6	3	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	–	1	–	1	1	2	1	3	2	1	–	–	–	–	–
Pleurisy	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Pneumonia	–	3	–	2	1	1	4	1	–	–	–	–	–	–	–	–
Asthma	–	–	–	1	–	–	–	1	2	–	–	–	–	–	–	–
Lung Disease	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–
Ileus	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–
Liver Disease	1	2	1	4	–	1	1	–	–	–	1	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	2	2	–	1	–	2	1	1	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1863.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	331	27	8	20	30	19	17	7	10	16	16	13	7
SPECIFIED CAUSES	320	24	7	19	30	19	17	7	7	16	16	12	7
I. Zymotic Class	84	4	1	7	14	11	11	6	5	3	3	3	1
II. Diseases of Uncertain Seat	8	–	–	–	–	–	–	–	–	–	–	1	–
III. Tubercular Class	53	1	3	3	6	2	1	1	–	5	7	6	5
IV. Brain and Nervous System	34	–	–	1	–	2	–	–	1	2	1	–	–
V. Organs of Circulation	17	–	–	–	–	–	–	–	–	2	–	–	–
VI. Respiratory Organs	37	3	2	2	5	2	3	–	–	1	2	1	–
VII. Organs of Digestion	24	4	1	1	4	–	–	–	–	–	1	1	–
VIII. Urinary Organs	4	–	–	–	–	1	–	–	–	1	1	–	–
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	1	–	–	–	–	–	–	–	–	1	–	–	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	1	1	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	14	10	–	4	–	–	–	–	–	–	–	–	–
XIV. Atrophy	1	–	–	–	1	–	–	–	–	–	–	–	–
XV. Age	19	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	2	–	–	–	–	–	–	–	1	–	–	–	–
XVII. Violent Deaths	21	1	–	1	–	1	2	–	–	1	1	–	1
I. Small Pox	1	–	–	–	–	–	–	–	–	1	–	–	–
Measles	6	–	–	1	1	2	2	–	–	–	–	–	–
Scarlatina	4	–	–	–	–	2	1	1	–	–	–	–	–
Diphtheria	8	1	–	1	2	–	1	1	1	–	–	–	–
Hooping Cough	11	1	1	1	6	1	1	–	–	–	–	–	–
Croup	12	–	–	2	1	4	3	2	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	12	2	–	–	4	–	1	–	–	–	–	–	–
Dysentery	1	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	1	–	–	–	–
Ague	1	–	–	–	–	–	–	–	–	1	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	25	–	–	2	–	2	2	2	3	1	3	3	1
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	1	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	6	–	–	–	–	–	–	–	–	–	–	1	–
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	5	–	–	–	–	–	–	1	–	2	1	–	1
Tabes Mesenterica	7	–	2	1	2	1	1	–	–	–	–	–	–
Phthisis	34	–	–	–	1	1	–	–	–	3	6	6	4
Hydrocephalus	7	1	1	2	3	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1863.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	7	12	18	11	13	9	21	12	14	12	6	4	2	–	–	–
SPECIFIED CAUSES	7	12	16	11	13	9	21	12	14	12	6	4	2	–	–	–
Zymotic Class	2	3	3	1	2	1	3	–	–	–	–	–	–	–	–	–
Uncertain Seat	–	–	2	–	–	–	1	4	–	–	–	–	–	–	–	–
Tubercular Class	–	3	6	1	2	–	1	–	–	–	–	–	–	–	–	–
Brain, etc.	1	1	2	1	4	3	5	2	3	3	2	–	–	–	–	–
Heart, etc.	1	–	1	1	1	2	2	2	2	3	–	–	–	–	–	–
Respiratory Organs	–	2	1	3	3	–	4	1	2	–	–	–	–	–	–	–
Digestive Organs	1	1	1	1	–	1	2	1	2	1	1	–	–	–	–	–
Urinary Organs	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	1	–	4	5	3	4	2	–	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Violent Deaths	2	2	–	3	1	2	2	1	–	–	–	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	1	1	–	1	2	–	–	–	–	–	–	–	–	–
Dysentery	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	1	3	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	–	2	–	–	–	1	2	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	–	3	6	1	2	–	1	–	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1863.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	3	–	–	–	–	–	–	–	1	1	1	–	–
Apoplexy	11	–	–	–	–	–	–	–	–	1	–	–	–
Paralysis	7	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	2	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	3	–	–	1	–	2	–	–	–	–	–	–	–
Brain Disease	7	–	–	–	–	–	–	–	–	–	–	–	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	17	–	–	–	–	–	–	–	–	2	–	–	–
VI. Laryngitis	1	–	–	–	–	1	–	–	–	–	–	–	–
Bronchitis	19	2	2	2	3	1	3	–	–	1	1	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	13	1	–	–	2	–	–	–	–	–	1	1	–
Asthma	3	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	5	–	1	1	3	–	–	–	–	–	–	–	–
Quinsey	1	1	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	5	1	–	–	1	–	–	–	–	–	1	1	–
Peritonitis	1	1	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	2	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	1	1	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	2	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	4	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	3	–	–	–	–	1	–	–	–	1	1	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	1	–	–	–
Joint and Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	1	1	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	2	1	–	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	4	–	–	–	–	–	1	–	–	–	–	–	–
Fracture and Contusion	14	–	–	–	–	1	1	–	–	1	1	–	1
Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	11	3	1	1	–	–	–	–	3	–	–	1	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1863.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER 35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	–	–	2	1	3	–	2	1	1	–	–	–	–	–
Paralysis	1	–	1	–	–	1	–	1	1	1	1	–	–	–	–	–
Delirium Tremens	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	1	–	1	1	1	1	1	–	1	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	1	–	1	1	1	2	2	2	2	3	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	–	1	–	1	–	1	–	1	–	–	–	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	–	2	–	2	1	–	3	–	–	–	–	–	–	–	–	–
Asthma	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
Liver Disease	1	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	2	2	–	1	–	2	1	1	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1863.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	321	14	12	16	28	18	12	16	12	8	11	14	9
SPECIFIED CAUSES	312	11	10	16	28	17	12	15	12	8	11	14	8
I. Zymotic Class	69	2	2	3	12	8	8	8	6	3	2	1	1
II. Diseases of Uncertain Seat	24	–	–	–	–	–	–	–	–	1	–	1	–
III. Tubercular Class	59	1	2	8	7	3	–	4	4	3	7	5	2
IV. Brain and Nervous System	30	1	1	–	–	1	–	–	–	1	1	2	–
V. Organs of Circulation	15	–	–	–	–	–	–	–	–	–	–	1	–
VI. Respiratory Organs	28	–	3	–	1	1	3	1	–	–	–	1	1
VII. Organs of Digestion	33	1	1	3	6	4	1	–	–	–	1	–	2
VIII. Urinary Organs	2	–	–	–	–	–	–	–	–	–	–	–	1
IX. Organs of Generation	5	–	–	–	–	–	–	–	–	–	–	2	1
X. Organs of Locomotion	3	–	–	–	–	–	–	–	1	–	–	1	–
XI. Skin, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	2	–	–	–	1	–	–	1	–	–	–	–	–
XIII. Premature Debility	9	6	1	2	–	–	–	–	–	–	–	–	–
XIV. Atrophy	3	–	–	–	1	–	–	–	–	–	–	–	–
XV. Age	27	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	2	–	–	–	–	–	–	1	1	–	–	–	–
I. Small Pox	1	–	–	–	–	–	–	–	–	–	–	–	1
Measles	10	–	–	1	4	2	3	–	–	–	–	–	–
Scarlatina	3	–	–	–	–	–	–	2	1	–	–	–	–
Diphtheria	7	–	–	–	–	2	2	1	2	–	–	–	–
Hooping Cough	8	1	–	1	3	–	–	2	1	–	–	–	–
Croup	8	–	–	–	3	2	2	1	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	9	–	1	1	1	–	–	1	–	–	–	–	–
Dysentery	1	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	16	–	–	–	1	2	1	1	2	3	2	–	–
Metria	1	–	–	–	–	–	–	–	–	–	–	1	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	4	1	1	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	4	–	–	–	–	–	–	–	–	–	–	–	–
Abscess	3	–	–	–	–	–	–	–	–	–	–	1	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	15	–	–	–	–	–	–	–	–	1	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	4	–	–	–	1	–	–	1	2	–	–	–	–
Tabes Mesenterica	6	–	–	1	3	1	–	–	1	–	–	–	–
Phthisis	32	–	–	–	2	1	–	–	–	2	7	5	2
Hydrocephalus	17	1	2	7	1	1	–	3	1	1	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1863.—Females.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	6	9	11	9	8	14	16	23	22	14	14	4	1	–	–	–
Specified Causes	6	9	11	9	8	13	16	23	22	14	14	4	1	–	–	–
Zymotic Class	–	–	1	–	1	2	2	4	2	1	–	–	–	–	–	–
Uncertain Seat	1	–	–	2	2	5	2	5	3	2	–	–	–	–	–	–
Tubercular Class	2	5	1	1	1	–	1	1	1	–	–	–	–	–	–	–
Brain, etc.	–	–	2	2	2	1	6	3	3	2	1	1	–	–	–	–
Heart, etc.	2	–	3	–	1	1	2	1	4	–	–	–	–	–	–	–
Respiratory Organs	–	1	2	–	–	3	2	2	4	2	1	–	–	–	–	–
Digestive Organs	–	3	1	4	–	–	–	2	1	1	2	–	–	–	–	–
Urinary Organs	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Generative Organs	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	1	3	3	6	10	3	1	–	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	1	–	–	–	1	2	1	–	–	–	–	–	–	–
Dysentery	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	1	1	1	–	–	1	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	–	–	1	3	–	–	–	–	–	–	–	–
Abscess	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Cancer	–	–	–	2	2	4	1	1	3	1	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	2	5	1	1	1	–	1	1	1	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1863.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	1	–	–	–	–	–	–	–	–	–	1	–	–
Apoplexy	8	–	–	–	–	–	–	–	–	–	–	1	–
Paralysis	9	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	4	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	3	1	1	–	–	1	–	–	–	–	–	–	–
Brain Disease	5	–	–	–	–	–	–	–	–	1	–	1	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	15	–	–	–	–	–	–	–	–	–	–	1	–
VI. Laryngitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	16	–	2	–	1	1	2	1	–	–	–	1	–
Pleurisy	2	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	7	–	1	–	–	–	1	–	–	–	–	–	1
Asthma	1	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	14	1	1	3	6	3	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	3	–	–	–	–	1	1	–	–	–	–	–	1
Peritonitis	2	–	–	–	–	–	–	–	–	–	–	–	1
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	2	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	3	–	–	–	–	–	–	–	–	–	1	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	1	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	7	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	1
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	4	–	–	–	–	–	–	–	–	–	–	2	1
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	1	–	–	–	–	–	–	–	1	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	1	–	–	–	–	–	–	–	–	–	–	1	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	1	–	–	–	1	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	1	–	–	–	–	–	–	1	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	–	–	–	–	–	1	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	1	–	–	–	–	–	–	1	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	9	3	2	–	–	1	–	1	–	–	–	–	1

CAUSES of DEATH in PERTH, at different Periods of Life, in 1863.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	–	1	–	1	1	2	2	–	–	–	–	–	–	–
Paralysis	–	–	2	–	1	–	1	1	1	1	1	1	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	2	–	3	–	1	1	2	1	4	–	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	–	–	–	–	1	1	1	2	2	1	–	–	–	–	–
Pleurisy	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Pneumonia	–	1	–	–	–	1	1	1	–	–	–	–	–	–	–	–
Asthma	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Lung Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ileus	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Liver Disease	–	2	1	3	–	–	–	–	–	–	1	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–

TABLE showing the Distribution of DEATHS according to MONTHS, or the Influence of SEASON on the MORTALITY.
The Population is estimated to the middle of the year 1863.

			DEATHS in 1863.												
			Jan	Feb	Mar	Apr	May	Jun	July	Aug	Sep	Oct	Nov	Dec	YEAR.
	MEAN TEMPERATURE in 1863		39°·0	41°·6	43°·7	45°·0	49°·8	55°.2	57°.4	56°·5	50°·4	47°·4	44°·3	41°·7	47°·7
		Population 1863.													
	SCOTLAND . .	3,101,345	6362	6164	6703	6063	5952	5948	5630	5521	5122	5580	6010	6426	71,481
	INSULAR DISTRICTS .	159,439	324	293	271	276	280	241	204	202	199	236	184	224	2,934
	MAINLAND DISTRICTS	1,774,492	3110	3099	3363	3038	2933	2908	2811	2621	2468	2663	2756	2952	34,722
	TOWN DISTRICTS .	1,167,414	2928	2772	3069	2749	2739	2799	2615	2698	2455	2681	3070	3250	33,825
	DIVISIONS.														
1	Northern . . .	131,184	186	175	179	192	189	165	137	134	142	143	152	173	1,967
2	North-Western .	165,439	330	284	286	272	263	278	226	197	206	269	225	248	3,084
3	North-Eastern . .	370,925	649	672	681	563	547	511	513	466	513	502	543	604	6,764
4	East-Midland . .	525,589	1026	1005	1058	937	948	982	908	920	769	906	952	1007	11,418
5	West-Midland . .	242,745	457	463	536	428	416	429	443	414	402	390	430	496	5,304
6	South-Western .	1,036,867	2382	2347	2666	2349	2369	2343	2324	2242	2126	2283	2604	2801	28,836
7	South-Eastern . .	414,753	905	846	849	862	813	821	713	799	643	755	779	797	9,582
8	Southern . . .	213,843	427	372	448	460	407	419	366	349	321	332	325	300	4,526
	COUNTIES.														
	I. NORTHERN.														
1	Shetland . . .	31,803	47	54	40	39	53	34	29	32	32	24	35	27	446
2	Orkney . . .	32,606	45	43	41	53	38	44	34	24	32	37	34	41	466
3	Caithness . . .	42,741	62	43	53	58	62	57	41	51	58	50	65	69	669
4	Sutherland . .	24,034	32	35	45	42	36	30	33	27	20	32	18	36	386
	II. NORTH-WESTERN.														
5	Ross and Cromarty .	82,122	178	171	137	131	123	133	109	107	114	139	116	110	1,568
6	Inverness . . .	83,317	152	113	149	141	140	145	117	90	92	130	109	138	1,516
	III. NORTH-EASTERN.														
7	Nairn . . .	8,407	28	17	16	14	7	18	14	13	14	16	14	10	181
8	Elgin (or Moray) .	45,046	67	68	81	75	66	66	72	72	53	72	80	82	854
9	Banff . . .	57,069	80	87	98	91	107	76	80	71	62	68	70	87	977
10	Aberdeen . . .	225,567	410	449	423	325	325	294	304	255	328	304	333	361	4,111
11	Kincardine . .	34,836	64	51	63	58	42	57	43	55	56	42	46	64	641
	IV. EAST-MIDLAND.														
12	Forfar . . .	209,701	474	428	452	379	398	420	408	423	347	441	497	502	5,169
13	Perth . . .	132,260	252	232	253	228	203	216	211	197	186	207	180	206	2,571
14	Fife	155,297	244	299	301	287	289	287	229	223	183	195	234	239	3,010
15	Kinross . . .	8,531	16	11	10	11	14	14	7	12	5	13	6	12	131
16	Clackmannan . .	19,800	40	35	42	32	44	45	53	65	48	50	35	48	537
	V. WEST-MIDLAND.														
17	Stirling . . .	89,112	178	175	214	173	154	169	173	157	156	153	182	188	2,072
18	Dumbarton . .	55,797	103	100	108	91	93	104	107	102	96	92	127	150	1,273
19	Argyll . . .	81,569	145	162	176	140	131	134	139	119	116	118	105	124	1,609
20	Bute	16,267	31	26	38	24	38	22	24	36	34	27	16	34	350
	VI. SOUTH-WESTERN.														
21	Renfrew . . .	171,177	426	363	468	420	423	409	433	413	363	364	400	410	4,892
22	Ayr	201,107	379	377	415	401	385	392	352	315	332	324	359	379	4,410
23	Lanark . . .	664,583	1577	1607	1783	1528	1561	1542	1539	1514	1431	1595	1845	2012	19,534
	VII. SOUTH-EASTERN.														
24	Linlithgow . .	40,948	101	69	94	84	121	80	72	102	56	54	62	49	944
25	Edinburgh . .	277,378	641	602	593	649	554	611	490	545	462	560	578	607	6,892
26	Haddington . .	37,910	61	82	73	45	43	51	62	64	43	41	49	56	670
27	Berwick . . .	36,559	62	52	54	43	53	38	46	47	41	52	64	58	610
28	Peebles . . .	11,410	21	23	18	28	18	26	20	28	23	25	16	16	262
29	Selkirk . . .	10,548	19	18	17	13	24	15	23	13	18	23	10	11	204
	VIII. SOUTHERN.														
30	Roxburgh . . .	54,282	103	91	111	131	103	101	88	88	75	62	77	71	1,101
31	Dumfries . . .	75,400	156	142	163	170	173	165	147	147	141	144	143	121	1,812
32	Kirkcudbright .	42,355	84	71	75	77	63	84	72	60	57	67	62	57	827
33	Wigtown . . .	41,806	84	68	101	82	68	69	59	54	48	59	43	51	786

CONSTITUTION OF THE COMPOUND DISTRICTS.

No.	District.	Component Parts (Parishes).
13	Birsay	Part of Harray & Birsay.
14	Deerness	Part of St Andrews.
15	Eday & Pharay	Part of Stronsay & Eday.
22	North Ronaldshay	Part of Cross & Burness.
26	Sanday	Lady, and part of Cross & Burness.
86*b*	Carloway	Parts of Lochs and Uig.
87	Lochs	Parts of Lochs and Uig.
112	Kilmuir	(1) Part of Kilmuir, (2) Rest of Kilmuir and part of Snizort.
135	Elgin	Elgin, and parts of New Spynie and St Andrews Lhanbryde.
147	Banff	(1) Burghal parts of Banff and Gamrie, (2) Rest of Banff.
152	Enzie	Parts of Bellie and Rathven.
155*b*	Glenrinnes	Part of Aberlour and Mortlach.
167	Seafield	Parts of Cullen and Rathven.
222*b*	Millbrex	Parts of Fyvie and Monquhitter.
227*a*	New Machar	New Machar and part of Udny.
227*b*	New Pitsligo	Parts of Aberdour, New Deer, Strichen, and Tyrie.
237*b*	Savoch	Parts of Ellon, New Deer, Old Deer, and Tarves.
272	Arbroath	Arbroath, and part of St Vigeans.
282	Dundee	(1) Part of Dundee, (2) Rem. of Dundee, and part of Liff, Benvie, and Invergowrie, (3) Part of Liff, &c.
312	Montrose	Montrose, and part of Dun.
324	Aberfeldy	Parts of Dull, Fortingall, Kenmore, Logierait, and Weem.
331	Balquhidder	Balquhidder, and part of Comrie.
333	Blackford	Blackford, and part of Ardoch.
344	Dowally	Part of Dunkeld & Dowally.
348	Dunblane	Dunblane, and part of Ardoch.
349	Dunkeld	Parts of Caputh and of Dunkeld & Dowally.
355*a*	Fortingall	Parts of Fortingall and Weem.
355*b*	Foss	Part of Dull.
360	Kenmore	Parts of Kenmore and Weem.
361	Killin	Parts of Kenmore, Killin, and Weem.
367	Kinloch-Rannoch	Parts of Fortingall and Logierait.
375	Logiealmond	Parts of Fowlis-Wester, Little Dunkeld, Methven, Monzie, and Redgorton.
379	Meigle	Meigle, and part of Coupar-Angus.
386*a*	Muthill	Muthill, and part of Ardoch.
386*b*	Persie	Parts of Alyth, Bendochy, Blairgowrie, Caputh, Kirkmichael, Lethendy & Kinloch, and Rattray.
387	Perth	Perth, and parts of Kinnoull, Scone, and Tibbermore.
394*b*	Strathfillan	Part of Killin.
394*c*	Tenandry	Parts of Blair-Athol, Dull, and Moulin.
423	Dunbog	Dunbog, and parts of Abdie and Flisk.
442	Kirkcaldy	Kirkcaldy, and parts of Abbotshall and Kinghorn.
490	Stirling	Stirling, and part of St Ninians.
493	Bonhill	Bonhill, and part of Dumbarton.
496	Dumbarton	Parts of Cardross and Dumbarton.
506	Ballachulish, &c.	Part of Kilmalie.
509	Cumlodden	Parts of Glassary and Inveraray.
515	Kilbrandon & Kilchattan	Kilbrandon & Kilchattan, and part of Jura.
526	Lochgilphead	Parts of Glassary and South Knapdale.
535	Tarbert	Parts of Kilcalmonell & Kilberry, of Saddell & Skipness, and of South Knapdale.
536	Bowmore (or Killarrow)	Part of Killarrow & Kilmeny.
538	Iona	Part of Kilfinichen & Kilvickeon.
542	Kilfinichen & Kilvickeon	Parts of Kilfinichen & Kilvickeon, and of Torosay.
543	Kilmeny	Part of Killarrow & Kilmeny.
545	Kinlochspelvie	Part of Torosay.
546	Oa	Part of Kildalton.
547	Portnahaven	Part of Kilchoman.
548	Salen	Parts of Kilninian & Kilmore, and of Torosay.
549	Tobermory	Part of Kilninian & Kilmore.
556	Lochranza	Parts of Kilbride and of Kilmory.
557	North Bute	North Bute, and part of Rothesay.
559	Abbey	(1) Parts of Abbey and Renfrew, (2 & 3) Rest of Abbey.
578	Ayr	Ayr, and parts of Newton-upon-Ayr, and of St Quivox.
595	Irvine	Irvine, and part of Dundonald.
612	St Quivox, &c.	Parts of Newton-upon-Ayr, and St Quivox.
626*b*	Calderhead	Parts of Cambusnethan and Shotts.
644	Glasgow	City of Glasgow, including Gorbals and parts of Barony and Govan.
670	Queensferry	Queensferry, and part of Dalmeny.
684	Portobello	Parts of Duddingstone and South Leith.
685	Edinburgh	City of Edinburgh, including Canongate and parts of St Cuthberts, Duddingstone, Liberton, and South Leith.
690	Kirknewton & East Calder	Kirknewton & East Calder, and part of Kirkliston.
692	Leith	(1) Parts of Cramond, North Leith, and St Cuthberts, (2) Parts of North Leith, St Cuthberts, and South Leith.
787*b*	Edgerston	Parts of Jedburgh, Oxnam, and Southdean.
813*b*	Brydekirk	Parts of Annan, Cummertrees, and Hoddam
853*b*	Wanlockhead	Part of Sanquhar.
857*b*	Bargrennan	Parts of Minnigaff (Kirkcudbright), and of Penninghame (Wigton).
862	Corsockbridge	Parts of Balmaclellan, Kirkpatrick-Durham, and Parton.
864	Dalbeattie	Part of Urr.
899	Stranraer	Stranraer, and parts of Inch and Leswalt.

INDEX TO THE DISTRICTS.

*The Figures refer to the Numbers of the Districts in the preceding Tables of Births, Deaths, and Marriages (pages 2 to 23), these being numbered consecutively from 1 to 901.**

Abbey, . 559
Abbey St Bathans, . 726
Abbotshall, 399
Abdie, . 400
Abercorn, . 661
Aberdalgie, 323
Aberdeen, . 168
Aberdour (Aberdeen), . 169
Aberdour (Fife), 401
Aberfeldy, . 324
Aberfoyle, . 325
Aberlady, . 702
Aberlemno, 269
Aberlour, . 145
Abernethy, 326
Abernethy and Kincardine, 124
Abernyte, . 327
Aboyne, . 170
Aharacle, . 505
Airdrie, . 651
Airlie, . 270
Airth, . 469
Alford, . 171
Alloa, . 465
Alness, . 57
Alva (Stirling), 470
Alvah (Banff), 146
Alves, . 125
Alvie, . 90
Alyth, . 328
Ancrum, . 780
Anderston, 644
Annan, . 812
Anstruther-Easter, . 402
Anstruther-Wester, . 403
Anwoth, . 855
Appin, . 525
Applecross, 58
Applegarth, 813*a*
Arbirlot, . 271
Arbroath, . 272
Arbuthnott, 250
Ardchattan, 504
Ardclach, . 120
Ardersier, . 91
Ardnamurchan, 505
Ardrossan, 576
Arisaig, . 505
Arngask, . 404
Arrochar, . 492
Ashkirk, . 781
Assynt, . 44
Athelstaneford, 703
Auchbreck, 157
Auchindoir, 172
Auchinleck, 577
Auchterarder, 329
Auchterderran, 405
Auchtergaven, 330
Auchterhouse, 273
Auchterless, 173
Auchtermuchty, 406
Auchtertool, 407
Auldearn, . 121
Avoch, . 59
Avondale, . 621
Ayr, . . 578
Ayton, . 727

Baldernock, 471
Balfron, . 472
Ballachulish & Corran of Ardgour, 506
Ballantrae, 579
Ballingry, . 408
Balmaclellan, 856
Balmaghie, 857
Balmerino, 409
Balquhidder, 331
Banchory-Devenick, . 251
Banchory-Ternan, . 252
Banff, . 147
Bargrennan, 857*b*
Barony, . 622
Barr, . 580
Barra (Inverness), . 108
Barry (Forfar), 274
Barvas, . 86*a*
Bathgate, . 662
Beath (Fife), 410
Bedrule, . 782
Beith (Ayr), 581
Belhelvie, . 174
Bellie, . 126
Benbecula, . 118
Bendochy, . 332
Benholm, . 253
Bernera, . 111
Bervie (or Inverbervie), 254
Biggar, . 623
Birnie, . 127
Birsay, . 13
Birse, . 175
Blackford, . 333
Blair-Athol, 334
Blairgowrie, 335
Blantyre, . 624
Blythswood, 644
Boharm, . 128
Boisdale, . 118
Boleskine . 92
Bolton, . 704
Bonar, . 46
Bonhill, . 493
Borgue, . 858
Bo'ness, . 663
Borthwick, 674
Bothkennar, 473
Bothwell, . 625
Botriphnie, 148
Bourtie, . 176
Bowden, . 783
Bower, . 34
Bowmore (or Kilarrow), 536
Boyndie, . 149
Bracadale, 109
Brechin, . 275
Bressay, . 1
Bridgeton, . 644
Brodick, . 553
Broughton, 758
Brydekirk, 813*b*
Buchanan, 474
Buittle, . 859
Bunkle and Preston, . 728
Burntisland, 411
Burra & Quarff, 1

Cabrach, . 177
Cadder, . 626
Cairney, . 178
Calderhead, 626
Callander, . 336
Calton, . 644
Cambuslang, 627
Cambusnethan, 628
Cameron, . 412
Campbeltown, 507
Campsie, . 475
Canisbay, . 35
Canonbie, . 814
Canongate, 685
Caputh, . 337
Cardross, . 494
Careston, . 277
Cargill, . 338
Carlaverock, 815
Carloway, . 86*b*
Carluke, . 629
Carmichael, 630
Carmunnock, 631
Carmylie, . 276
Carnbee, . 413
Carnock, . 414
Carnwath, . 632
Carriden, . 664
Carrington, 675
Carsphairn, 860
Carstairs, . 633
Castleton, . 784
Cathcart, . 560
Cavers, . 785
Cawdor, . 122
Ceres, . 415
Channelkirk, 729
Chapel-of-Garioch, . 179
Chirnside, . 730
Clackmannan, 466
Clatt, . 180
Cleish, . 460
Closeburn, 816
Clunie (Perth), 339
Cluny (Aberd'n), 181
Clyde, . 644
Clyne, . 45
Cockburnspath, 731
Cockpen, . 676
Coigach, . 75
Coldingham, 732
Coldstream, 733
Colinton, . 677
Coll, . . 551
Collace, . 340
Collessie, . 416
Colmonell, . 582
Colonsay, . 539
Colvend, . 861
Comrie, . 341
Contin, . 60
Cookney, . 258
Corsock-Bridge, 862
Corstorphine, 678
Cortachy and Clova, . 278
Coull, . 182
Coupar-Angus, 279
Covington and Thankerton, 634
Coylton, . 583
Craig, . 280
Craigie, . 584
Craignish, . 508
Crail, . 417
Crailing, . 786
Cramond, . 679
Cranshaws, 734
Cranston, . 680
Crathie and Braemar, 183
Crawford, 635
Crawfordjohn, 636
Creich (Sutherland), . 46
Crichton, . 681
Criech (Fife), 418
Crieff, . 342
Crimond, . 184
Cromarty, . 61
Cromdale and Inverallan, 93
Crossmichael, 863
Croy & Dalcross, 94
Cruden, . . 185
Cullen, . 150
Culross, . 343
Culsamond, 186
Culter, . 637
Cults, . 419
Cumbernauld, 495
Cumbraes, 552
Cumlodden, 509
Cummertrees, 817
Cupar, . 420
Currie, . 682

Dailly, . 585
Dairsie, . 421
Dalavich, . 517
Dalbeattie, 864
Dalgetty, . 422
Dalkeith, . 683
Dallas, . 129
Dalmellington, 586
Dalmeny, . 665
Dalry (Ayr), 587
Dalry (Kirkcudbright), 865
Dalrymple, 588
Dalserf, . 638
Dalton, . . 818
Dalziel, . 639
Daviot, . 187
Daviot & Dunlichty, . 95
Deerness, . 14
Delting, . 2
Denny, . 476
Deskford, . 151
Dingwall, . 62
Dirleton, . 705
Dollar, . 467
Dolphington, 640
Dores, . 96
Dornoch (Sutherland), . 47
Dornock (Dumfries), . 819
Douglas, . 641
Dowally, . 344
Drainie, . 130
Dreghorn, . 589
Dron, . 345
Drumblade, 188
Drumelzier, 759
Drumoak, . 189
Dryfesdale, 820
Drymen, . 477
Duddingston, 684
Duffus, . 131
Duirinish, . 110
Dull, . . 346
Dumbarton, 496
Dumfries, . 821
Dun, . . 281
Dunbar, . 706
Dunbarney, 347
Dunblane, . 348
Dunbog, . 423
Dundee, . 282
Dundonald, 590
Dunfermline, 424
Dunino, . 425
Dunipace, . 478
Dunkeld, . 349
Dunlop, . 591
Dunnet, . 36
Dunnichen, 283
Dunning, . 350
Dunnottar, 255
Dunoon & Kilmun, . 510
Dunrossness, 3
Dunscore, . 822
Dunse, . 735
Dunsyre, . 642
Durness, . 48
Duror, . 525
Durris, . 256
Durrisdeer, 823
Duthil, . 132
Dyce, . 190
Dyke, . 133
Dysart, . 426

Eaglesham, 561
Earlsferry, 436
Earlston, . 734
Eassie & Nevay, 286

* The actual number of Districts is 1011—many Parishes and Burghs having been divided into two or more Districts for the purposes of Registration. Thus Edinburgh and Glasgow, to each of which only a single number is assigned in the Tables, consist of 5 and 10 Districts respectively. In forming the alphabetical arrangement, the principle adopted has been to place *compound* names in the order in which they are pronounced.

East Kilbride, 643
Eastwood, . 562
Eccles, . 737
Ecclesmachen, 666
Echt, . 191
Eckford, . 787*a*
Eday & Pharay, 15
Edderton, . 63
Eddlestone, 760
Eddrachillis, . 49
Edgerston, 787*b*
Edinburgh, 685
Edinkillie, . 134
Ednam, . 788
Edrom, . 738
Edzell, . 285
Elgin, . . 135
Elie, . . 427
Ellon, . . 192
Enzie, . . 152
Errol, . . 351
Erskine, . 563
Eskdalemuir, 824
Ettrick, . 774
Evie & Rendall, 16
Ewes, . 825
Eyemouth, 739

Fair Isle, . 3
Fala & Soutra, 686
Falkirk, . 479
Falkland, . 428
Farnell, . 286
Farr, . 50
Fearn (Forfar), 287
Fearn (Ross), 64
Fenwick, . 592
Ferry-Port-on-Craig, . 429
Fetlar, . 4
Fettercairn, 257
Fetteresso, . 258
Findo-Gask, 352
Fintray (Aberdeen), . 193
Fintry (Stirling), 480
Firth & Stennes, 17
Flisk, . 430
Flotta, . 32
Fodderty, . 65
Fogo, . 740
Fordoun, . 259
Fordyce, . 153
Forfar, . 288
Forgan, . 431
Forgandenny, 353
Forglen, . 154
Forgue, . 194
Forres, . 137
Fort-Augustus (or Abertarff), 92
Forteviot, . 354
Fortingall, . 355*a*
Fortrose, . 80
Foss, . . 355*b*
Fossoway and Tulliebole, 461
Foula, . 12
Foulden, . 741
Foveran, . 195
Fowlis-Easter, 356
Fowlis-Wester, 357
Fraserburgh, 196
Fyvie, . 197

Gairloch, . 66
Galashiels, . 775
Galston, . 593
Gamrie, . 155
Gargunnock, 481
Gartly, . 198
Garvald, . 707
Garvock, . 260
Gigha, . 537
Girthon, . 866
Girvan, . 594
Gladsmuir, 708
Glammis, . 289
Glasgow, . 644
Glass, . 199
Glassary, . 511
Glasserton, 885
Glassford, . 645
Glenbervie, 261
Glenbucket, 200
Glencairn, . 826
Glencoe and Ballachulish, 525
Glencross, . 687
Glendevon, 358
Glenelg, . 97
Glengarry, 99
Glenholm, . 761
Glenisla, . 290
Glenmoriston, 107
Glenmuick, Tullich, &c. 201
Glenorchy and Inishail, . 512
Glenrinnes, 155*b*
Glenshee, . 370
Glenshiel, . 67
Golspie, . 51
Gordon, . 742
Gourock, . 567
Govan, . 646
Graitney (or Gretna), . 827
Grange, . 156
Greenlaw, . 743
Greenock, . 564
Guthrie, . 291

Haddington, 709
Halfmorton, 828
Halkirk, . 37
Hamilton, . 647
Harray, . 18
Harris, . 111
Hawick, . 789
Heriot, . 688
Hobkirk, . 790
Hoddam, . 829
Holm & Paplay, 19
Holytown, . 625
Holywood, . 830
Houston and Killellan, 565
Howmore, . 118
Hownam, . 791
Hoy & Græmsay, 20
Humbie, . 710
Hume, . 744
Huntly, . 202
Hutchesontown, 644
Hutton (Berwick), . 745
Hutton (Dumfries), . 831

Inch (Wigtown), 886
Inchinnan, . 566
Inchture, . 359
Innerkip, . 567
Innerleithen, 762
Innerwick, . 711
Insch (Aberd'n), 203
Inverallan, . 93
Inveraray, . 513
Inverarity, . 292
Inveravon, . 157
Inverchaolain, 514
Inveresk, . 689
Inverkeillor, 293
Inverkeithing, 432
Inverkeithny, 158
Inverness, . 98
Inverurie, . 204
Iona, . 538
Irongray, . 867
Irvine, . 595

Jedburgh, . 792
Johnstone (Dumfries), 832
Johnstone (Renfrew), . 559
Jura, . 539

Keig, . 205
Keir, . 833
Keith, . 159
Keith-hall, 206
Kells, . 868
Kelso, . 793
Kelton, . 869
Kemback, . 433
Kemnay, . 207
Kenmore, . 360
Kennoway, 434
Kettins, . 294
Kettle, . 435
Kilbarchan, 568
Kilberry, . 516
Kilbirnie, . 596
Kilbrandon and Kilchattan, 515
Kilbride, . 553
Kilbucho, . 763
Kilcalmonell, 516
Kilchoman, 540
Kilchrenan, 517
Kilconquhar, 436
Kildalton, . 541
Kildonan, . 52
Kildrummy, 208
Kilfinan, . 518
Kilfinichen and Kilvickeon, 542
Killean and Kilchenzie, 519
Killearn, . 482
Killearnan, 68
Killin, . 361
Kilmadock, 362
Kilmalcolm, 569
Kilmallie, . 520
Kilmany (Fife), 437
Kilmarnock, 597
Kilmaronock, 497
Kilmartin, 521
Kilmaurs, . 598
Kilmelford, 524
Kilmeny (Argyll), . 543
Kilmodan, . 522
Kilmonivaig, 99
Kilmorack, 100
Kilmore & Kilbride, . 523
Kilmorich, . 527
Kilmory, . 554
Kilmuir, . 112
Kilmuir-Easter, 69
Kilmun, . 509
Kilninian and Kilmore, 544
Kilninver, . 524
Kilrenny, . 438
Kilspindie, 363
Kilsyth, . 483
Kiltarlity, . 101
Kiltearn, . 70
Kilwinning, 599
Kincardine (Perth), . 364
Kincardine (Ross), . 71
Kincardine O'Neil, . 209
Kinclaven, . 365
Kinfauns, . 366
Kingarth, . 555
King-Edward, 210
Kinghorn, . 439
Kinglassie, . 440
Kingoldrum, 295
Kingsbarns, 441
Kingussie and Insh, . 102
Kinlochbervie, 49
Kinloch-Rannoch, . 367
Kinlochspelvie, 545
Kinloss, . 138
Kinnaird, . 368
Kinneff and Catterline, 262
Kinnell, . 296
Kinnellar, . 211
Kinnethmont, 212
Kinnettles, 297
Kinnoull, . 369
Kinross, . 462
Kintail, . 72
Kintore, . 213
Kippen, . 484
Kirkbean, . 870
Kirkcaldy, . 442
Kirkcolm, . 887
Kirkconnel, 834
Kirkcowan, 888
Kirkcudbright, 871
Kirkden, . 298
Kirkgunzeon, 872
Kirkhill, . 103
Kirkhope, . 776
Kirkinner, . 889
Kirkintilloch, 498
Kirkliston, 667
Kirkmabreck, 873
Kirkmahoe, 835
Kirkmaiden, 890
Kirkmichael (Ayr), . 600
Kirkmichael (Banff), . 160
Kirkmichael (Dumfries), 836
Kirkmichael (Perth), . 370
Kirknewton and East-Calder, 690
Kirkoswald, 601
Kirkpatrick-Durham, 874
Kirkpatrick-Fleming, 837
Kirkpatrick-Juxta, . 838
Kirkton (Assynt), . 44
Kirkton (Farr), 50
Kirktown (Roxburgh), . 794
Kirkurd, . 764
Kirkwall & St Ola 21
Kirriemuir, 299
Knockando, 139
Knockbain, 73
Knoydart, . 97

Ladhope, . 799
Ladykirk, . 746
Laggan, . 104
Lairg, . 53
Lanark, . 648
Langholm, . 839
Langton, . 747
Larbert, . 485
Largo, . 443
Largs, . 602
Larkhall, . 638
Lasswade, . 691
Latheron, . 38
Lauder, . 748
Laurencekirk, 263
Leadhills, . 635
Lecropt, . 371
Legerwood, 749
Leith, . . 692
Leochel-Cushnie, . 214
Lerwick, . 5
Leslie (Aberdeen), . 215
Leslie (Fife), 444
Lesmahagow, 649
Leswalt, . 891
Lethendy and Kinloch, 372
Lethnott and Navar, . 300
Leuchars, . 445
Libberton (Lanark), . 650
Liberton (Edinburgh), . 693
Liff, Benvie, & Invergowrie, 301
Lilliesleaf, . 795
Linlithgow, 668
Linton, . 796
Lintrathen, 302
Lismore, . 525
Little Dunkeld, 373
Livingstone, 669
Lochaber, . 99
Lochalsh, . 74
Lochbroom, 75
Lochcarron, 76
Lochgilphead, 526
Lochgoilhead, 527
Lochlee, . 303
Lochmaben, 840
Lochranza, 556
Lochrutton, 875
Lochs, . 87
Lochwinnoch, 570
Logie (Fife), 446
Logie (Perth), 374
Logiealmond, 375
Logie-Buchan, 216
Logie-Coldstone, . 217
Logie-Easter, 77
Logie-Pert, 304
Logierait, . 376
Longforgan, 377
Longformacus, 750
Longside, . 218
Lonmay, . 219
Loth, . 54
Loudoun, . 603
Lumphanan, 220
Lunan, . 305
Lundie, . 306
Lunnasting, 7
Luss, . 499
Lyne, . 765

Madderty, . 770
Mains, . 833

Makerston, 797
Manor, . 766
Markinch, . 447
Marnoch, . 161
Maryculter, 264
Maryhill, . 622
Marykirk, . 265
Marytown, 308
Mauchline, 604
Maxton, . 798
Maybole, . 605
Mearns, . 571
Meggat, . 765
Meigle, . 379
Melrose, . 799
Menmuir, . 309
Merton, . 751
Methlic, . 221
Methven, . 380
Mid-Calder, 694
Middlebie, . 841
Midmar, . 222
Mid & S. Yell, 6
Millbrex, . 222*b*
Milton, . 644
Minnigaff, 876
Minto, . 800
Mochrum, . 892
Moffat, . 842
Moneydie, . 381
Monifieth, . 310
Monikie, . 311
Monimail, . 448
Monkton and Prestwick, 606
Monquhitter, 223
Montrose, 312
Monymusk, 224
Monzie (Perth), 382
Monzievaird, 383
Moonzie (Fife), 449
Mordington, 752
Morebattle, 801
Morham, . 712
Mortlach, . 162
Morton, . 843
Morvern, . 528
Moulin, . 384
Mousewald, 844
Moy and Dalarossie, . 105
Muckairn, . 529
Muckhart, . 385
Muiravonside, 486
Muirkirk, . 607
Murroes, . 313
Musselburgh, 689
Muthill, . 386

Nairn, . 123
Neilston, . 572
Nenthorn, . 753
Nesting, . 7
New Abbey, 877
Newbattle, . 695
Newburgh, 450
Newburn, . 451
New Cumnock, 608
New Deer, 225
New Galloway, 868
New, or East, Kilpatrick, 500
Newhills, . 226
Newington, 685
Newlands, . 767
New Ardrossan, 576
New Luce, . 893
New Machar, 227*a*
New Monkland, 651
New Pitsligo, 227*b*
New Spynie, 136
Newton, . 696
Newtyle, . 314
Nigg (Kincardine), . 266
Nigg (Ross), 78
North Berwick, 713
North Bute, 557
North Knapdale, . 530
North Leith, 692
Northmavine, 8
North Morar, 97
North Ronaldshay, . 22
North Uist, 113
North Yell, 4

Oa, . . 546
Oathlaw, . 315
Oban, . 523
Ochiltree, . 609
Old Ardrossan, 576
Old Cumnock, 610
Old Deer, . 228
Oldhamstocks, 714
Old, or West, Kilpatrick, 501
Old Luce (or Glenluce), 894
Old Machar, 168
Old Meldrum, 229
Old Monkland, 652
Olrig, . 39
Ordiquhill, 163
Ormiston, . 715
Orphir, . 23
Orwell, . 463
Oxnam, . 802
Oyne, . 230

Paisley, . 573
Panbride, . 316
Papa-Stour, 12
Papa-Westray, 33
Partick, . 646
Parton, . 878
Peebles, . 768
Pencaitland, 716
Penicuik, . 697
Penninghame, 895
Penpont, . 845
Persie, . 386*b*
Perth, . 387
Peterculter, 231
Peterhead, 232
Pettinain, . 653
Petty, . 106
Pitsligo, . 233
Pittenweem, 452
Polmont, . 487
Polwarth, . 754
Port-Glasgow, 574
Portlethen, 251
Port of Menteith, . 388
Portmoak, 464
Portnahaven, 547
Portobello, 684
Portpatrick, 896
Portree, . 114
Premnay, . 234
Prestonkirk, 717
Prestonpans, 718

Queensferry, 670

Rafford, . 140
Raasay, . 114
Rathen, . 235
Ratho, . 698
Rathven, . 164
Rattray, . 389
Rayne, . 236
Reay, . 40
Redgorton, 390
Renfrew, . 575
Rerrick, . 879
Rescobie, . 317
Resolis, . 79
Rhynd, . 391
Rhynie, . 237
Riccarton, . 611
Roberton, . 777
Rogart, . 55
Rosehall, . 46
Rosemarkie, 80
Roseneath, 502
Rosskeen, . 81
Rothes, . 141
Rothesay, . 558
Rothiemay, 165
Rothiemurchus, 132
Rousay and Egilsay, . 24
Row, . . 503
Roxburgh, 803
Rutherglen, 654
Ruthven, . 318
Ruthwell, . 846

Saddell, . 531
St Andrew (Edinburgh), 685
St Andrews (Orkney), 25
St Andrews-Lhanbryde, 142
St Andrews and St Leonards (Fife), . 453
St Boswells, 804
St Cyrus, . 267
St Fergus, 166
St George, 685
St Giles, . 685
St Kilda, . 111
St Madoes, 392
St Martins, 393
St Michaels, 668
St Monance (or Abercrombie), 454
St Mungo, . 847
St Nicholas, 168
St Ninians, 488
St Quivox and Newton-upon-Ayr, . 612
St Vigeans, 319
Salen (Argyll), 548
Saline (Fife), 455
Salton, . 719
Sanday, . 26
Sandness, . 12
Sandsting and Aithsting, 9
Sandwick, . 27
Sandwick & Cunningsburgh, 3
Sanquhar, . 848
Savoch, . 237*b*
Scone, . 394*a*
Scoonie, . 456
Scourie, . 49
Seafield, . 167
Selkirk, . 778
Shapinshay, 28
Shettleston, 622
Shieldaig, . 58
Shotts, . 655
Skene, . 238
Skipness, . 531
Skirling, . 769
Slains, . 239
Slamannan, 489
Sleat, . 115
Smailholm, 805
Small Isles, 116
Snizort, . 117
Sorbie, . 897
Sorn, . 613
Southdean, 806
Southend, . 532
South Knapdale, 533
South Leith, 692
South Ronaldshay & Burray, . 29
South Uist, 118
Speymouth, 143
Spott, . 720
Springburn, 622
Sprouston, 807
Stair, . 614
Stenscholl, 112
Stenton, . 721
Stevenston, 615
Stewarton, 616
Stirling, . 490
Stitchel, . 808
Stobo, . 770
Stoer, . 44
Stonehouse, 656
Stoneykirk, 898
Stornoway, 88
Stow, . 699
Stracathro, 320
Strachan, . 268
Strachur, . 534
Straiton, . 617
Stralachlan, 534
Stranraer, . 899
Strath, . 119
Strathblane, 491
Strathdon, 240
Strathfillan, 394*b*
Strathmartine, 307
Strathmiglo, 457
Strathy, . 50
Strichen, . 241
Stromness, . 30
Stronsay, . 31
Sunart (or Strontian), 505
Swinton, . 755
Symington (Ayr), . 618
Symington (Lanark), 657

Tain, . 82
Tannadice, 321
Tarbat, 83
Tarbert, . 535
Tarbolton, 619
Tarland, . 242
Tarves, . 243
Tealing, . 322
Temple, . 700
Tenandry, 394*c*
Terregles, . 880
Teviothead, 809
Thurso, . 41
Tibbermore, 395
Tillicoultry, 468
Tingwall, . 10
Tinwald, . 849
Tobermory, 549
Tomintoul, 160
Tongland, . 881
Tongue, . 56
Torosay, . 550
Torphichen, 671
Torryburn, 458
Torthorwald, 850
Tough, . 244
Towie, . 245
Tradeston, 644
Tranent, . 722
Traquair, . 771
Trinity-Gask, 396
Troqueer, . 882
Tulliallan, . 397
Tullynessle and Forbes, . 246
Tundergarth, 851
Turriff, . 247
Tweedsmuir, 772
Twynholm, 883
Tynron, . 852
Tyree, . 551
Tyrie, . 248

Udny, . 249
Uig, . . 89
Unst, . . 11
Uphall, . 672
Urquhart (Elgin), . 144
Urquhart (Inverness), . 107
Urquhart and Logie-Wester, 84
Urr, . . 884
Urray, . 85

Walls (Shetland), 12
Walls (Orkney), 32
Walston, . 658
Wamphray, 853*a*
Wandell and Lamington, 659
Wanlockhead, 853*b*
Watten, . 42
Weem, . 398
Wemyss, . 459
West Calder, 701
Westerkirk, 854
West Kilbride, 620
West Linton, 773
Westray, . 33
Westruther, 756
Whalsay and Skerries, 7
Whitburn, 673
Whitekirk and Tynninghame, 723
Whiteness and Weesdale, 10
Whithorn, 900
Whitsome, 757
Whittinghame, 724
Wick, . 43
Wigtown, . 901
Wilton, . 810
Wiston and Roberton, . 660

Yarrow, . 779
Yester (or Gifford), . 725
Yetholm, . 811